



INLAND

Industrial Supply Ltd.

**TOP
ITEMS**

Hand & Power Tools
Welding Consumables
Personal Protection Equipment



SALA

CHILL-ITS

CRC
Brakeclean
Brake Cleaners

PAINT-RITER+

Bacoban
(106)

Cleaner and disinfectant for
hard, non-porous surfaces.

3M

PROTECTA

DEI
SALA

SALA

OUR MOST POPULAR ITEMS TO GET YOUR JOB DONE.



ZIPCUT™ Cut-Off Wheels

- 7/8" bore
- Type 1
- Materials: carbon steel, stainless steel
- Highest performing cut-off wheel
- Faster, cooler, freer cutting and heavily reinforced
- Resists twisting and bending
- Allows for true, straight cuts

- Item No. WAL11T042**
4-1/2 x 3/64" | max. rpm 13,300
- Item No. WAL11T052**
5 x 3/64" | max. rpm 12,200
- Item No. WAL11T062**
6 x 3/64" | max. rpm 10,200
- Item No. WAL11T072**
7 x 1/16" | max. rpm 8600
- Item No. WAL11T092**
9 x 5/64" | max. rpm 6600



Polifan® Flap Discs

- ### Z PSF Extra Steelox
- Type 29
 - Materials: carbon steel, stainless steel
 - Zirconia alumina flap disc
 - Aggressive stock removal rate
 - Very long service life

- 5 x 7/8" | 12,200 max rpm**
- Item No. PFE60632** 36 grit
- Item No. PFE60633** 40 grit
- Item No. PFE60635** 60 grit
- Item No. PFE60636** 80 grit
- Item No. PFE60637** 120 grit

- 6 x 7/8" | 10,200 max rpm**
- Item No. PFE60639** 36 grit
- Item No. PFE60640** 40 grit
- Item No. PFE60642** 60 grit
- Item No. PFE60643** 80 grit
- Item No. PFE60644** 120 grit



Grinding Wheels

PSF Steelox

- 7/8" bore
- Type 27
- Materials: carbon steel, stainless steel
- General purpose
- High stock removal rate
- Long service life for steel and stainless steel

- Item No. PFE61003**
5 x 1/4" | max. rpm 12,200
- Item No. PFE61011**
6 x 1/4" | max. rpm 10,200



Cut-Off Wheels

Ceramic SGP Steel

- 7/8" bore
- Type 1
- Material: carbon steel
- Super fast-cutting
- Ceramic oxide grain for steel
- Outstanding service life
- Optimized for use on steel workpieces with larger cross-sections

- Item No. PFE63661**
5 x .045" | max. rpm 12,200
- Item No. PFE63663**
6 x .045" | max. rpm 10,200



Cut-Off Wheels

SGP Steelox

- 7/8" bore
- Type 27
- Materials: carbon steel, stainless steel
- Fast-cutting
- For steel and stainless steel
- Excellent service life
- Optimized for use on thin sheets and hollow sections

- Item No. PFE63173**
5 x .045" | max. rpm 12,200
- Item No. PFE63174**
6 x .045" | max. rpm 10,200



Cut-Off Wheels

PSF Duodisc® Steelox

- 7/8" bore
- Type 27
- Materials: carbon steel, stainless steel
- Combination wheel for cutting and grinding

- Item No. PFE63334**
5 x 1/8" | max. rpm 12,200
- Item No. PFE63335**
6 x 1/8" | max. rpm 10,200



Threaded Power Brushes


- Wire diameter: .020
- Most aggressive brushing action
- For heavy-duty brushing in pipeline and container construction

Item No. PFE82479 4-7/8" carbon steel

Item No. PFE82487 6" carbon steel

Item No. PFE82604 4-7/8" stainless steel

Item No. PFE82613 6" stainless steel



Scratch Brushes

- Width: 6"
- Length: 1-3/16"
- Wire dia: .012
- Rows: 4 x 18
- Curved handle
- For maintenance applications
- For removal of rust, paint, scale and debris

Item No. PFE85048

Material: carbon steel wire

Item No. PFE85050

Material: stainless steel wire



Machinist Files

Item No. PFE11155

- Length: 14"
- Cut: bastard
- Half-round pipeline, without handle
- American pattern files primarily used for fast, controlled removal of material for shaping, deburring and finishing
- Designed for filing pipeline welds and root passes and for scale removal from pipeline



CARBIDE TEETH




Circular Saw Blade

Item No. MIL48-40-4515

- Dia: 8"
- TPI: 42
- Application: metal/stainless
- Metal blade designed to exceed expectations for blade life, cut quality, and speed in metal cutting applications without a lubricant
- Hand-tensioned, hardened alloy steel body
- Carbide tipped teeth with alternate top bevel grind shear through metal leaving burr-free, cool-to-touch cuts



10 YEAR
POWER GUARANTEE
in storage



Alkaline Batteries

- Volt: 1.5
- Long, lasting power
- Engineered for use in industrial devices
- Holds power for up to 10 years in storage

Item No. RAYALAA Size AA

Item No. RAYALAAA Size AAA

Item No. RAYALC Size C

Item No. RAYALD Size D

Because work stops when batteries die.



Cable Ties

- Black nylon
- Miniature to extra heavy-duty
- Operating temperature: -40°C to 85°C
- 100/Pk

- Item No. TCHE4180C** 4", 18 LB tensile strength
- Item No. TCHE7500C** 8", 50 LB tensile strength
- Item No. TCHE11500C** 11.8", 50 LB tensile strength
- Item No. TCHE14500C** 14.5", 50 LB tensile strength
- Item No. TCHE201750C** 19.7", 175 LB tensile strength



Pro Gear LED Headlamp

Item No. PEL2745B

- 3 LEDs, 33 lumens
- Provides up to 40 hours run-time
- High, low and flashing modes
- Class 1 Division 1 safety certified
- Adjustable cloth and rubber straps included
- Batteries: 3 x AAA



Vision LED Headlamp

Item No. ENRHDA32E

- 2 LEDs, 100 lumens
- Provides up to 7 hours/high, 50 hours/low mode
- Light beam reaches up to 35 metres
- Adjustable washable band with pivoting headlight
- High and low light modes
- Batteries: 3 x AAA



Metal Yard-Gard Pail

Item No. GWM20343

- Capacity: 10-1/2 QT
- 8-1/2" high
- 10.62" top diameter
- Pre-galvanized
- 31 gauge steel with 3/16" wire handle
- Water-tight sealant



Plastic Handle Pail

Item No. PAIL747994000P11

- Capacity: 20 L / 5 GAL
- Dia: 11-13/16"
- Height" 16-5/64"
- Material: Polyethylene
- White glossy finish
- Recyclable
- Pail only



ASGW Annealed Solid Steel Rebar Wire

Item No. BRIW004040

- Gauge: 16
- Length: 340'




Clear Stretch Film

Item No. LOW200001691

- General purpose
- Puncture and tear-resistant
- 16" wide x 1000' long





Tarpaulin

- Full weather protection
- Mildew proof
- Tear-resistant with reinforced corners
- Eyelets every 3 feet
- Standard double-coated design with an 8 x 8 weave
- Blue

- Item No. **TOO180608** 6' x 8'
- Item No. **TOO181012** 10' x 12'
- Item No. **TOO181220** 12' x 20'
- Item No. **TOO182024** 20' x 24'
- Item No. **TOO182030** 20' x 30'
- Item No. **TOO183040** 30' x 40'



Polypropylene Rope

- Yellow
- Floats
- Resists rot, mildew, moisture and chemicals
- 3-strand twisted


- Item No. **ROPP1/4** 1/4" x 1300'
- Item No. **ROPP1/2** 1/2" x 335'
- Item No. **ROPP3/8** 3/8" x 630'
- Item No. **ROPP5/8** 5/8" x 200'
- Item No. **ROPP3/4** 3/4" x 125'



Pallet Jack

Item No. **ITC024852**

- Capacity: 5500 LB
- Diameter: 27" x 48"
- Entry rollers at fork tip
- Polyurethane coated steel steer wheels
- Polyurethane load rollers
- Heavy duty pump



True Temper Wheelbarrow with Flat-Free Tire

Item No. **TRUTIFS600FF**

- Capacity: 600 LB
- 6 cubic foot steel tray
- 16" flat-free tire
- 3/4" steel axle
- Roller bearings with zert fitting
- Steel with hardwood handles
- Features tray braces, leg stabilizers, stays and leg shoe pads



Step Ladders

- Fibreglass
- Type IA
- Capacity: 300 LB
- Da Boot™ technology provides slip-resistant footing
- The SHOX™ and ProTop™ designs provide a non-conductive structural molded top
- Multifunctional raptor top with multiple tool slots and magnet
- Raptor boot with slip-resistant non-marring bonded tread
- Inside spreader braces
- Double-rivet step construction
- Wide back braces

- Item No. **LOUFS1504** 4'
- Item No. **LOUFS1506** 6'
- Item No. **LOUFS1508** 8'
- Item No. **LOUFS1510** 10'
- Item No. **LOUFS1512** 12'



Extension Ladders

- Fibreglass
- Type IA
- Capacity: 300 LB
- MAXLOCK engineered
- Patented Quicklatch Runglock system
- Steel swivel safety shoe with metal shield
- Direct rung-rail connection
- Mar-resistant rail end caps
- Outside slide guides
- D-shaped rungs

- Item No. **LOUFE3216** 16'
- Item No. **LOUFE3220** 20'
- Item No. **LOUFE3224** 24'
- Item No. **LOUFE3228** 28'
- Item No. **LOUFE3232** 32'
- Item No. **LOUFE3240** 40'

THE KNOWLEDGE & EXPERIENCE.



Duct Tape

General use. Polyethylene film over cloth scrim and rubber adhesive.

Crepe Tape

General purpose. Provides solid coverage. Resists lifting or curling. Backing resists slivering, yet is hand-tearable. Good paint hold-out that resists bleed-through.

Sealing Tape

Tartan® box sealing tape. Suitable for hard-to-stick-to surfaces and cold temperature applications.

ITEM NO.	MMM2929	MMM203-24X55	MMM203-48X55	MMM30248100
COLOUR	Silver	Beige	Beige	Clear
WIDTH "	2	1	2	2
LENGTH (M)	46	55	55	100



Electrical Tape

Item No. DOC554-500

- PVC 7 ML
- Cold-resistant temperature rating -7°C to 80°C
- Black
- 3/4" wide x 66' long



Spray Adhesive

Item No. MMM77

- Size: 24 OZ
- Fast tack, long bonding range
- Little or no soak-in
- Versatile tool for bonding many lightweight materials



Brake Cleaner

Item No. CRC75088

- Size: 396 G
- Use where compliance calls for a chlorine-free product
- Removes brake fluid, grease, oil, and other contaminants from brake lining and pads



Brake Cleaner

Item No. CRC75089

- Size: 539 G
- Removes brake fluid, brake dust, grease, oil, and other contaminants from brake parts, lining and pads



DAP73461

DAP73473

DAP73485

Silicone Rubber Sealant

- One component, acetoxy cure sealant
- Ideal for indoor/outdoor use
- Provides a watertight, flexible seal
- Won't crack, crumble or shrink
- Once cured, unaffected to -40°F
- Size: 300 ML

Item No. DAP73461 White

Item No. DAP73473 Clear

Item No. DAP73485 Aluminum

boardwalk.



Threaded Handle
Item No. **BWKC34076**

- Lacquer wood
- Threaded with metal tip
- 15/16" x 54" long



Metal Brace
Item No. **JANMI351**

- Rod-style brace for push broom
- For broom sizes 24" to 36"
- Metal construction
- Connects quickly

Ep Minerals



Eagle Picher Floor-Dry®
Item No. **EAPFD85N**

- Dry-25 coarse, model 250P
- Size: 25 LB
- Granular absorbent
- Absorbs oil and spills immediately



JANC34003

JANC34001

Corn Brooms

- Bound with polyester stitching
- 3-string

Item No. **JANC34001** 1-1/8" x 56"
Item No. **JANC34003** 11"



Push Broom Heads

- Combination synthetic fill
- Stiff/medium

Item No. **JANM216BR18** 18"
Item No. **JANM216BR24** 24"
Item No. **JANM216BR36** 36"



Spill Pads

- Size: 16" x 18"

Item No. **JANGA100** universal, grey
Item No. **JANGA100W** for oil, white

Cascades PRO
Select



PRO Select® 2-Ply Bathroom Tissue
Item No. **CAS4841**

- Made from 100% recycled fibre
- 48 rolls/case, 420 sheets/roll
- Sheet size: 4.2" x 4.2"

Cascades PRO
Select



PRO Select® 2-Ply Paper Towel
Item No. **CASH140**

- Centre-pull
- Made from 100% recycled fibre
- 6 rolls/case, 500 sheets/roll
- Sheet size: 10" x 7.8"

RESPONSE



2-Ply Perforated Roll Towel
Item No. **JAN30800**

- Embossed
- Made from 100% recycled fibre
- 30 rolls/case, 85 sheets/roll
- Sheet size: 9" x 11"

WE CAN'T HELP YOU CLEAN.



Cleaner Disinfectant

Item No. JANC26832

- Heavy-duty cleaner disinfectant
- Disinfects in 45 seconds, non-abrasive, non-flammable
- Kills viruses and bacteria
- EPA and NSF approved
- Size: 946 ML
- Trigger spray



Trigger Sprayer

Item No. DOC650-721

- Sprayer trigger for bottle
- Trigger only



Spray Bottle

Item No. JANC650-722

- Bottle only
- Size: 500 ML



Trash Bags

- X-Strong, black

Item No. BWKC2636XS-B

26" x 36"
125 bags/case

Item No. BWKC3550XS-B

35" x 50"
100 bags/box



Glass Cleaner

Item No. JAN90139

- Institutional strength formula with Ammonia-D® cuts through grease and grime with no streaking or filming on stainless steel, chrome, porcelain, ceramic tile, Plexiglas® and Formica®
- Pleasantly scented and phosphate-free
- Size: 765 ML
- Trigger spray



Windshield Washer Fluid

- Summer Turbo Power keeps windshields clear from road grime and splattered insects
- All Season is methanol-based fluids designed to provide excellent grime, salt and snow cleaning performance under cold weather conditions to -35°C
- Size 3.78 L

Item No. RCHWWAFS (Summer)

Item No. RCHWWAF (All Season)



Disinfecting Wipes

Item No. JAN05963

- Kills 99.9% of viruses and bacteria
- Kills cold and flu viruses including the virus that causes COVID-19
- Kills Salmonella, E. Coli, MRSA, Staph, Strep viruses and antibiotic-resistant bacteria
- Removes > 95% of allergens
- Quantity: 80

Rags

- General purpose wipes
- Made from recycled materials
- Size: 20 LB

Item No. JANRC002C20

Mixed colour

Item No. JANRD462-C20

White

Item No. JANRC710-C20

Flannel





Solid Paint Marker

- Paintstik® solid paint marker combines the durability of paint in the convenience of a crayon
- Has superior marking performance on oily, icy, wet, dry or cold surfaces
- Weather- and UV-resistant
- Works on rough, rusty, smooth, or dirty surfaces

- Item No. **MAR80220** White ○
- Item No. **MAR80221** Yellow ●
- Item No. **MAR80222** Red ●
- Item No. **MAR80223** Black ●
- Item No. **MAR80225** Blue ●
- Item No. **MAR80226** Green ●



Liquid Paint Marker

- Paint-Riter® Valve Action® is a fast-drying liquid paint marker that reduces work downtime
- Long-lasting, and wear- and weather-resistant marks
- Safe for almost any surface
- Xylene-free paint
- Dura-nib medium bullet tip resists wear to provide long marking life


- Item No. **MAR96820** White ○
- Item No. **MAR96821** Yellow ●
- Item No. **MAR96822** Red ●
- Item No. **MAR96823** Black ●
- Item No. **MAR96824** Orange ●
- Item No. **MAR96825** Blue ●



Industrial Paint Marker

- The Pumper® industrial paint marker has a heavy duty and crush-resistant barrel
- Temperature ranges -20° to 150°F
- Excellent adhesion to cold and oily parts
- Use for permanent marks on wet and underwater surfaces
- Comes with an extra tip
- 2.3 MM tip
- Valve actuated

- Item No. **GEN04010012** White ○
- Item No. **GEN04010013** Yellow ●
- Item No. **GEN04010014** Black ●
- Item No. **GEN04010015** Red ●
- Item No. **GEN04010016** Blue ●
- Item No. **GEN04010017** Green ●



Paint Brush

- Pure bristle
- Unpainted wooden handle

- Item No. **GHJ5052-100** 1"
- Item No. **GHJ5053-150** 1-1/2"
- Item No. **GHJ5054-200** 2"
- Item No. **GHJ5056-300** 3"
- Item No. **GHJ5057-400** 4"



Paint Marker

- Marks most surfaces like metal, rubber, wood, glass/porcelain, plastic and garden
- Quick dry, highly water and fade-resistant ink
- Completely opaque even on dark or transparent surfaces
- Xylene-free permanent ink
- 2.3 MM writing width

- Item No. **JIFEK400B** Black ●
- Item No. **JIFEK400BL** Blue ●
- Item No. **JIFEK400G** Green ●
- Item No. **JIFEK400R** Red ●
- Item No. **JIFEK400W** White ○
- Item No. **JIFEK400Y** Yellow ●



Spray Paint

- Stripe® inverted tip marker is a water-based, fast drying permanent marking paint
- Designed to be applied in the inverted position
- Lead free and VOC compliant; safe on grass
- Will not wash away
- Improved colours retain their vivid colour for a longer period of time, even in direct sunlight
- Special overcap allows fingertip control without removing the colour-coded cap
- May be applied by hand with a SEYZ-605 Spot Marker or with a SEYZ-606 Marking Stick
- Size: 480 G

- Item No. **SEY20-652** White ○
- Item No. **SEY20-654** Fluorescent Red ●
- Item No. **SEY20-657** Fluorescent Orange ●
- Item No. **SEY20-668** Fluorescent Green ●
- Item No. **SEY20-669** Fluorescent Blue ●
- Item No. **SEY20-671** Red ●
- Item No. **SEY20-676** Hi-Viz Yellow ●
- Item No. **SEY20-679** Fluorescent Pink ●



Jobsite Marker

- Item No. **MIL48-22-3100**
- INKZALL™ Jobsite Markers feature clog-resistant tips
- Writes through dusty, wet or oily surfaces
- Durable marker tip is designed for writing on rough surfaces
- Ink dries quickly to reduce smearing markings without drying out quickly when cap is left off
- Black fine point



FOR THE PAINT TO DRY.



Barricade Tape

- Made from low-density polyethylene
- Width: 3"
- Length: 1000'

Item No. INCBT5058

Yellow - CAUTION

Item No. INCBT5057

Red - DANGER

Item No. INCBT5061

Red - DANGER DO NOT ENTER



Flagging Tape

- Size: 1" wide x 125' long
- Duratech non-stick polyvinyl flagging tape
- Operates to -35°C

Item No. FLA11169 Lime Green

Item No. FLA11170 Bright Orange

Item No. FLA11171 Pink

Item No. FLA11172 Hi-Viz Blue

Item No. FLA11173 Arctic Red

Item No. FLA11174 Yellow

Item No. FLA11186 Green

Item No. FLA11189 White



Fire Extinguisher

Item No. FIRABC20

- Capacity: 20 LB
- Dia: 7-1/8"
- Rating: 10-A : 120-B : C
- Range: 10 - 15 FT
- PSI: 235
- ABC multi-purpose dry chemical portable fire extinguisher with wall bracket
- Steel cylinder complete with protective skirt
- Polyester powder paint finish with superior corrosion resistance
- Waterproof stainless steel gauge
- Handle reinforced, full grip hardcoat anodized aluminum
- Oversized pull pin with retaining strap for easier and faster activation
- Colour and bar coded labels
- Complies with NFPA 10 Standard
- Meets D.O.T. requirements
- U.S.C.G. approved with bracket listed on label
- Temperature range -65°F to 120°F (-54°C to 49°C)

We INSPECT & SERVICE
fire extinguishers



Horn Signal

Item No. FALPB8HNCN

- Capacity: 8 OZ
- Air push button
- Ideal for use in sporting events, paddle boating and hiking



Cleaning Wipes

Item No. PYRHCW100

- Alcohol free hygienic cleaning wipes
- Removes body oils and perspiration from respirators and protective equipment
- Individually wrapped in box dispenser
- Quantity: 100/Pk



Lens Cleaning Towelettes

Item No. PYRLCT100

- Pre-moistened
- Individually packaged
- For use on plastic, glass and polycarbonate lenses
- Safe and effective with all lens coatings
- Ideal for glasses, goggles and face shields
- Anti-fog, anti-static formula
- Quantity: 100/Box
- Size: 5" x 8"





Firebird Series Safety Glasses

Universal comfort bridge system. Wraparound lightweight and frameless. One-piece lens with soft rubber temple ends. Hard nose piece.



DSIEP800C



DSIEP800S



DSIEP800IO

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
DSIEP800C	Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Clear	Frameless
DSIEP800IO	Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Mirror I/O	Frameless
DSIEP800S	Anti-Scratch, Anti-Static, Anti-UV	Polycarbonate	Smoke	Frameless



SecureFit™ 400 Series Safety Glasses

3M™ Pressure Diffusion Temple Technology allows temples to adjust to individual head sizes. Padded temple touch points and soft nose pads provide added comfort. Secure, snug fit helps keep eyewear in place without slippage.



MMMSF401AF-CA



MMMSF402AF-CA



MMMSF410AS-CA

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
MMMSF401AF-CA	Anti-Fog	Polycarbonate	Clear	Frameless
MMMSF402AF-CA	Anti-Fog, Anti-Scratch	Polycarbonate	Gray	Frameless
MMMSF410AS-CA	Anti-Fog, Anti-Scratch	Polycarbonate	Mirror I/O	Frameless



Virtua™ Safety Glasses

Safety glasses with Cord Control System. Unique temple design controls and holds the cord of the earplug to keep it securely in place and untangled while in use. Foam gasket seal limits exposure to dust while providing cushioning.



MMM11872-00000-20



MMM11873-00000-20



MMM11874-00000-20

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
MMM11872-00000-20	Anti-fog	Polycarbonate	Clear	Clear/Blue
MMM11873-00000-20	Anti-fog	Polycarbonate	Grey	Black
MMM11874-00000-20	Anti-fog	Polycarbonate	Clear Mirror I/O	Clear/Blue



V2G® Series Safety Glasses

Headband and temples feature ratchet adjustment. Interchangeable temples and headband included with each pair of V2G. Flame-resistant foam padding.



PYRGB1810ST



PYRGB1820ST



PYRGB1880ST

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
PYRGB1810ST	Anti-Fog, Anti-Scratch, Anti-Reflective	Polycarbonate	Clear	Black
PYRGB1820ST	Anti-Fog, Anti-Scratch, Anti-Reflective	Polycarbonate	Grey	Black
PYRGB1880ST	Anti-Fog, Anti-Scratch, Anti-Reflective	Polycarbonate	Clear Mirror I/O	Black



OTS® Safety Glasses

Glasses are lightweight nylon. Temples adjust for length and pitch. Designed to fit over prescription eyewear. Protects 99% UV-A/UV-B rays.



PYRS3510SJ



PYRS3520SJ



PYRS3580SJ

ITEM NO.	LENS COATING	LENS MAT.	LENS COLOUR	FRAME COLOUR
PYRS3510SJ	Anti-Scratch, Anti-Reflective	Polycarbonate	Clear	Black
PYRS3520SJ	Anti-Scratch, Anti-Reflective	Polycarbonate	Grey	Black
PYRS3580SJ	Anti-Scratch, Anti-Reflective	Polycarbonate	Mirror I/O	Black



Hard Hat with Rain Trough

- HDPE shell
- 4-point nylon suspension
- Pin-lock adjustment
- Fits hat size 6-1/2 to 8
- Certified CSA Type 1 Class E and ANSI Type I Class E

- Item No. DSIHP241R/01 White
- Item No. DSIHP241R/02 Yellow
- Item No. DSIHP241R/03 Orange
- Item No. DSIHP241R/04 Dark Green
- Item No. DSIHP241R/07 Sky Blue
- Item No. DSIHP241R/08 Navy Blue
- Item No. DSIHP241R/09 Grey
- Item No. DSIHP241R/11 Black
- Item No. DSIHP241R/15 Red



Safety Visor

Item No. DSIEP815/40

- Height: 8"
- Width: 15-1/2"
- Thickness: 0.04"
- Clear safety visor
- PETG material
- Multi-fit attachment pattern consisting of 5 slots strategically located to fit a wide variety of headgear and brackets
- Meets ANSI Z87.1 and CSA Z94.3



Sweat Band

Item No. DSIHPSB470PK

- Terry cloth sweat band with Velcro® closure for hard hat
- Blue



Safety Visor

Item No. FBM4178CL

- Height: 8"
- Width: 16-1/2"
- Thickness: 0.06"
- Clear safety visor
- Distortion-free optics
- Chemical and impact resistance
- Compatible with Fibre-Metal® hard hats with Quick-Lok™ blocks
- Used with F-400, F-500, FH-66, FM-70, FM-71 Series
- Propionate material



Foam Earplugs

Item No. HOWLL1

- NRR: 32 dB
- Laser Lite™ foam earplugs
- Self-adjusting foam expands to fit virtually every wearer
- Smooth, soil-resistant foam skin prevents dirt build-up
- Contoured T-shape for easy insertion and wear
- Disposable
- Yellow/pink
- 200/Box



Hard Hat Roughneck P2A Series

- Front brim and side slots for accessory mounting options
- 8-point ratchet
- Thermoplastic
- Certified CSA Class G or C (Class C for Quick-Lok) Type 1, ANSI Class G Type 1

- Item No. FBMP2AQRW01A000 White
- Item No. FBMP2AQRW09A000 Grey
- Item No. FBMP2AQRW11A000 Black
- Item No. FBMP2AQRW71A000 Blue
- Item No. FBMP2AQRW74A000 Green



Face Shield

Item No. FBM4199CL

- Height: 9-3/4"
- Width: 19"
- Thickness: 0.06"
- Clear face shield with extended view
- Injection molded from propionate
- For use with F-400, F-500 and FH-66 faceshields
- Meets ANSI Z87+



Universal Cap-Mount Hard Hat Adapter

Item No. PYRHAA

- Spring-type adjustment
- Aluminum
- Silver spring/hinge
- Cap-mount with 3-swivel
- Fits most cap-style hard hats and accommodates a variety of face shields



Cap-Mounted Earmuffs

Item No. PLTH7P3E

- NRR: 24 dB
- Peltor™ Optime™ earmuffs
- Dielectric
- Cap-mounted design allows for easy use with most hard hats
- Colour-coding for compliance sighting
- Liquid/foam filled ear cushions

! *We clean and refurbish respirators. Ask us!*



Quick Latch Half-Facepiece Respirator

- Rugged comfort respirator features a proprietary quick latch design that offers a one-hand touch drop-down mechanism for putting the facepiece on/off
- 4-point quick latch
- Silicone face seal and proprietary 3M™ Cool Flow™ valve helps reduce heat and moisture

Item No. MMM6501QL (S)
Item No. MMM6502QL (M)
Item No. MMM6503QL (L)



Half-Facepiece Respirator

- Easy to adjust head straps
- 4-point harness
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- TPE material
- Reusable and can be disassembled and cleaned

Item No. MMM6100 (S)
Item No. MMM6200 (M)
Item No. MMM6300 (L)



Full Facepiece Respirator

- Large lens provides wide field of view
- Lightweight, balanced design
- Silicone face seal for comfort, durability and ease of cleaning
- Available in air-purifying and supplied air respirator modes
- Centre adapter directs exhaled breath downward

Item No. MMM6700 (S)
Item No. MMM6800 (M)
Item No. MMM6900 (L)



P100 Particulate Filter

- Item No. MMM2097**
- Protection type: organic vapour, particulates
 - Flame- and water-resistant
 - Carbon layer helps reduce the odour of nuisance organic vapours such as certain solvents, degreasers and resins
 - Use with 3M™ 6000, 6500 and 7500 Series facepieces



P100 Advanced Particulate Filter

- Item No. MMM2297**
- Protection type: organic vapour, particulates
 - Nuisance odour relief for organic vapour levels below the Permissible Exposure Level (PEL)
 - Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces



P100 Gas/Vapour Cartridge

- Item No. MMM60926**
- Protection type: ammonia, chlorine, chlorine dioxide, formaldehyde, hydrogen chloride, hydrogen fluoride, hydrogen sulfide, methylamine, organic vapour, sulfur dioxide
 - Swept-back design
 - Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces



Faceshield Cover

- Item No. MMM6885EA**
- For use with 3M™ full facepiece reusable respirator 6000 Series
 - Protects lens from scratches, chips and dust



N95 Disposable Respirator Item No. DSIRP513N95

- Disposable particulate respirator
- Foam nose cushion and nose clip
- NIOSH approved
- 20/Box



N95 Disposable Respirator with Valve Item No. DSIRP714N95

- Deluxe disposable particulate respirator with exhalation valve
- Closed cell foam nose cushion and nose clip
- Adjustable strap
- NIOSH approved
- 10/Box



Disposable SMS Coverall Item No. PIO2045

- Sizes: S - 5XL
- Front zipper
- 3-layer spunbond meltblown synthetic material
- Breathable while protecting from dry particulates and fluids
- Good abrasion and tear resistance
- Elastic waist, ankles and wrists
- Serged seams
- For non-hazardous environment applications



Disposable Flame-Resistant SMS Coverall Item PIO2075

- Sizes: S - 5XL
- 100% FSR (flame-spread-resistant) treated SMS (Spunbond-Meltblown-Spunbond) non-woven material
- Complies with Chemical Protective Coveralls Category III EN ISO 13982-1 Type 5 – Protection Against Hazardous Dry Particles
- Complies with Chemical Protective Coveralls Category III EN ISO 13034 Type 6 – Protection Against Light Splashes and Light Sprays of Liquid Chemicals
- Ideal for protection from asbestos, paint spray, dust and noxious splashes
- Flame-spread-resistant tested to EN 14116 Index 1
- For FSR applications only: must be worn over other CGSB approved flame-resistant apparel
- Premium sewn and bonded seams for increased holdout of liquids and dry particles
- 2-way zipper front with resealable storm flap
- Low lint
- Elastic cuff, ankle, face line and waist at back



Traffic Sash Belt

- Item No. DSITSHG32/L (Large)
- 1-1/2" Dyna-Lite™ silver/yellow-green reflective elasticized material
 - Adjustable buckles and horizontal stripe
 - 2 reflective stripes on front and X in back



Ankle Bands

- Item No. PIO1142
- Stretchy hi-viz with Velcro® closure
 - 2" premium elastic
 - 2" reflective tape
 - 14" long, one size



Traffic Cuffs

- Polyester mesh with solid binding
- 2" silver StarTech® double reflective hi-viz tape
- Long hook and loop system for adjustment
- 8" long

Item No. PIO164A Yellow

Item No. PIO166A Orange



Rainsuit

Item No. PIO578

- Size: S - 6XL
- Yellow
- Flame-resistant
- Waterproof
- Class 0, Level 0
- .35 MM PVC/polyester
- Meets CGSB 155.20-2000 Type 3
- 2 patch pockets
- 3 pieces: jacket with zip, snap front placket and detachable snap hood
- Bib pant with self-fabric suspenders



Hi-Viz Rainsuit

- Size: XS - 4XL
- Waterproof 150 Denier Oxford polyester with PVC backing
- 2-piece hooded jacket and bib pant folded into zippered storage pouch
- CSA Class 1 Level 2
- StarTech™ reflective tape
- Taped and heat sealed seams
- Full back vent
- Jacket has 2 lower flap pockets, drawstring with toggle on hem, half mesh-lined back, full front zipper, hood folds into collar
- Bib pant has elastic suspenders, metal buckles, snaps on leg hems to snug to boots

Item No. PIO5608 Hi-Viz Orange

Item No. PIO5609 Hi-Viz Yellow/Green



Hi-Viz Safety Vest

- Sizes: S/M, L/XL, 2XL/3XL, 4XL/5XL
- Class 2, Level 2
- 5-point tear-away
- Tricot polyester interlock
- StarTech® reflective tape
- ID pocket
- 4 sealed pockets
- Radiophone clip strap
- D-ring access slot
- Adjustable 1 size up at front

Item No. PIO6930 Hi-Viz Orange

Item No. PIO6931 Hi-Viz Yellow/Green



Ansell



HyFlex® Industrial Gloves
Item No. ANL11-800

- Breathable nitrile foam coating
- ZONZ™ Comfort Fit Technology
- Dermatest® certification
- White nylon liner
- Size 6 to 11
- 15 gauge thickness



Ansell



HyFlex® Assembly Gloves
Item No. ANL11-550

- FORTIX™ abrasion-resistance
- Nitrile foam coating for secure grip
- INTERCEPT™ cut-resistance fibre
- Heat protection up to 100°C/212°F
- Para-Aramid®, Spandex® and nylon liner
- Black, dirt-masking palm coating
- Size 6 to 11
- 15 gauge thickness



Endura® Driver Gloves
Item No. SPR378GKGVBE

- Goatskin Kevlar® lined
- Impact-resistant back-of-hand protection
- Vibration dampening padded palm
- Size 2XS to 3XL



Endura® Welding Gloves
Item No. SPR399GKGL5

- Abrasion-resistant goatskin leather
- Wing thumb design
- Extended 6" gauntlet cuffs
- Cut-and-sewn construction
- Blended aramid lining
- Heat protection up to 140°C/284°F
- Size 2XS to 3XL



Scape Goat Gloves
Item No. WAT546

- Full-grain goatskin leather
- Drivers style with keystone thumb
- Shirred elastic wrist
- Slip-on style cuff
- Size XS to 2XL



Cow Town Gloves
Item No. WAT2761

- Premium split cowhide leather
- Cotton fleece lining with foam lined back
- Gunn cut design with wing thumb
- 1.5" leather band seam protector
- Reinforced welted seams
- Stitched with Kevlar® thread
- Gauntlet cuff with leather gore
- Size S to XL



Cowhide Fitter
Item No. BDG40-1-281ECU

- Grain cowhide palm, index finger and fingertips
- Cotton backhand with grain leather knuckle strap
- Rubberized safety cuff
- Inside elastic wrist
- Gunn cut with wing thumb
- Size S to 3XL



Nitrile Coated HPPE
Item No. BDG99-1-9793

- 13 ga. HPPE outer and 18 ga. inner shell
- Nitrile palm coating with textured finish
- TPR backhand impact protection
- Elastic knit wrist with hemmed cuff
- Reinforced thumb saddle
- Breathable inner membrane coating
- Size XS to 2XL





Tool Works™ Foam Knee Pad

Item No. KUNKP-315

- Molded dense foam
- Hook and loop fasteners
- Adjustable elastic straps
- Adjustable strap with steel buckle
- One size



Tool Works™ Knee Pad

Item No. KUNKP-302

- Soft shell polyester
- Heavy duty construction
- High-density, closed cell foam
- Adjustable strap with steel buckle
- One size



**150 LB
RATING**

Utility Bucket

Item No. KUNSW-744

- 12" leather bottom
- Heavy-duty canvas with high strength top ring
- 150 LB max load rating
- 10-1/2" diameter x 16" deep
- Back-braided polypropylene rope handle through leather reinforced metal grommet
- One inside pocket



Squids®

Tool Lanyard

Item No. ERG3105

- Shock-absorbing tubular nylon webbing and lock stitching at ends
- Locking screwgate aluminum carabiner
- Captive eye design
- Cinch loop end for tethering
- Third-party certified to a 10 LB working capacity with a 2:1 safety factor
- Size 34" - 42"
- Black



Squids® Hard Hat Lanyard

Item No. ERG3155

- High-stretch elastic lanyard
- Connects to hard hat accessory slot or suspension
- Quick-release clamp securely clips to clothing
- Can be used to tether hand tools or gear weighing up to 2 LB
- Size 18" - 48"
- Hi-viz lime



V-FORM™ Safety Harness

- Leg style: Qwik-Fit
- D-rings: 1 Dorsal
- RaceFORM buckle allows for close, comfortable fit, eliminating need for bulky chest straps or buckles
- Pull-down adjustment for quick and easy fit

Item No. MSA10197195 XS/M, 150 LB

Item No. MSA10197196 Standard, 230 LB

Item No. MSA10197197 XL, 300 LB



Suspension Trauma Safety Straps

Item No. DBI9501403C

- Weight capacity: 420 LB
- Size: 2.2 x 1.5 x 2.2"
- Black
- Allows user to stand in harness after a fall
- Attaches to almost any harness
- Fast and easy installation
- Compact and lightweight design
- Fast zipper-style deployment
- Continuous loop design
- Can be reset in the field



Absorbing Lanyards

- V-Series standard shock absorbing lanyard
- Adjustable 6 FT twin-leg
- Polyester thread/stitching and web material
- ANSI Z359.13, CSA Z259.11-17 certified
- Weight: 310 LB

Item No. MSA10188101 36CL scaffold hooks

Item No. MSA10188102 36CL snap hooks



Cable Sling Choker

Item No. DSIFP10/6FD

- 1/4" galvanized cable with PVC coated flemish eye at both ends
- One o-ring of 3" at one end and one snap hook model FP6650HS at the other end
- 6' length



Precision Snap-Off Blades

- Item No. MIL48-22-9125**
- Optimized grind angles
 - Microcarbide dispersed metal
 - Fits Milwaukee® and most standard snap-off knives
 - Size 25 MM
 - 10/Pk



Snap-Off Knife with Metal Lock

- Metal wheel lock
- 8-point microcarbide blade
- Over-molded rubber handle
- Acetone-resistant

Item No. MIL48-22-1961 18 MM
Item No. MIL48-22-1962 25 MM



Snap-Off Knife

Item MIL48-22-1964

- 8-point microcarbide blade
- Over-molded handle
- Acetone-resistant
- 18 MM



Compact Tape Measure

- Wear-resistant nylon blade protection
- Impact-resistant 5-point reinforced frame
- Width 1"
- SAE/Metric

Item No. MIL48-22-6617 16'
Item No. MIL48-22-6626 26'



Level

- Item No. EMP581-9**
- Magnetic torpedo level
 - Aluminum frame with tapered edge
 - Top read window
 - Level, plumb and 45° vials
 - Length 9"



Square

- Item No. EMPE250IM**
- Aluminum combination square
 - Etched stainless steel blade
 - Full view acrylic vial
 - Self-aligning drawbolt
 - Scriber pin
 - Size: 11.8"
 - SAE/Metric



Ironworker Pliers

- Item No. KLED2000-7CST**
- 9"
 - Twists and cuts soft annealed rebar tie wire
 - Hook bend handle
 - Spring-loaded action for self-opening
 - Heavy-duty knurled jaws



Lineman Pliers

- New England nose
- Streamline design with handform handles
- Sure-grip jaws with cross-hatched knurling

Item No. KLED201-7NE 7"
Item No. KLED201-8NE 8"



Diagonal Cutting Pliers

- Item No. KLED248-8**
- 8"
 - Angled head, short jaw
 - For non-ferrous wire and soft metal cutting
 - Angled head design makes work easier in confined spaces
 - Hot-riveted joint ensures smooth action with no handle wobble



Adjustable Wrenches

- Size graduation markings on head
- Drop forged and chrome finish
- Meets ANSI standards

- Item No. DNCD072004** 4"
- Item No. DNCD072006** 6"
- Item No. DNCD072008** 8"
- Item No. DNCD072010** 10"
- Item No. DNCD072012** 12"
- Item No. DNCD072015** 15"
- Item No. DNCD072018** 18"



SAE Wrench Set

Item No. DNCD074221

- 16-pieces
- Contains: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4"
- Size hard-stamped at the open end for quick size identification
- Satin chrome finish
- Drive Type: 12 Point
- 15° angled open and 15° offset boxed end
- Meets ANSI standards
- Packaged in canvas roll



Metric Wrench Set

Item No. DNCD074223

- 19-pieces
- Contains: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 MM
- Size hard-stamped at the open end for quick size identification
- Satin chrome finish
- Drive Type: 12 Point
- 15° angled open and 15° offset boxed end
- Meets ANSI standards
- Packaged in canvas roll



SAE Impact Socket Set

- 19-piece
- 1/2" drive
- 6-point socket set in sizes 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2"
- Packaged in blow mold case

- Item No. DNCD018024** standard
- Item No. DNCD018026** deep



Metric Impact Socket Set

- 14-piece
- 1/2" drive
- 6-point socket set in sizes 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23 MM
- Corrosion-resistant black phosphate finish
- Packaged in rail

- Item No. DNCD018023** standard
- Item No. DNCD018022** deep



SJS™ Angle Grinder

- 10.5 amps
- Mechanical clutch system
- Labyrinth construction
- Zig-zag varnish and thicker coil wires for longer tool life
- Electric brake
- No lock-on/lock-off AC/DC switch
- Includes grinding wheel, wheel guard, side handle, inner flange, lock-nut and wrench

- Item No. MAKGA5020** 5" 11,000 RPM
- Item No. MAKGA6020** 6" 10,000 RPM



1/2" Impact Wrench

Item No. MIL2767-22

- M18™ FUEL™ high-torque impact wrench with friction ring
- Volts: 18
- Features 4-mode DRIVE CONTROL™, LED light, REDLINK PLUS™ Intelligence
- Kit includes 1 wrench, 2 batteries, 1 charger, 1 carry case



3/4" Impact Wrench

Item No. MIL2864-22

- M18™ FUEL™ with ONE-KEY™ high-torque impact wrench with friction ring
- Volts: 18
- Features POWERSTATE™ brushless motor, LED light
- Kit includes 1 wrench, 2 batteries, 1 charger, 1 carry case

JACKSON
SAFETY



Wrap-A-Round Tool

- Black Curv-O-Mark® wraparound pipe template
- Flexible gasket material with resistance to heat and cold
- Printed with an inch scale, inch and tangent chart, and other markings

Item No. CUR164B Pipe dia: 3 – 6"

Item No. CUR176B Pipe dia: 3 – 10"

Item No. CUR177B Pipe dia: 4 – 12"

Item No. CUR179B Pipe dia: 6 – 16"

JACKSON
SAFETY



Centering Head

Item No. CURCM6

- Size: #6
- Part No. 14775
- Curv-O-Mark® #6 standard centering head
- Used on 1/2" to 4" diameter pipe
- Aids in the setting of centre lines, establishing angles and marks for butt-ins, location points inside pipes and tanks, laying out key ways, and measuring declivity
- Features a 4" Y-type head fitted with an adjustable dial bubble protractor (DSL)

BESTWELD



Welding Pliers

Item No. BSWMP8

- Length: 8"
- YS-50 MIG welding pliers
- Straight, spring-loaded, double-edged carbon steel

WYPO



Soapstone Holder

Item No. WYPO400-1

- Flat soapstone holder
- Stainless steel case with cap-locking action
- Oversized spring steel pocket clip
- Non-corrosive channel with brass indexing trigger
- Brass trigger depresses and slides to proper alignment hole and snaps to lock in position
- Size 3/16" x 5"

POWERWELD



Soapstone

Item No. PWDFS1

- Ideal for temporary marking metal
- Easily removed
- Will not contaminate welds
- Size 5" x 1/2" x 3/16"
- 144/Box

POWERWELD



Cutting Tips

- Type 101
- Victor® style
- Precision machined from high quality copper alloys for durability
- The gas passages for single piece acetylene tips are accurately swage-forged and shaped on polished mandrels for smooth, efficient gas flow
- All tips are 100% flame-tested

Item No. PWD1-101-0 Size 0

Item No. PWD1-101-00 Size 00

Item No. PWD1-101-000 Size 000

Item No. PWD1-101-1 Size 1

Item No. PWD1-101-2 Size 2

Item No. PWD1-101-3 Size 3

Item No. PWD1-101-4 Size 4

Item No. PWD1-101-5 Size 5

Item No. PWD1-101-6 Size 6

ACMETEX INC
NON-ABRASIVE FIBERGLASS MATS



Fire Blanket

- Silicone coated fiberglass cloth
- Continuous working temperature 548°C/1000°F
- Spark- and spatter-resistance
- Provides abrasion puncture and tear resistance
- Water- and oil-resistant
- Red

Item No. ACMSFG1760R

Size: 60" x 50 YD

Weight: 17 OZ

Item No. ACMSFG3240R

Size: 40" x 50 YD

Weight: 32 OZ

SOMETHING YOU CAN'T FIND? CALL US.

Maxweld



Tip Cleaners

Item No. MAXMW-7549

- Housed in an aluminum case
- Cleaning tip sizes 77 - 49
- Includes a file

POWERWELD®



Chipping Hammer

Item No. PWDRLH-1

- Length: 11-1/2"
- Blade: 3"
- Wire spring handle
- Cone and chisel style head
- Drop-forged heat treated head
- Welded-on head

POWERWELD®



Ground Clamp

Item No. PWDAGC-500

- Alerco® style
- 500 amp
- Manufactured from heavy-duty nickle-plated steel with forged brass conductors and braided copper strap
- Heavy-duty spring provides positive strength at jaws
- Built-in cable connector and oval point screw

SHURLITE



Three-Flint Renewal

Item No. SHU5012X

- Dependable ignition under all working conditions
- Quantity: 4/Pk

SHURLITE



Three-Flint Lighter

Item No. SHU4501

- Triangular flint holder easily rotatable for a fresh flint
- Flint assembly can be replaced with a SHURLITE® three-flint renewal
- A large hood for trapping flammable gases for quick ignition
- Round file is easily rotatable for a fresh striking surface

Maxweld



Shortstub Electrode Holder

Item No. MAXMW400S

- Amp Capacity: 400
- Cable Capacity: 3/0 (70 MM)
- Electrode Capacity: Up to 1/4" (6.4 MM)
- Weight: 17 OZ (490 GM)
- Bernard® style
- Mechanical pressure locks in the electrode
- Cable attaches to brass body with large oval point screws
- Head insulators molded from a high impact/ high temperature fiberglass compound
- Handles molded from flame-retardant and heat- and impact-resistant nylon material
- All parts interchangeable with Bernard® shortstub holders

POWERWELD®



Rectangular Filter Plate

- Size 2" x 4-1/4"
- Protects against ultra-violet and infrared rays
- Precision ground and edged for proper and safe fit
- Optically correct and precisely shaded hardened glass

Item No. PWDMP2H4 Shade 4

Item No. PWDMP2H5 Shade 5

Item No. PWDMP2H8 Shade 8

Item No. PWDMP2H9 Shade 9

Item No. PWDMP2H10 Shade 10

Item No. PWDMP2H11 Shade 11

Item No. PWDMP2H12 Shade 12

Item No. PWDMP2H13 Shade 13

Item No. PWDMP2H14 Shade 14

POWERWELD®



Magnifier lens

- Clear polycarbonate, 2 x 4-1/4"

Item No. PWDMAG-100 Power 1.00

Item No. PWDMAG-125 Power 1.25

Item No. PWDMAG-150 Power 1.5

Item No. PWDMAG-175 Power 1.75

Item No. PWDMAG-200 Power 2.00

Item No. PWDMAG-225 Power 2.25

Item No. PWDMAG-250 Power 2.5

Item No. PWDMAG-300 Power 3.00

POWERWELD®



Cover Lens

Item No. PWDPP2

- Size 2" x 4-1/4"
- Polycarbonate
- Clear
- Protects lens from weld spatter

Inland Industrial Supply Ltd.

Edmonton, Alberta
9949 – 29A Avenue NW, T6N 1A9
(780) 413-0029
sales@inlandindustrial.ca

Kitimat, British Columbia
615 Enterprise Avenue, V8C 2E4
(778) 631-2041
kitimat@inlandindustrial.ca