

INLAND

Industrial Supply Ltd.



**PROUDLY
CANADIAN**

**PRODUCT
CATALOGUE**
Version 2.0

Contents

1 Abrasives	5	Wheelbarrows	27
Arbors	6	Carts	27
Cut-Off Wheels	6	Pallet Jacks	27
Small Cut-Off Wheels	6	Ladders	28
Combination Wheels	6	Rakes & Shovels	28
Grinding Wheels	7		
Flap Discs	7	5 Tool Storage	29
Sanding Discs	8	Tool Boxes	30
Hand Pads	8	Rolling Tool Cabinets	30
Backing Pad Assemblies	8	Jobsite Storage	31
Wire Brushes	9		
Flap Wheels	10	6 Adhesives, Sealants & Tapes	32
Scratch Brushes	10	Adhesives	33
Files	10	Sealants	33
Plug Wheels	11	Tape	34
Mounted Points	11		
2 Cutting & Demo Tools	12	7 Lubricants & Fluids	36
Drill Bits & Sets	13	Lubricants	37
SDS Plus Bits & Chisels	13	Cutting Fluid	39
Threading Taps & Dies	14		
Carbide Burrs	15	8 Fleet & Automotive	40
Annular Cutters	16	Diesel Exhaust Fluid	41
Pilot Pins	16	Brake Parts Cleaner	41
Reamers	16	Automotive Lubricants	41
Circular Saw Blades	17	Car Wash Cleaner	41
Band Saw Blades	17	Spray Protectant	41
Reciprocating Blades	17	Straps	42
Jig Saw Blades	17	Jerry Cans	42
Hole Saw Kits	18	Funnels	42
Hole Saws & Accessories	18	Beacons	42
		Whips, Mounts & Lights	43
3 Lighting & Electrical	19	9 Spill Control & Clean-Up	44
Extension Cords	20	Protective Wear	45
Worklights, Flashlights & Headlamps	20	Sorbents & Containment	45
Plugs & Connectors	23	Spill Kits	46
LED Light Bulb	23		
Batteries	23	10 Janitorial	47
Heat Shrink Tubing	23	Brooms, Mops & Accessories	48
Cable Ties	23	Paper Products	50
		Towel Dispensers	51
4 Material Handling	24	Trash Bags, Cans & Lids	51
Tie Wire	25	Cigarette Butt Disposal	51
Pails & Lids	25	Trigger Sprayer & Bottle	51
Shrink Wrap	25	Rags	51
Tarpaulin	25	Microfibre Cloths	51
Steel Banding & Accessories	25	Glass Cleaner	52
Ropes	25	Cleaners & Disinfectants	52
Lifting Tools	26	Restroom Supplies	53
Hoists	26		
Beam Clamps	26	11 Paint & Painting Supplies	54
Beam Trolley	26	Painting Accessories	55
Snatch Block	26	Paint Markers	56
Cable Puller & Assembly	27	Traffic Markers	57
Hand Trucks	27	Spray & Marking Paint	57
		Zinc-cold Galvanizing Spray	57

Contents

12 Safety	58	14 Power Tools	116
Fire Extinguishers & Accessories	59	Batteries & Chargers	117
Eye Wash	59	Fastening & Drilling	117
First Aid Kits	60	Cutting	120
Padlocks	60	Heating	122
Flagging & Barricade Tape	60	Grinding	122
Worksite & Traffic	61	Blowers	123
Safety Eyewear	64		
Lens Cleaning	66	15 Welding	124
Head & Face Protection	66	Fire Blankets	125
Hearing Protection	67	Safety	125
Respiratory Protection	68	Rice Paper & Tape	125
Respiratory Protection Fit Test Kits	70	Measuring Devices & Gauges	126
Hand Protection	71	Rod Ovens	127
Sashes & Bands	77	Umbrella & Holder	127
Vests	77	Curtains & Frames	127
Workwear	79	Strikers	128
Rainwear	81	Electrode Holders	128
Foot & Knee Protection	82	Soapstones & Holder	128
DBI-SALA® Tripods & Winches	82	Hoses	129
DBI-SALA® Harnesses	83	Chipping Hammer	129
DBI-SALA® Lanyards	84	Cutting Tips & Electrodes	129
DBI-SALA® Lifelines & Accessories	84	Tip Cleaner	129
MSA Lanyards	86	Pliers	129
MSA Harnesses	86	Flange Pins	129
Cable Anchors	86	Lens & Filters Plates	130
Peakworks Harnesses	87	Temperature Indicators	130
Peakworks Self-Retracting Lifelines	87	Flashback Arrestors	130
Hardware	87	Gougers	130
Tool Tethering	88	Tiger Torch Assemblies	130
		TIG Torches & Adaptors	131
		Chemicals	131
		Cable Connector Sets	132
		ARC Centre Assemblies	132
13 Tools & Equipment	89	16 Seasonal Summer	133
Socket Accessories	90	Cooling	134
1/4" Drive Sockets & Sets	91	Hydration Packs	135
3/8" Drive Sockets & Sets	92	Sunscreen	135
1/2" Drive Sockets & Sets	94	Coolers	135
3/4" Drive Sockets & Sets	96	Insect Repellent	135
1" Drive Sockets & Sets	97	Fans	136
Wrenches & Handles	97	Pest Control	136
Hex Key Sets	100	Bear Spray & Horns	136
Screwdrivers & Bits	101	Windshield Washer Fluid	136
Pliers, Snips, Cutters & Clamps	104		
Pry Bars, Punches & Chisels	107	17 Seasonal Winter	137
Hand Saws & Blades	108	Snow & Ice Removal	138
Mirrors & Magnets	108	Ice Melt	138
Hammers	108	Warming Packs	138
Knives & Accessories	109	Neck Warmers, Balaclavas & Toques	139
Tape Measures	110	Gloves	140
Scissors	110	Traction Aids	144
Measuring & Layout Tools	111	Electrical Cords & Cables	144
Pick-Up Tools	112	Portable Heaters	144
Buckets & Tool Bags	113	Automotive Fluids	145

1 Abrasives



1 Abrasives

ARBORS



- PFE69026** (1/4" bore)
PFE69027 (3/8" bore)
- For small cut-off wheels
 - 1/4" diameter
 - 3" maximum diameter

SMALL CUT-OFF WHEELS



- SG STEELOX**
- Type 1
 - For die grinders
 - For steel and stainless steel

Item	Dia."	Thk."	Bore	Max. RPM
PFE69201	2	.040	1/4	30,000
PFE69203	2	.040	3/8	30,000
PFE69207	2	.045	1/4	30,000
PFE69211	2	.045	3/8	30,000
PFE69301	3	.040	1/4	25,000
PFE69303	3	.040	3/8	25,000
PFE69305	3	.045	1/4	25,000
PFE69309	3	.045	3/8	25,000

COMBINATION WHEELS



- HP COMBO™**
- Type 27
 - 7/8" bore
 - For steel and stainless steel

Item	Dia."	Thk."	Max. RPM
WAL08B462	4-1/2	1/8	13,300
WAL08B512	5	1/8	12,200
WAL08B602	6	1/8	10,200
WAL08B712	7	1/8	8600
WAL08B912	9	1/8	6600

- PSF DUODISC® STEELOX**
- Type 27
 - 7/8" bore
 - For steel and stainless steel

Item	Dia."	Thk."	Max. RPM
PFE63320	4-1/2	.065	13,300
PFE63333	4-1/2	1/8	13,300
PFE63321	5	.065	12,200
PFE63334	5	1/8	12,200
PFE63335	6	1/8	10,200
PFE63336	7	1/8	8500

CUT-OFF WHEELS



- ZIPCUT™**
- Type 1
 - 7/8" bore
 - For steel and stainless steel

Item	Type	Dia."	Thk."	Max. RPM
WAL11T042	1	4-1/2	3/64	13,300
WAL11T052	1	5	3/64	12,200
WAL11T062	1	6	3/64	10,200
WAL11T072	1	7	1/16	8600
WAL11T092	1	9	5/64	6600
WAL11T142	27	4-1/2	3/64	13,300
WAL11T152	27	5	3/64	12,200
WAL11T162	27	6	3/64	10,200
WAL11T172	27	7	1/16	8600
WAL11T192	27	9	5/64	6600

- SG STEELOX**
- Type 1
 - 7/8" bore
 - For steel and stainless steel

Item	Type	Dia."	Thk."	Max. RPM
PFE69948	1	4-1/2	.040	13,300
PFE63607	1	4-1/2	.045	13,300
PFE69953	1	5	.040	12,200
PFE63608	1	5	.045	12,200
PFE63614	1	6	.045	10,200
PFE63616	1	7	.045	8500
PFE63609	1	7	3/32	8500
PFE63167	27	4-1/2	.045	13,300
PFE63202	27	4-1/2	3/32	13,300
PFE63204	27	4-1/2	1/8	13,300
PFE63168	27	5	.045	12,200
PFE63205	27	5	3/32	12,200
PFE63206	27	5	1/8	12,200
PFE63169	27	6	.045	10,200
PFE63208	27	6	3/32	10,200
PFE63170	27	7	.045	8500
PFE63207	27	7	3/32	8500

- SGP STEELOX**
- Type 1
 - 7/8" bore
 - For steel and stainless steel

Item	Type	Dia."	Thk."	Max. RPM
PFE69817	1	4-1/2	.030	13,300
PFE69845	1	4-1/2	.040	13,300
PFE69846	1	4-1/2	.045	13,300
PFE63635	1	4-1/2	3/32	13,300
PFE69818	1	5	.030	12,200
PFE69855	1	5	.040	12,200
PFE69857	1	5	.045	12,200
PFE63636	1	5	3/32	12,200
PFE69865	1	6	.045	10,200
PFE69872	1	7	.045	8500
PFE63533	1	7	3/32	8500
PFE63637	1	7	1/8	8500
PFE63172	27	4-1/2	.045	13,300
PFE63231	27	4-1/2	3/32	13,300
PFE63173	27	5	.045	12,200
PFE63233	27	5	3/32	12,200
PFE63174	27	6	.045	10,200
PFE63175	27	7	.045	8500
PFE63235	27	7	3/32	8500

GRINDING WHEELS



Disc Grinding

- Type 27
- ALLSTEEL XTRA™ (general purpose)
- HPT™ (high performance)
- XX™ (premium grinding)
- 7/8" bore
- For steel and stainless steel

	Item	Dia."	Thk."	Max. RPM
ALLSTEEL XTRA™	WAL08C452	4-1/2	1/8	13,300
	WAL08C502	5	1/8	12,200
	WAL08C602	6	1/8	10,200
	WAL08C702	7	1/8	8600
	WAL08C902	9	1/8	6600
	WAL08C450	4-1/2	1/4	13,300
	WAL08C500	5	1/4	12,200
	WAL08C600	6	1/4	10,200
	WAL08C700	7	1/4	8600
HPT™	WAL08C900	9	1/4	6600
	WAL08B510	5	1/4	12,200
	WAL08B600	6	1/4	10,200
XX™	WAL08B710	7	1/4	8600
	WAL08H500	5	1/4	12,200
	WAL08H600	6	1/4	10,200
	WAL08H700	7	1/4	8,600
	WAL08H502	5	1/8	12,200
	WAL08H602	6	1/8	10,200
	WAL08H702	7	1/8	8600



Bench Grinding

- Type 1
- 1" bore
- For steel
- For carbide*

Item	Dia."	Thk."	Max. RPM
WAL12E324	6	3/4	4100
WAL12E325	6	3/4	4100
WAL12E328	6	3/4	4100
WAL12E329*	6	3/4	4100
WAL12E344	6	1	4100
WAL12E345	6	1	4100
WAL12E348	6	1	4100
WAL12E444	7	1	3600
WAL12E447	7	1	3600
WAL12E449*	7	1	3600
WAL12E533	8	7/8	3600
WAL12E537	8	7/8	3600
WAL12E543	8	1	3600
WAL12E545	8	1	3600
WAL12E547	8	1	3600
WAL12E549*	8	1	3600
WAL12E553	8	1-1/4	3600
WAL12E557	8	1-1/4	3600
WAL12E643	10	1	2500
WAL12E647	10	1	2500
WAL12E649*	10	1	2500
WAL12E657	10	1-1/4	2500



SG STEELOX

- Type 27
- 7/8" bore
- For steel

Item	Dia."	Thk."	Max. RPM
PFE61026	4-1/2	1/4	13,300
PFE61028	5	1/4	12,200
PFE61030	6	1/4	10,200
PFE61032	7	1/4	8500
PFE63400	4-1/2	1/8	13,300
PFE63406	5	1/8	12,200
PFE63399	6	1/8	10,200
PFE63401	7	1/8	8500



Cubitron™ II

- Type T27
- 7/8" bore
- For steel and stainless steel

Item	Dia."	Thk."	Max. RPM
MMM78467-Q	5	1/4	12,250
MMM64314-Q	6	1/4	10,200
MMM64315-Q	7	1/4	8500

FLAP DISCS



Polifan®

- Type 29
- 7/8" bore
- For steel and stainless steel

Item	Dia."	Grit	Max. RPM
PFE60625	4-1/2	36	13,300
PFE60626	4-1/2	40	13,300
PFE60628	4-1/2	60	13,300
PFE60629	4-1/2	80	13,300
PFE60630	4-1/2	120	13,300
PFE60632	5	36	12,200
PFE60633	5	40	12,200
PFE60635	5	60	12,200
PFE60636	5	80	12,200
PFE60637	5	120	12,200
PFE60639	6	36	10,200
PFE60640	6	40	10,200
PFE60642	6	60	10,200
PFE60643	6	80	10,200
PFE60644	6	120	10,200
PFE60646	7	36	8500
PFE60647	7	40	8500
PFE60649	7	60	8500



1 Abrasives

SANDING DISCS



CoolCut™

- 7/8" bore
- General purpose sanding
- For steel

Item	Dia."	Grit	Item	Dia."	Grit
WAL15C452	4-1/2	24	WAL15C506	5	60
WAL15C453	4-1/2	36	WAL15C508	5	80
WAL15C454	4-1/2	40	WAL15C510	5	100
WAL15C455	4-1/2	50	WAL15C512	5	120
WAL15C456	4-1/2	60	WAL15C702	7	24
WAL15C458	4-1/2	80	WAL15C703	7	36
WAL15C460	4-1/2	100	WAL15C704	7	40
WAL15C462	4-1/2	120	WAL15C705	7	50
WAL15C502	5	24	WAL15C706	7	60
WAL15C503	5	36	WAL15C708	7	80
WAL15C504	5	40	WAL15C710	7	100
WAL15C505	5	50	WAL15C712	7	120



CoolCut XX™

- 7/8" bore
- Cyclone™ technology
- For steel and stainless steel

Item	Dia."	Grit	Item	Dia."	Grit
WAL15X452	4-1/2	24	WAL15X602	6	24
WAL15X453	4-1/2	36	WAL15X603	6	36
WAL15X455	4-1/2	50	WAL15X605	6	50
WAL15X456	4-1/2	60	WAL15X606	6	60
WAL15X458	4-1/2	80	WAL15X608	6	80
WAL15X460	4-1/2	100	WAL15X610	6	100
WAL15X462	4-1/2	120	WAL15X612	6	120
WAL15X502	5	24	WAL15X702	7	24
WAL15X503	5	36	WAL15X703	7	36
WAL15X505	5	50	WAL15X705	7	50
WAL15X506	5	60	WAL15X706	7	60
WAL15X508	5	80	WAL15X708	7	80
WAL15X510	5	100	WAL15X710	7	100
WAL15X512	5	120	WAL15X712	7	120

BACKING PAD ASSEMBLIES



Backing Pads

- Orange
- High impact-resistant plastic
- 5/8-11 thread

Item	Dia."	Max. RPM
WAL15D030	4	15,000
WAL15D044	4-1/2	13,300
WAL15D054	5	12,000
WAL15D064	6	10,000
WAL15D027	7	8600

HAND PADS



Polinox®

- 6" x 9"
- Fine grinding
- Recommended for manual cleaning of metal or painted surfaces

Item	Grade	Grit	Colour
PFE44600	General	180	Maroon
PFE44606	Medium	100	Tan
PFE44609	Ultra fine	400	Grey
PFE44613	Food	180	Green



Blendex™ Hand Pads

- 6" x 9"
- General purpose
- Washable and reusable
- Replaces steel wool

Item	Type	Colour
WAL07A100	Blending	Maroon
WAL07A200	Finishing/polishing	Grey
WAL07A300	Heavy-duty	Tan
WAL07A400	General purpose	Green
WAL07A500	Cleaning	White
WAL07A600	Finishing/polishing	Black



Blendex™ Holder Item WAL07A001


- Molded hook pattern for positive pad holding
- Easy grip handle

WIRE BRUSHES



Mounted Wire Brushes

Item	Type	Dia."	Width"	Wire	Max. RPM	Material
Knot-Twisted						
WAL13C020	Straight	1-1/8		0.02	25,000	Steel
WAL13C130	Wheel	2-3/4	3/8	0.02	25,000	Steel
WAL13C270	Saucer Cup	3	1/2	0.02	25,000	Steel
WAL13C370	Cup	3	1/2	0.02	12,000	Steel
WAL13C070	Straight	1-1/8		0.02	25,000	SS/Aluminum
WAL13C180	Wheel	2-3/4	3/8	0.02	25,000	SS/Aluminum
Crimped						
WAL13C003	Straight	1/2		0.01	25,000	Steel
WAL13C005	Straight	1/2		0.02	25,000	Steel
WAL13C008	Straight	3/4		0.014	25,000	Steel
WAL13C015	Cup	1-1/2		0.0118	13,000	Steel
WAL13C018	Cup	2-3/8		0.0118	13,000	Steel
WAL13C028	Conical	3/4		0.014	25,000	Steel
WAL13C110	Wheel	1-3/8	1/4	0.008	25,000	Steel
WAL13C120	Wheel	2	5/8	0.0118	25,000	Steel
WAL13C123	Wheel	3	1/4	0.0118	25,000	Steel
WAL13C125	Wheel	3	3/4	0.0118	25,000	Steel
WAL13C128	Wheel	4	1/4	0.0118	15,000	Steel
WAL13C215	Spherical	1-1/2	1-1/2	0.008	20,000	Steel
WAL13C225	Spherical	2	2	0.01	20,000	Steel
WAL13C230	Spherical	3	3	0.0118	15,000	Steel
WAL13C053	Straight	1/2		0.01	25,000	SS/Aluminum
WAL13C055	Straight	1/2		0.02	25,000	SS/Aluminum
WAL13C058	Straight	3/4		0.014	25,000	SS/Aluminum
WAL13C065	Cup	1-1/2		0.0118	13,000	SS/Aluminum
WAL13C068	Cup	2-3/8		0.0118	13,000	SS/Aluminum
WAL13C078	Conical	3/4		0.0118	25,000	SS/Aluminum
WAL13C160	Wheel	1-3/8	1/4	0.008	25,000	SS/Aluminum
WAL13C170	Wheel	2	5/8	0.0118	25,000	SS/Aluminum
WAL13C173	Wheel	3	1/4	0.0118	25,000	SS/Aluminum
WAL13C175	Wheel	3	3/4	0.0118	25,000	SS/Aluminum
WAL13C178	Wheel	4	1/4	0.0118	15,000	SS/Aluminum
WAL13C265	Spherical	1-1/2	1-1/2	0.008	20,000	SS/Aluminum
WAL13C275	Spherical	2	2	0.01	20,000	SS/Aluminum
WAL13C280	Spherical	3	3	0.0118	15,000	SS/Aluminum



Wire Wheel Brushes

Item	Dia."	Width"	Arbor	Wire	Max. RPM	Material
Crimped						
WAL13J454	4 1/2	5/8	5/8-11	0.0118	12,500	Steel
WAL13J504	5	5/8	5/8-11	0.0118	10,000	Steel
WAL13J604	6	5/8	5/8-11	0.0118	9,000	Steel
WAL13J464	4 1/2	5/8	5/8-11	0.0118	12,500	SS/Non-ferrous
WAL13J514	5	5/8	5/8-11	0.0118	10,000	SS/Non-ferrous
WAL13J614	6	5/8	5/8-11	0.0118	9,000	SS/Non-ferrous
Stringer Bead Brush w/ Knot-Twisted Wires						
WAL13K404	4	3/16	5/8-11	0.02	20,000	Steel
WAL13K454	4-1/2	3/16	5/8-11	0.02	15,000	Steel
WAL13K504	5	1/4	5/8-11	0.02	15,000	Steel
WAL13K604	6	1/4	5/8-11	0.02	10,000	Steel
WAL13K654	6-7/8	1/4	5/8-11	0.02	9,000	Steel
WAL13K414	4	3/16	5/8-11	0.02	20,000	SS/Aluminum
WAL13K464	4-1/2	3/16	5/8-11	0.02	15,000	SS/Aluminum
WAL13K514	5	1/4	5/8-11	0.02	15,000	SS/Aluminum
WAL13K614	6	1/4	5/8-11	0.02	10,000	SS/Aluminum




Knot Wheels

- 0.20 wire diameter
- 5/8-11 thread size



Item	Dia."	Knots	Optimal RPM	Max. RPM	Mat.
COMBITWIST®					
PFE82391	4	32	10,000-15,000	20,000	Steel
PFE82689	5	48	7500-15,000	15,000	Steel
PFE82694	6	56	6000-12,500	12,500	Steel
Stringer Bead Twist					
PFE82186	4	32	10,000-15,000	20,000	Steel
PFE82479	5	38	7500-15,000	15,000	Steel
PFE82486	6	40	6000-12,500	12,500	Steel
PFE82307	4	32	8000-15,000	20,000	SS
PFE82604	5	38	6000-15,000	15,000	SS
PFE82613	6	56	5000-12,500	12,500	SS



1 Abrasives

FLAP WHEELS




- mounted on 1/4" sprindle for use with drills and die grinders
- For sanding, cleaning, polishing, deburring, blending, and finishing all types of surfaces

Item	Dia."	Len."	Grit	Max RPM
PREF0990	3/4	3/4	40	30,000
PREF0992	3/4	3/4	60	30,000
PREF0993	3/4	3/4	80	30,000
PREF0995	3/4	3/4	120	30,000
PREF1000	1	1/2	40	30,000
PREF1002	1	1/2	60	30,000
PREF1003	1	1/2	80	30,000
PREF1005	1	1/2	120	30,000
PREF1012	1	3/4	60	30,000
PREF1013	1	3/4	80	30,000
PREF1020	1	1	40	30,000
PREF1022	1	1	60	30,000
PREF1023	1	1	80	30,000
PREF1025	1	1	120	30,000
PREF1062	1-1/2	1/2	60	30,000
PREF1063	1-1/2	1/2	80	30,000
PREF1065	1-1/2	1/2	120	30,000
PREF1072	1-1/2	3/4	60	30,000
PREF1073	1-1/2	3/4	80	30,000
PREF1075	1-1/2	3/4	120	30,000
PREF1080	1-1/2	1	40	30,000
PREF1082	1-1/2	1	60	30,000
PREF1083	1-1/2	1	80	30,000
PREF1085	1-1/2	1	120	30,000

Item	Dia."	Len."	Grit	Max RPM
PREF1090	1-1/2	1-1/2	40	25,000
PREF1092	1-1/2	1-1/2	60	25,000
PREF1093	1-1/2	1-1/2	80	25,000
PREF1102	2	3/8	60	25,000
PREF1103	2	3/8	80	25,000
PREF1105	2	3/8	120	25,000
PREF1112	2	1/2	60	25,000
PREF1113	2	1/2	80	25,000
PREF1115	2	1/2	120	25,000
PREF1122	2	3/4	60	25,000
PREF1123	2	3/4	80	25,000
PREF1125	2	3/4	120	25,000
PREF1130	2	1	40	25,000
PREF1132	2	1	60	25,000
PREF1133	2	1	80	25,000
PREF1135	2	1	120	25,000
PREF1137	2	1	180	25,000
PREF1140	2	1-1/2	40	25,000
PREF1142	2	1-1/2	60	25,000
PREF1143	2	1-1/2	80	25,000
PREF1145	2	1-1/2	120	25,000
PREF1150	2	2	40	25,000
PREF1152	2	2	60	25,000
PREF1153	2	2	80	25,000

Item	Dia."	Len."	Grit	Max RPM
PREF1155	2	2	120	25,000
PREF1190	2-1/2	1	40	20,000
PREF1192	2-1/2	1	60	20,000
PREF1193	2-1/2	1	80	20,000
PREF1202	2-1/2	1-1/2	60	20,000
PREF1203	2-1/2	1-1/2	80	20,000
PREF1205	2-1/2	1-1/2	120	20,000
PREF1220	3	1/2	40	20,000
PREF1222	3	1/2	60	20,000
PREF1223	3	1/2	80	20,000
PREF1225	3	1/2	120	20,000
PREF1240	3	1	40	20,000
PREF1242	3	1	60	20,000
PREF1243	3	1	80	20,000
PREF1245	3	1	120	20,000
PREF1260	3	2	40	20,000
PREF1262	3	2	60	20,000
PREF1263	3	2	80	20,000
PREF1265	3	2	120	20,000

SCRATCH BRUSHES



- For maintenance applications, removal of rust, paint, scale and debris

Item	Rows	Length"	Width"	Dia."	Material
PFE85048	4 x 18	1-3/16	6	.012	Steel
PFE85050	4 x 18	1-3/16	6	.012	SS
PFE85054	3 x 7	1/2	1-1/2	.006	Steel
PFE85055	3 x 7	1/2	1-1/2	.006	SS

FILES

- Used for fast, controlled removal of material for shaping, deburring, and finishing applications



Flat



Half-Round



Round




Item	Len."	Bastard	Second	Smooth
PFE11004	6	●		
PFE11007	8	●		
PFE11010	10	●		
PFE11013	12	●		
PFE11016	14	●		
PFE11005	6		●	
PFE11008	8		●	
PFE11011	10		●	
PFE11014	12		●	
PFE11006	6			●
PFE11009	8			●
PFE11012	10			●
PFE11015	12			●

Item	Len."	Bastard	Second	Smooth
PFE11020	6	●		
PFE11023	8	●		
PFE11026	10	●		
PFE11029	12	●		
PFE11155	14	●		
PFE11021	6		●	
PFE11024	8		●	
PFE11027	10		●	
PFE11030	12		●	
PFE11022	6			●
PFE11025	8			●
PFE11028	10			●
PFE11031	12			●

Item	Len."	Bastard	Second	Smooth
PFE11064	6	●		
PFE11067	8	●		
PFE11070	10	●		
PFE11073	12	●		
PFE11065	6		●	
PFE11068	8		●	
PFE11071	10		●	
PFE11074	12		●	
PFE11066	6			●
PFE11069	8			●
PFE11072	10			●
PFE11075	12			●


MOUNTED POINTS



A Shapes

- 60 grit abrasive
- For blending contours, deburring molded parts, ID grinding, offhand bench grinding and tool and die applications

Item	Shape	Dia."	Len."	Max. RPM
PREAG1001	A1	3/4	2-1/2	19,800
PREAG1011	A2	1	1-1/4	38,200
PREAG1022	A3 White	1	2-3/4	16,100
PREAG1023	A3 Pink	1	2-3/4	16,100
PREAG1031	A4	1-1/4	1-1/4	30,560
PREAG1041	A5	3/4	1-1/8	45,000
PREAG1051	A6	3/4	1-1/8	39,000
PREAG1061	A11	7/8	2	19,860
PREAG1071	A12	11/16	1-1/4	48,000
PREAG1081	A13	1-1/8	1-1/8	33,950
PREAG1091	A14	11/16	7/8	55,560
PREAG1101	A15	1/4	1-1/16	72,750
PREAG1111	A21	1	1	34,500
PREAG1121	A22	3/4	5/8	50,930
PREAG1131	A23	3/4	1	39,370
PREAG1141	A24	1/4	3/4	76,500
PREAG1151	A25	1	1	35,620
PREAG1161	A26	5/8	5/8	61,120
PREAG1171	A31	1-3/8	1	27,780
PREAG1181	A32	1	5/8	38,200
PREAG1201	A34	1-1/2	3/8	25,470
PREAG1211	A35	1	3/8	38,200
PREAG1221	A36	1-5/8	3/8	23,520
PREAG1231	A37	1-1/4	1/4	30,560
PREAG1241	A38	1	1	34,500
PREAG1251	A39	3/4	3/4	47,250
PREAG1261	A40	3/4	3/4	47,250



B Shapes

- 60 grit abrasive
- For blending contours, deburring molded parts, ID grinding, offhand bench grinding and tool and die applications

Item	Shape	Dia."	Len."	Max. RPM
PREAG1315	B44	7/32	3/8	68,400
PREAG1320	B45	3/16	5/16	104,250
PREAG1325	B46	1/8	5/16	105,000
PREAG1340	B52	3/8	3/4	45,370
PREAG1385	B70	3/4	1/8	50,930
PREAG1390	B71	5/8	3/32	61,120
PREAG1530	B121	1/2	1/2	45,370
PREAG1535	B122	3/8	3/8	61,650
PREAG1540	B123	3/16	3/16	104,250
PREAG1545	B124	1/8	1/8	105,000
PREAG1550	B131	1/2	1/2	34,500
PREAG1570	B135	1/4	1/2	60,000



W Shapes

- 60 grit abrasive
- For blending contours, deburring molded parts, ID grinding, offhand bench grinding and tool and die applications


Item	Shape	Dia."	Len."	Max. RPM
PREAG1841	W170	5/16	1/2	93,750
PREAG1851	W171	5/16	3/4	66,285
PREAG1891	W175	3/8	3/8	96,430
PREAG1901	W176	3/8	1/2	81,000
PREAG1921	W178	3/8	1	55,200
PREAG1931	W179	3/8	1-1/4	45,750
PREAG1981	W185	1/2	1/2	61,500
PREAG1991	W186	1/2	3/4	51,000
PREAG2001	W187	1/2	1	40,500
PREAG2011	W188	1/2	1-1/2	30,370
PREAG2021	W189	1/2	2	24,000
PREAG2091	W196	5/8	1	35,250
PREAG2101	W197	5/8	2	21,000
PREAG2151	W202	3/4	3/8	50,930
PREAG2161	W203	3/4	1/2	50,930
PREAG2171	W204	3/4	3/4	42,750
PREAG2181	W205	3/4	1	34,500
PREAG2191	W206	3/4	1-1/4	28,720
PREAG2211	W208	3/4	2	18,750
PREAG2281	W215	1	1/8	38,200
PREAG2301	W217	1	3/8	38,200
PREAG2311	W218	1	1/2	38,200
PREAG2321	W219	1	3/4	35,100
PREAG2331	W220	1	1	25,500
PREAG2341	W221	1	1-1/2	19,120
PREAG2351	W222	1	2	15,900
PREAG2361	W223	1	2-1/2	12,370
PREAG2381	W225	1-1/4	1/4	30,560
PREAG2411	W228	1-1/4	3/4	30,520
PREAG2421	W229	1-1/4	1	24,000
PREAG2431	W230	1-1/4	1-1/4	20,400
PREAG2481	W235	1-1/2	1/4	25,470
PREAG2491	W236	1-1/2	1/2	25,470
PREAG2501	W237	1-1/2	1	22,500
PREAG2511	W238	1-1/2	1-1/2	15,600
PREAG2551	W242	2	1	19,100
PREAG2561	W243	2	1-1/2	14,500
PREAG2334	W220 Green	1	1	25,500

PLUG WHEELS



- Resin bond
- 5/8 11NC arbor

Item	Size"	Length"	Type	Max. RPM
Round Tip Cone				
PREAD1005	1-1/4	3	T16	29,030
PREAD1015	1-1/2	3	T16	24,192
PREAD1040	2	3	T16	18,144
PREAD1070	2-3/4	3-1/2	T16	13,195
PREAD1075	3	4	T16	12,096
Cylinder				
PREAD1010	1-1/4	3	T18	29,030
PREAD1025	1-1/2	3	T18	24,192
PREAD1050	2	3	T18	18,144
PREAD1060	2	4	T18	18,144
PREAD1080	3	4	T18	12,096
Rounded Cylinder				
PREAD1030	1-1/2	3	T18R	24,192
PREAD1055	2	3	T18R	18,144
PREAD1065	2	4	T18R	18,144
PREAD1085	3	4	T18R	12,096



2 Cutting & Demo Tools

DRILL BITS & SETS



Jobber Drill Sets

- High-speed steel
- Black oxide finish
- 118° point
- Straight shank

Item	Size"	Qty.
DCT200A15	1/16-1/2 by 32nds	15
DCT200A21	1/16-3/8 by 64ths	21
DCT200A29	1/16-1/2 by 64ths	29
DCT200AW29	1/16-1/2 by 64ths	29



DCT200A15



DCT200A21



DCT200A29



DCT200AW29



Multi-Step Drill Bits

- 50 hole sizes with 5 step drills

Item	Size"
DCT890A001	1/8 to 1/2
DCT890A002	3/16 to 1/2
DCT890A003	1/4 to 3/4
DCT890A004	3/16 to 7/8
DCT890A005	1/4 to 1-3/8



Prentice Drill Bits

- 118° point



Item	Size"	Item	Size"	Item	Size"
DCT1000E133	33/64	DCT1000E150	25/32	DCT1000E206	1-3/32
DCT1000E134	17/32	DCT1000E151	51/64	DCT1000E208	1-1/8
DCT1000E135	35/64	DCT1000E152	13/16	DCT1000E210	1-5/32
DCT1000E136	9/16	DCT1000E153	53/64	DCT1000E212	1-3/16
DCT1000E137	37/64	DCT1000E154	27/32	DCT1000E214	1-7/32
DCT1000E138	19/32	DCT1000E155	55/64	DCT1000E216	1-1/4
DCT1000E139	39/64	DCT1000E156	7/8	DCT1000E218	1-9/32
DCT1000E140	5/8	DCT1000E157	57/64	DCT1000E219	1-19/64
DCT1000E141	41/64	DCT1000E158	29/32	DCT1000E220	1-5/16
DCT1000E142	21/32	DCT1000E159	59/64	DCT1000E221	1-21/64
DCT1000E143	43/64	DCT1000E160	15/16	DCT1000E222	1-11/32
DCT1000E144	11/16	DCT1000E161	61/64	DCT1000E224	1-3/8
DCT1000E145	45/64	DCT1000E162	31/32	DCT1000E226	1-13/32
DCT1000E146	23/32	DCT1000E163	63/64	DCT1000E228	1-7/16
DCT1000E147	47/64	DCT1000E164	1	DCT1000E230	1-15/32
DCT1000E148	3/4	DCT1000E202	1-1/32	DCT1000E232	1-1/2
DCT1000E149	49/64	DCT1000E204	1-1/16		



Jobber Drill Bits

- 135° point



Item	Size"	Item	Size"	Item	Size"
DCT400N104	1/16	DCT400N114	7/32	DCT400N123	23/64
DCT400N105	5/64	DCT400N115	15/64	DCT400N124	3/8
DCT400N106	3/32	DCT400N116	1/4	DCT400N125	25/64
DCT400N107	7/64	DCT400N117	17/64	DCT400N126	13/32
DCT400N108	1/8	DCT400N118	9/32	DCT400N127	27/64
DCT400N109	9/64	DCT400N119	19/64	DCT400N128	7/16
DCT400N110	5/32	DCT400N120	5/16	DCT400N129	29/64
DCT400N111	11/64	DCT400N121	21/64	DCT400N130	15/32
DCT400N112	3/16	DCT400N122	11/32	DCT400N131	31/64
DCT400N113	13/64				

SDS PLUS BITS & CHISELS



MX4™

- 4-cutter design
- Fits all SDS-PLUS rotary hammers

Item	Dia."	Usable Len."	Length"
MIL48-20-7312	3/16	6	8
MIL48-20-7313	3/16	8	10
MIL48-20-7331	1/4	4	6
MIL48-20-7332	1/4	6	8
MIL48-20-7354	3/8	10	12
MIL48-20-7357	3/8	16	18
MIL48-20-7371	1/2	4	6
MIL48-20-7374	1/2	10	12
MIL48-20-7377	1/2	16	18
MIL48-20-7381	9/16	4	6
MIL48-20-7384	9/16	10	12
MIL48-20-7200	5/8	6	8
MIL48-20-7203	5/8	10	12
MIL48-20-7206	5/8	16	18
MIL48-20-7210	3/4	6	8
MIL48-20-7215	3/4	10	12
MIL48-20-7220	3/4	16	18
MIL48-20-7236	7/8	16	18
MIL48-20-7246	1	16	18
MIL48-20-7256	1-1/8	16	18
MIL48-20-7266	1-1/4	16	18



Bull Point Precision Point Flat Chisel Scaling Chisel Concrete Channel Chisel Winged Channel Chisel Slotting Chisel Tile Chisel Mortar Scraper Floor Scraper

- SDS + Shank
- Forged high grade steel

Item	Size"	Style
MIL48-62-6012	5-1/2	Bull point
MIL48-62-6010	10	Bull point
MIL48-62-6013	7	Precision point
MIL48-62-6014	3/4 x 5-1/2	Flat chisel
MIL48-62-6015	3/4 x 10	Flat chisel
MIL48-62-6022	1-3/16 x 5-1/2	Scaling chisel
MIL48-62-6020	1-1/2	Scaling chisel
MIL48-62-6024	7/8 x 10	Concrete channel chisel
MIL48-62-6026	1 x 10	Winged channel chisel

Item	Size"	Style
MIL48-62-6028	1-1/4 x 10	Slotting chisel
MIL48-62-6030	1-7/8 x 9-1/2	Tile chisel
MIL48-62-6035	9/16 x 7	Mortar scraper
MIL48-62-6046	4 x 10	Floor scraper
MIL48-62-6050	1/2	Bull point
MIL48-62-6052	3/4	Flat chisel
MIL48-62-6056	1-1/2 x 10	Scaling chisel
MIL48-62-6058	3 x 6	Tile chisel

2 Cutting & Demo Tools

THREADING TAPS & DIES



Hand Taps

- HSS Nitro
- Straight flute
- Black oxide



Item	Bottoming	Plug	Taper	Size"	Thread
DCT20N004CB	●			4	40 NC
DCT20N004CP		●		4	40 NC
DCT20N004CT			●	4	40 NC
DCT20N004FB	●			4	48 NF
DCT20N004FP		●		4	48 NF
DCT20N004FT			●	4	48 NF
DCT20N004SB	●			4	36 NF
DCT20N004SP		●		4	36 NF
DCT20N004ST			●	4	36 NF
DCT20N005CB	●			5	40 NC
DCT20N005CP		●		5	40 NC
DCT20N005CT			●	5	40 NC
DCT20N005FB	●			5	44 NF
DCT20N005FP		●		5	44 NF
DCT20N005FT			●	5	44 NF
DCT20N006CB	●			6	32 NC
DCT20N006CP		●		6	32 NC
DCT20N006CT			●	6	32 NC
DCT20N006FB	●			6	40 NF
DCT20N006FP		●		6	40 NF
DCT20N006FT			●	6	40 NF
DCT20N008CB	●			8	32 NC
DCT20N008CP		●		8	32 NC
DCT20N008CT			●	8	32 NC
DCT20N008FB	●			8	36 NF
DCT20N008FP		●		8	36 NF
DCT20N008FT			●	8	36 NF
DCT20N010CB	●			10	24 NC
DCT20N010CP		●		10	24 NC
DCT20N010CT			●	10	24 NC
DCT20N010FB	●			10	32 NF
DCT20N010FP		●		10	32 NF
DCT20N010FT			●	10	32 NF
DCT20N012CB	●			12	24 NC
DCT20N012CP		●		12	24 NC
DCT20N012CT			●	12	24 NC

Item	Bottoming	Plug	Taper	Size"	Thread
DCT20N012FB	●			12	28 NF
DCT20N012FP		●		12	28 NF
DCT20N012FT			●	12	28 NF
DCT20N116CB	●			1/4	20 NC
DCT20N116CP		●		1/4	20 NC
DCT20N116CT			●	1/4	20 NC
DCT20N116FB	●			1/4	28 NF
DCT20N116FP		●		1/4	28 NF
DCT20N116FT			●	1/4	28 NF
DCT20N120CB	●			5/16	18 NC
DCT20N120CP		●		5/16	18 NC
DCT20N120CT			●	5/16	18 NC
DCT20N120FB	●			5/16	24 NF
DCT20N120FP		●		5/16	24 NF
DCT20N120FT			●	5/16	24 NF
DCT20N124CB	●			3/8	16 NC
DCT20N124CP		●		3/8	16 NC
DCT20N124CT			●	3/8	16 NC
DCT20N124FB	●			3/8	24 NF
DCT20N124FP		●		3/8	24 NF
DCT20N124FT			●	3/8	24 NF
DCT20N128CB	●			7/16	14 NC
DCT20N128CP		●		7/16	14 NC
DCT20N128CT			●	7/16	14 NC
DCT20N128FB	●			7/16	20 NF
DCT20N128FP		●		7/16	20 NF
DCT20N128FT			●	7/16	20 NF
DCT20N132CB	●			1/2	13 NC
DCT20N132CP		●		1/2	13 NC
DCT20N132CT			●	1/2	13 NC
DCT20N132FB	●			1/2	20 NF
DCT20N132FP		●		1/2	20 NF
DCT20N132FT			●	1/2	20 NF
DCT20N136CB	●			9/16	12 NC
DCT20N136CP		●		9/16	12 NC
DCT20N136CT			●	9/16	12 NC

Item	Bottoming	Plug	Taper	Size"	Thread
DCT20N136FB	●			9/16	18 NF
DCT20N136FP		●		9/16	18 NF
DCT20N136FT			●	9/16	18 NF
DCT20N140CB	●			5/8	11 NC
DCT20N140CP		●		5/8	11 NC
DCT20N140CT			●	5/8	11 NC
DCT20N140FB	●			5/8	18 NF
DCT20N140FP		●		5/8	18 NF
DCT20N140FT			●	5/8	18 NF
DCT20N144CB	●			11/16	11 NC
DCT20N144CP		●		11/16	11 NC
DCT20N144CT			●	11/16	11 NC
DCT20N144FB	●			11/16	16 NF
DCT20N144FP		●		11/16	16 NF
DCT20N144FT			●	11/16	16 NF
DCT20N148CB	●			3/4	10 NC
DCT20N148CP		●		3/4	10 NC
DCT20N148CT			●	3/4	10 NC
DCT20N148FB	●			3/4	16 NF
DCT20N148FP		●		3/4	16 NF
DCT20N148FT			●	3/4	16 NF
DCT20N156CB	●			7/8	9 NC
DCT20N156CP		●		7/8	9 NC
DCT20N156CT			●	7/8	9 NC
DCT20N156FB	●			7/8	14 NF
DCT20N156FP		●		7/8	14 NF
DCT20N156FT			●	7/8	14 NF
DCT20N164CB	●			1	8 NC
DCT20N164CP		●		1	8 NC
DCT20N164CT			●	1	8 NC
DCT20N164FB	●			1	12 NF
DCT20N164FP		●		1	12 NF
DCT20N164FT			●	1	12 NF
DCT20N164SB	●			1	14 NF
DCT20N164SP		●		1	14 NF
DCT20N164ST			●	1	14 NF



Hexagon Die Nuts

- HSS
- Bright finish



Item	Size"	TPI
DCT33E004C	4	40
DCT33E006C	6	32
DCT33E008C	8	32
DCT33E010C	10	24
DCT33E010F	10	32
DCT33E012C	12	24
DCT33E116C	1/4	20
DCT33E116F	1/4	28
DCT33E120C	5/16	18
DCT33E120F	5/16	24
DCT33E124C	3/8	16
DCT33E124F	3/8	24
DCT33E128C	7/16	14
DCT33E128F	7/16	20

Item	Size"	TPI
DCT33E132C	1/2	13
DCT33E132F	1/2	20
DCT33E136C	9/16	12
DCT33E136F	9/16	18
DCT33E140C	5/8	18
DCT33E140F	5/8	18
DCT33E148C	3/4	10
DCT33E148F	3/4	16
DCT33E156C	7/8	9
DCT33E156F	7/8	14
DCT33E164C	1	8
DCT33E164F	1	12
DCT33E164C	1	14



Tap Handle Item DCT2000TW4

- Sliding handle and chuck
- 12-1/2"



Tap Wrench Item DCT2000AW8

- Adjustable straight handle tap wrench
- 3/4 – 1-5/8"

CARBIDE BURRS



- 1-3/4" standard length
- 6" overall length
- 1/4" shank
- CNC tungsten carbide

Dia. x Len."	Double Cut (D/C)	6" Length D/C	Fast Mill Cut (FMC)
Cylinder A-Shaped			
1/8 x 5/8	PRESA12DC		
3/16 x 5/8	PRESA14DC		
3/4 x 3/4	PRESA16DC		
1/4 x 5/8	PRESA1DC	PRESA1DC6OAL	PRESA1FMC
1/4 x 1	PRESA1ADC		
5/16 x 3/4	PRESA2DC		
5/16 x 1	PRESA2ADC		
3/8 x 3/4	PRESA3DC	PRESA3DC6OAL	PRESA3FMC
3/8 x 1	PRESA3ADC		
7/16 x 1	PRESA4DC		
1/2 x 1	PRESA5DC	PRESA5DC6OAL	PRESA5FMC
5/8 x 1	PRESA6DC		
3/4 x 1	PRESA7DC		
1 x 1	PRESA9DC		
Cylinder End Cut B-Shaped			
1/8 x 5/8	PRESB12DC		
3/16 x 5/8	PRESB14DC		
1/4 x 5/8	PRESB1DC	PRESB1DC6OAL	
1/4 x 1	PRESB1ADC		
5/16 x 3/4	PRESB2DC		
5/16 x 1	PRESB2ADC		
3/8 x 3/4	PRESB3DC	PRESB3DC6OAL	PRESB3FMC
3/8 x 1	PRESB3ADC		
7/16 x 1	PRESB4DC		
1/2 x 1	PRESB5DC	PRESB5DC6OAL	PRESB5FMC
5/8 x 1	PRESB6DC		
3/4 x 3/4	PRESB16DC		
3/4 x 1	PRESB7DC		
1 x 1	PRESB9DC		
Cylinder Ball End C-Shaped			
1/8 x 5/8	PRESC12DC		
3/16 x 5/8	PRESC14DC		
1/4 x 5/8	PRESC1DC	PRESC1DC6OAL	PRESC1FMC
1/4 x 1	PRESC1ADC		
5/16 x 3/4	PRESC2DC		
5/16 x 1	PRESC2ADC		
3/8 x 3/4	PRESC3DC	PRESC3DC6OAL	PRESC3FMC
3/8 x 1	PRESC3ADC		
7/16 x 1	PRESC4DC		
1/2 x 1	PRESC5DC	PRESC5DC6OAL	PRESC5FMC
5/8 x 1	PRESC6DC		
3/4 x 1	PRESC7DC		
Ball Nose D-Shaped			
1/8	PRESD12DC		
3/16	PRESD14DC		
1/4	PRESD1DC	PRESD1DC6OAL	
5/16	PRESD2DC		
3/8	PRESD3DC	PRESD3DC6OAL	PRESD3FMC
7/16	PRESD4DC		
1/2	PRESD5DC	PRESD5DC6OAL	PRESD5FMC
5/8	PRESD6DC		
3/4	PRESD7DC		
1	PRESD9DC		
Oval E-Shaped			
1/4 x 3/8	PRESE1DC	PRESE1DC6OAL	
1/4 x 1/2	PRESE1ADC		
3/8 x 5/8	PRESE3DC	PRESE3DC6OAL	PRESE3FMC
1/2 x 7/8	PRESE5DC	PRESE5DC6OAL	PRESE5FMC
5/8 x 1	PRESE6DC		
3/4 x 1	PRESE7DC		



Dia. x Len."	Double Cut (D/C)	6" Length D/C	Fast Mill Cut (FMC)
Tree with Radius End F-Shaped			
1/4 x 5/8	PRESF1DC	PRESF1DC6OAL	
1/4 x 3/4	PRESF1ADC		
3/8 x 3/4	PRESF3DC	PRESF3DC6OAL	PRESF3FMC
7/16 x 1	PRESF4DC		
1/2 x 3/4	PRESF13DC		
1/2 x 1	PRESF5DC	PRESF5DC6OAL	PRESF5FMC
5/8 x 1	PRESF6DC	PRESF6DC6OAL	
3/4 x 1	PRESF7DC		
3/4 x 1-1/2	PRESF15DC		
Pointed Tree G-Shaped			
1/4 x 5/8	PRESG1DC	PRESG1DC6OAL	
1/4 x 3/4	PRESG1ADC		
3/8 x 3/4	PRESG3DC	PRESG3DC6OAL	PRESG3FMC
1/2 x 3/4	PRESG13DC		
1/2 x 1	PRESG5DC	PRESG5DC6OAL	PRESG5FMC
5/8 x 1	PRESG6DC		
3/4 x 1	PRESG7DC		
3/4 x 1-1/2	PRESG15DC		
Flame H-Shaped			
1/4 x 1/2	PRESH1DC	PRESH1DC6OAL	
5/16 x 3/4	PRESH2DC		
1/2 x 1-1/4	PRESH5DC	PRESH5DC6OAL	
5/8 x 1-7/16	PRESH6DC		
3/4 x 1-5/8	PRESH7DC		
Taper 14° L-Shaped			
1/4 x 5/8	PRESL1DC	PRESL1DC6OAL	
5/16 x 7/8	PRESL2DC		
3/8 x 1-1/16	PRESL3DC	PRESL3DC6OAL	PRESL3FMC
1/2 x 1-1/8	PRESL4DC	PRESL4DC6OAL	PRESL4FMC
5/8 x 1-5/16	PRESL6DC		
3/4 x 1-1/2	PRESL7DC		
Cone M-Shaped			
1/4 x 1/2	PRESM1DC	PRESM1DC6OAL	
1/4 x 3/4	PRESM2DC		
1/4 x 1	PRESM3DC	PRESM3DC6OAL	
1/4 x 1-1/4	PRESM3ADC		
5/16 x 3/4	PRESM3BDC		
3/8 x 5/8	PRESM4DC		
3/8 x 1	PRESM4ADC		
1/2 x 7/8	PRESM5DC	PRESM5DC6OAL	
5/8 x 1	PRESM6DC		
Single Cut (D/C)			
Cone 60° J-Shaped			
3/8 x 1/4	PRESJ3SC		
1/2 x 7/16	PRESJ5SC		
5/8 x 1/2	PRESJ6SC		
3/4 x 5/8	PRESJ7SC		
1 x 3/4	PRESJ9SC		
Cone 90° K-Shaped			
3/8 x 3/16	PRESK3SC		
1/2 x 1/4	PRESK5SC		
5/8 x 5/16	PRESK6SC		
3/4 x 3/8	PRESK7SC		
1 x 1/2	PRESK9SC		



2 Cutting & Demo Tools

ANNULAR CUTTERS



Ultra-Kut™

- Gold annular cutters

Item/ P/N 1" DOC	Item/ P/N 2" DOC	Cutter Dia."	Decimal Equiv.
PREUA0059	PREUA0159	Use with pilot	—
PREUA0000	PREUA0100	7/16	0.4375
PREUA0002	PREUA0102	1/2	0.5
PREUA0060	PREUA0160	Use with pilot	—
PREUA0003	PREUA0103	9/16	0.5625
PREUA0005	PREUA0105	5/8	0.625
PREUA0006	PREUA0106	11/16	0.6875
PREUA0008	PREUA0108	3/4	0.75
PREUA0010	PREUA0110	13/16	0.8125
PREUA0011	PREUA0111	7/8	0.875
PREUA0013	PREUA0113	15/16	0.9375
PREUA0014	PREUA0114	1	1
PREUA0016	PREUA0116	1-1/16	1.0625
PREUA0018	PREUA0118	1-1/8	1.125
PREUA0019	PREUA0119	1-3/16	1.1875
PREUA0021	PREUA0121	1-1/4	1.25
PREUA0022	PREUA0122	1-5/16	1.3125
PREUA0024	PREUA0124	1-3/8	1.375
PREUA0026	PREUA0126	1-7/16	1.4375
PREUA0027	PREUA0127	1-1/2	1.5
PREUA0029	PREUA0129	1-9/16	1.5625
PREUA0030	PREUA0130	1-5/8	1.625
PREUA0032	PREUA0132	1-11/16	1.6875
PREUA0033	PREUA0133	1-3/4	1.75
PREUA0035	PREUA0135	1-13/16	1.8125
PREUA0037	PREUA0137	1-7/8	1.875
PREUA0039	PREUA0139	1-15/16	1.9375
PREUA0040	PREUA0140	2	2
—	PREUA0141	2-1/16	2.0625
—	PREUA0143	2-1/8	2.125
—	PREUA0145	2-3/16	2.1875
—	PREUA0146	2-1/4	2.25
—	PREUA0148	2-5/16	2.3125
—	PREUA0149	2-3/8	2.375



High Speed Steel

- Comes with multipurpose 3/4" Weldon shank

Item/ P/N 2" DOC	Cutter Dia."	Decimal Equiv.
MIL49-59-2050	1/2	0.5
MIL49-59-2056	9/16	0.5625
MIL49-59-2063	5/8	0.625
MIL49-59-2069	11/16	0.6875
MIL49-59-2075	3/4	.75
MIL49-59-2081	13/16	0.8125
MIL49-59-2089	7/8	0.875
MIL49-59-2094	15/16	0.9375
MIL49-59-2100	1	1
MIL49-59-2106	1-1/16	1.0625
MIL49-59-2113	1-1/8	1.125
MIL49-59-2119	1-3/16	1.1875
MIL49-59-2125	1-1/4	1.25
MIL49-59-2131	1-5/16	1.3125
MIL49-59-2138	1-3/8	1/375
MIL49-59-2144	1-7/16	1.4375
MIL49-59-2150	1-1/2	1.5
MIL49-59-2156	1-9/16	1.5625
MIL49-59-2163	1-5/8	1.625
MIL49-59-2169	1-11/16	1.6875
MIL49-59-2175	1-3/4	1.75
MIL49-59-2181	1-13/16	1.8125
MIL49-59-2188	1-7/8	1.875
MIL49-59-2194	1-15/16	1.9375
MIL49-59-2200	2	2
MIL49-59-2206	2-1/16	2.0625
MIL49-59-2212	2-1/8	2.125
MIL49-59-2218	2-3/16	2.1875
MIL49-59-2225	2-1/4	2.25

PILOT PINS



- Retractable

Item	Len."	Qty.
MIL49-59-0012	2	2/Pk



Item	Compatibility	Len."
PREUA0059	7/16 and 1/2	1
PREUA0060	9/16 and up	1
PREUA0159	7/16 and 1/2	2
PREUA0160	9/16 and up	2

REAMERS



- Spiral flute
- Hex nut shank
- High-speed steel with black oxide finish

Item	Nom. dia."	Len."	Shank dia."
DCT429E152	13/16	6-3/8	1-1/4
DCT429E160	15/16	6-3/8	1-7/16
DCT429E204	1-1/6	6-7/8	1-5/8



M18 FUEL™ 1-1/2" Lineman Magnetic Drill High Demand™ Kit
Item MIL2788-22HD, page 119

CIRCULAR SAW BLADES



- Cobalt infused tungsten carbide
- Laser cut blades
- 5/8" arbor

Item	Dia."	TPI	Application
MIL48-40-0620	6-1/2	24	Framing
MIL48-40-0622	6-1/2	40	Fine finish
MIL48-40-0710	7-1/4	24	Framing
MIL48-40-0726	7-1/4	40	Fine finish
MIL48-40-4515	8	42	Metal/stainless
MIL48-40-4520	8	50	Metal/stainless
MIL48-40-1024	10	40	General purpose
MIL48-40-1028	10	60	Fine finish
MIL48-40-1038	10-1/4	28	Framing
MIL48-40-1220	12	44	General purpose
MIL48-40-1228	12	100	Ultrafine finish
MIL48-40-4505	14	72	Metal/stainless


BAND SAW BLADES



Portable Band Saw Blades

Item	Length"	TPI	Shank
MIL48-39-0500	44-7/8	10	Thick metal
MIL48-39-0501	44-7/8	10	Thick metal
MIL48-39-0550	44-7/8	10/14	Thick metal
MIL48-39-0551	44-7/8	10/14	Thick metal
MIL48-39-0510	44-7/8	14	Thick metal
MIL48-39-0511	44-7/8	14	Thick metal
MIL48-39-0520	44-7/8	18	Thin metal
MIL48-39-0521	44-7/8	18	Thin metal
MIL48-39-0530	44-7/8	24	Thin metal
MIL48-39-0531	44-7/8	24	Thin metal

RECIPROCATING BLADES



Sawzall® Blades, 5/Pk

- The Torch™ — Grid Iron™ honeycomb pattern
- Thin Kerf — Short profile and thin body
- The Wrecker™ — Multi-material demolition
- The Ax™ — Wood demolition

Item	Length"	TPI
The Torch™		
MIL48-00-5712	6	10
MIL48-00-5713	9	10
MIL48-00-5714	12	10
MIL48-00-5782	6	14
MIL48-00-5787	9	14
MIL48-00-5794	12	14
MIL48-00-5784	6	18
MIL48-00-5788	9	18
MIL48-00-5789	12	18
MIL48-00-5786	6	24
MIL48-00-5790	9	24
MIL48-00-5791	12	24

Item	Length"	TPI
Thin Kerf		
MIL48-00-5181	4	14
MIL48-00-5182	6	14
MIL48-00-5187	9	14
MIL48-00-5183	4	18
MIL48-00-5184	6	18
MIL48-00-5188	9	18
MIL48-00-5189	12	18
MIL48-00-5185	4	24
MIL48-00-5186	6	24

Item	Length"	TPI
The Wrecker™		
MIL48-00-5701	6	7/11
MIL48-00-5706	9	7/11
MIL48-00-5711	12	7/11

Item	Length"	TPI
The Ax™		
MIL48-00-5021	6	5
MIL48-00-5026	9	5
MIL48-00-5027	12	5

JIG SAW BLADES



Item	Length"	TPI	Shank
------	---------	-----	-------

Wood Cutting			
MIL48-42-2385	2-3/4	20	U
MIL48-42-0200	4	6	U
MIL48-42-2311	4	10	U
MIL48-42-5390	3	12	T
MIL48-42-5385	3	20	T
MIL48-42-5302	4	6	T
MIL48-42-5311	4	10	T

General Purpose			
MIL48-42-0650	2-3/4	12	U
MIL48-42-0240	3-1/8	8	U
MIL48-42-0512	3-5/8	6	U
MIL48-42-0540	3-5/8	10	U
MIL48-42-0421	4	6	U
MIL48-42-0500	4	6	U
MIL48-42-0220	4	8	U
MIL48-42-0640	4	10	U
MIL48-42-2310	4-1/8	10	U
MIL48-42-5640	3	12	T
MIL48-42-5500	4	6	T
MIL48-42-5220	4	8	T
MIL48-42-5540	4	10	T

Metal Cutting			
MIL48-42-0101	2-3/4	14	U
MIL48-42-2120	2-3/4	18	U
MIL48-42-2160	2-3/4	24	U
MIL48-42-2190	3-5/8	14	U
MIL48-42-0850	4	8	U
MIL48-42-2192	5	14	U
MIL48-42-2166	5	24	U
MIL48-42-5190	3	14	T
MIL48-42-5121	3	18	T
MIL48-42-5161	3	24	T
MIL48-42-5850	4	8	T
MIL48-42-5192	5-1/4	14	T
MIL48-42-5166	5-1/4	24	T



M18™ FUEL™
Deep Cut Band Saw Kit
 Item MIL2729-22, page 121

2 Cutting & Demo Tools

HOLE SAW KITS

Milwaukee



15-Piece General Purpose Kit
Item MIL49-22-4027

- 8 hole saws: 3/4, 7/8, 1-1/8, 1-1/2, 2, 2-1/8, 2-1/4, 2-1/2
- 2 arbors
- 4 pilot bits
- 1 hex key
- 1 carry case



19-Piece Electrician Kit
Item MIL49-22-4105

- 13 hole saws: 3/4, 7/8, 1-1/8, 1-3/8, 1-3/4, 2, 2-1/4, 2-1/2, 2-5/8, 3, 3-5/8, 4-1/8, 4-3/4
- 1 small arbor, 3/8 shank
- 1 large thread quick change arbor, 7/16 shank
- 1 high-speed steel pilot bit, 1/4 x 3-1/2
- 1 carry case



15-Piece All Purpose Kit
Item MIL49-22-4175

- 11 hole saws: 3/4, 7/8, 1, 1-1/8, 1-3/8, 1-1/2, 1-3/4, 2, 2-1/8, 2-1/4, 2-1/2
- 1 hex shank arbor (3/8)
- 2 pilot bits (3-1/2)
- 2 hex keys (1/8)
- 1 no-wobble arbor (7/16)
- 1 carry case



10-Piece General Purpose Kit
Item MIL49-22-5607

- 6 hole saws: 1-1/2, 2, 2-1/2, 3, 3-5/8, 4-1/4
- 2 pilot bits (3-1/2)
- 1 no-wobble arbor (7/16)
- 1 hex shank arbor (3/8)
- 1 hex key (1/8)
- 1 packout case

HOLE SAWS & ACCESSORIES

Milwaukee



Hole Dozer™

- Hole saw bi-metal cups
- Rip Guard™ tooth form
- Plug Jack™ all-access slot design

Item	Size"
MIL49-56-0023	3/4
MIL49-56-0032	7/8
MIL49-56-0043	1
MIL49-56-0052	1-1/8
MIL49-56-0062	1-1/4
MIL49-56-0072	1-3/8
MIL49-56-0082	1-1/2
MIL49-56-0092	1-5/8
MIL49-56-0102	1-3/4
MIL49-56-0117	2
MIL49-56-0127	2-1/8
MIL49-56-0147	2-1/2
MIL49-56-0158	2-5/8
MIL49-56-0163	2-3/4
MIL49-56-0173	3
MIL49-56-0193	3-1/2
MIL49-56-0197	3-5/8
MIL49-56-0213	4
MIL49-56-0217	4-1/8
MIL49-56-0223	4-1/4
MIL49-56-0233	4-1/2
MIL49-56-0237	4-3/4
MIL49-56-0243	5
MIL49-56-0253	6

Milwaukee



Arbor Hole Saw

- Universal
- Tool-free operation
- Hollow shank

Item	Size"
MIL49-56-7055	7/16
MIL49-56-7240	7/16
MIL49-56-7250	3/8
MIL49-56-9100	7/16

Milwaukee



Pilot Bit

- High-speed steel

Item	Size"
MIL49-56-8010	1/4 x 3-1/2
MIL49-56-8031	1/4 x 4
MIL49-56-8033	1/4 x 3-1/2



3 Lighting & Electrical



3 Lighting & Electrical

EXTENSION CORDS



Lighted

Lighted/Fantail

Cords with Lighted Ends

- -40°C
- 300V

Item	Gauge	End Type	Len.'
EXTCORD-12/3X25-SLE	12/3 SJTW	Lighted	25
EXTCORD-12/3X50-SLE	12/3 SJTW	Lighted	50
EXTCORD-12/3X100-SLE	12/3 SJTW	Lighted	100
EXTCORD-10/3X25-SLE	10/3 SJTW	Lighted	25
EXTCORD-10/3X50-SLE	10/3 SJTW	Lighted	50
EXTCORD-10/3X100-SLE	10/3 SJTW	Lighted	100
EXTCORD-12/3X25-TLE	12/3 SJTW	Lighted/fantail	25
EXTCORD-12/3X50-TLE	12/3 SJTW	Lighted/fantail	50
EXTCORD-12/3X100-TLE	12/3 SJTW	Lighted/fantail	100



PowerTech® GFCI Triple Tap

- -40°C
- 300V
- 3 ft

Item	Gauge	End Type
EXTCORD-12/3X2-TUE-GFI	12/3 SJTW	Fantail



Power Bar Item BRIP010772SL

- 3 ft
- 6-outlets, 3-prong grounded
- Surge protector
- 14/3 SGT, 125V



CEND10612002



CEND10914004

Triple Tap Cords

- -40°C
- 2 ft

Item	Gauge	Rating	End Type
EXTCROD-12/3X2-TUE	12/3 STW	660V	Fantail
EXTCORD-14/3X2-TLE	14/3 SJTW	300V	Lighted fantail

WORKLIGHTS, FLASHLIGHTS & HEADLAMPS



LED Light Strings

- 900 lumens, 6.6 watt per fixture
- Slide lock connection
- Sockets and LED panels at 10 ft intervals
- 50,000-hour lamp life
- Outdoor approved for wet conditions

Item	Gauge	Length'	Fixtures
CEP97135	18/2 SJTW	50	5
CEP97132	18/2 SJTW	100	10



Portable Light Strings

- Temp. range 60°C to -40°C
- Sockets at 10 ft intervals
- Hang from eyelets or messenger wire
- Coated metal cages

Item	Gauge	Rating	Len.'	Sockets
CEND12012050	12/3 STW	600V	50	5
CEND11912100	12/3 SJTW	300V	100	10



Portable Work Lamp

- 30,000-hour LED life
- Die-cast aluminum housing
- Sealed on/off switch
- 5 ft cord

Item	Lumens	Watt
TRAL002656	1000	10
TRAL002659	2000	20
TRAL002661	3000	30
TRAL002663	4700	50



LED Work Light Item SWTCSW1X1

- Multi-Position Ratcheting Floor Stand
- 360 Degree Rotating Head
- On/Off Switch
- 18/3 SJTW Cord
- 5000K Colour Temperature
- 1500 Lumens



Dual Head Work Light with Tripod Item SWTCS10X2

- Includes: 2-Step Tripod Stand
- Quick-Release Dual Head Base
- On/Off Switch
- 18/3 SJTW Cord
- 5000K Colour Temperature
- Each head delivers 10000 lumens



ARC
Service Centre

(780) 413-0029

We custom-make cables with your choice of boot colour, your company ID & unique barcoding. Made to your specified length, end type & colour.

Worklights, Flashlights & Headlamps continued



- Worklights with Tripod**
Item TRAL002673
- 6000 lumens, 2 x 30 watt
 - 30,000 hours LED life
 - Removable twin heads
 - Impact-resistant glass lens
 - Sealed on/off switch
 - Adjustable tilting head
 - 10 ft cord



- MX Fuel™ ROCKET™ Tower Light/Charger**
Item MILMXF041-1XC
- 27,000 lumens
 - Adjustable light heads extend to 10 ft
 - One-Key™ compatible and push-button activation
 - Includes 1 light/charger, 1 battery



- M18™ RADIUS™ Site Light**
Item MIL2144-20
- 2200 lumens
 - 4-1/4" hanging hook
 - Dual function 360° area lighting
 - 90° flood lighting
 - Powered by M18™ REDLITHIUM™ battery or extension cord (not included)
 - Three area and task modes



- M18™ ROVER™ Dual Power Flood Light**
Item MIL2366-20
- 4000 lumens
 - Up to 12 hours of run-time
 - 120° light head rotation
 - IP54 dust- and water-resistant



See our selection of Milwaukee M18™ REDLITHIUM™ batteries and chargers on page 117.



- M18™ Trouble Light**
Item MIL2363-20
- 700 lumens
 - USB charger
 - Water- and dust-resistant
 - Four light modes
 - Rotating collar
 - One stainless steel hook



Southwire®



WBL111208



WBL111211



WBL111301LED/
WBL111303LED

- Self-Righting LED Site Light**
- Patented self-righting technology
 - 360° light output
 - Integrated carry handle
 - 5 ft cord

Item	Lumens	Watts	Height*	Description
WBL111208	6000	51	25	5000K, colour temperature, E39 mogul base
WBL111211	10,000	90	27	Heavy-duty steel dome, E39 base
WBL111301LED	12,000	150	32	60 ft lighting range, IP54, integrated receptacle for interlinking up to 6 units
WBL111303LED	12,000	150	32	75 ft lighting range, IP54, integrated receptacle for interlinking up to 6 units

3 Lighting & Electrical

Worklights, Flashlights & Headlamps continued

EVEREADY



Heavy-Duty LED Flashlight
Item EVE1251L

- 35 lumens
- 2 x D batteries
- Bright yellow, corrosion-resistant polypropylene construction
- Water- and impact-resistant
- Constructed from non-conductive materials



Compact Aluminum LED Flashlight
Item PEL1920

- 224 lumens
- 2 x AAA batteries
- Long run times with high/low modes
- On/off/momentary switch
- IPX7 ingress protection
- Anodized aluminum construction

Energizer



Intrinsically Safe® LED Flashlight
Item ENRENISHH25E

- 150 lumens, 150 m beam distance
- 2 x D batteries
- 65-hour run time (high)
- Water-, dust-, impact-proof
- Built-in carabiner belt clip
- Shatterproof lens
- IP67 water resistance

Energizer



Metal Tactical LED Flashlight

- Rear push button light modes
- Shatterproof lens
- 1 metre impact-resistant
- Aircraft grade aluminum

	ENRENPM-HT1L	ENRPM-HT2L	ENRENPM-HT61
Lumens	300	700	1000
Beam	100 m	100 m	200 m
Run-time	2 hr	2 hr	4 hr
Rating	IPX4	IPX4	IPX7
Batteries	1xCR123	2xCR123	6xAA

Milwaukee



REDLITHIUM™ Headlamp
Item MIL2111-21

- Lumens: 475 high/25 low
- 2-ft micro-USB rechargeable
- TRUEVIEW™ with 5 modes
- Clips and rubber grip for hard hat attachment
- 7-position tilting head



Headlamp
Item PEL2745B

- Lumens: 33 high/17 low
- 3 LEDs
- Adjustable cloth and rubber straps
- High, low and flashing modes



HeadsUp Lite™ Headlamp
Item PEL2690

- 74 lumens
- Rotary bezel switch
- Adjustable cloth and rubber straps
- Impact, chemical and water resistant

Energizer



Vision Headlamp LED
Item ENRHDA32E

- Lumens: 200 high/45 low
- Pivoting head
- 35 m beam distance
- High or low light modes

Energizer



Worklight
Item ENAWLL8

- Lumens: 1100 high/550 low
- 2 adjustable panels and legs
- USB out port
- Rechargeable lithium ion battery
- IPX4 rating

Energizer



Worklight
Item HCAL412

- Lumens: 550 high/150 low
- Retractable rotating hook
- Magnets, wide base
- Wide-angle area light
- Smart dimming technology
- IPX4 rating

Energizer



Headlamp
Item ENISHD32E

- Lumens: 130 high/20 low
- Pivoting head
- Adjustable beam focus
- Non-slip grip with top strap to fit hard hats
- IP67 rating

Energizer



Headlamp
Item HDBIN32EB

- Lumens: 300 high/100 low
- 50 m beam distance
- 4 light output modes
- Shatterproof lens
- IPX4 rating

BATTERIES

RAYOVAC



RAY6VHD RAYAL9V RAYALAA RAYALAAA RAYALC RAYALD

• Alkaline

Item	Size	Volt	Cap. (mAh)
RAY6VHD	6V	6	10500
RAYAL9V	9V	9	500
RAYALAA	AA	1.5	1800–2700

Energizer



ENREN22 ENREN91 ENREN92 ENREN93 ENREN95 ENRECR2032BP ENREL223APBP

• Alkaline

Item	Size	Volt	Cap. (mAh)
ENREN22	9V	9	600
ENREN91	AA	1.5	2850
ENREN92	AAA	1.5	1100
ENREN93	C	1.5	8000
ENREN95	D	1.5	20000

• Lithium

Item	Size	Volt	Cap. (mAh)
ENRECR2032BP	2032	3	235
ENREL223APBP	A23	6	1500

HEAT SHRINK TUBING

TECHSPAN



Dual Wall Adhesive-Lined

- 6" length
- 3:1 shrink ratio
- Bonds to plastic, rubber, neoprene, steel and polyethylene
- Temp. range -45°C to 125°C
- Flame-retardant
- 6/Pk



Item	Size"	Item	Size"
Black		Red	
TCH669900	1/8	TCH669971	1/8
TCH669939	3/16	TCH669982	3/16
TCH669940	1/4	TCH669983	1/4
TCH669941	3/8	TCH669984	3/8
TCH669942	1/2	TCH669985	1/2
TCH669944	1	TCH669987	1

CABLE TIES

TECHSPAN



Nylon Cable Ties

• 100/Pk

Item	Len."	Tensile Strength (lb)	Colour
TCH76-2762PK	7.5	50	Red
TCH76-2763PK	7.5	50	Orange
TCH76-2764PK	7.5	50	Yellow
TCH76-2765PK	7.5	50	Green
TCH76-2766PK	7.5	50	Blue
TCHE4180C	4	18	Black
TCHE7500C	7.5	50	Black
TCHE11500C	11	50	Black
TCHE14500C	14	50	Black
TCHE201750C	20	175	Black
TCHE7509C	8	50	Natural
TCHE11509C	12	50	Natural
TCHE14509C	14	50	Natural
TCHE17509C	17	50	Natural

LED LIGHT BULB

ecosmart



EcoSmart™

Item LIG060LED

- 60W equivalent A19 non-dimmable daylight LED light bulb
- 800 lumens, 8.5 watt

PLUGS & CONNECTORS

Legend



CENPS5266X



CENPS5269X

- Straight blade plug 15 amp
- Nylon housing
- Two-piece cord grip
- Internal dust shield
- Tri-drive assembly screws
- Heavy-duty brass alloy blades and contacts
- Recess cord-grip screws

Item	Poles	Volt.	Wire Size	No. Wires
CENPS5266X	2	125	4	3
CENPS5269X	2	125	4	3

4 Material Handling



TIE WIRE

ASGW Annealed Solid Steel Rebar Wire
Item **BRIW004040**

- 16 gauge
- 340 ft
- Black



Annealed Wire
Item **TRE06626**

- 12 gauge
- 50 lb roll
- Black



TARPAULIN



- Full-weather protection
- Mildew-proof
- Tear-resistant with reinforced corners
- Eyelets at 3 ft intervals
- Double-coated with 8 x 8 weave
- Blue

Item	Size'	Item	Size'
TOO180608	6 x 8	TOO182024	20 x 24
TOO181012	10 x 12	TOO182030	20 x 30
TOO181220	12 x 20	TOO183040	30 x 40

ROPES



Nylon Rope on Reel
• Double-braided
• White

Item	Size
ROPN5/8X600DBN	5/8" x 600'
ROPN1/2X600DBN	1/2" x 600'
ROPN3/4X600DBN	3/4" x 600'



Polypropylene Rope on Reel

- Resists rot, mildew, moisture and chemicals
- 3-strand twisted
- Floats
- Yellow

Item	Size
ROPP1/4	1/4" x 1300'
ROPP1/2	1/2" x 335'
ROPP3/8	3/8" x 630'
ROPP5/8	5/8" x 200'
ROPP3/4	3/4" x 125'



PAILS & LIDS



Yard-Gard Pail
Item **GWM20343**

- 10-1/2 qt capacity
- Pre-galvanized 31 gauge steel utility pail
- 3/16" galvanized wire handle
- Water-tight sealant



Plastic Handle Pail
Item **PAIL747994000P11**

- 20 L/5 gal capacity
- Food approved
- HDPE
- Pail only



Plastic Pail Lid
Item **PAILLID**

- Fits 5 gal pail
- No spout



Plastic Pail Lid
Item **PAIL6561050B92**

- Fits 5 gal pail
- With spout

STEEL BANDING & ACCESSORIES



Steel Strapping

- 0.02" thickness
- Black painted and waxed finish
- Oscillated wound

Item	Width"	Length'
KTNP404	1/2	2940
KTNP406	3/4	1960



Safety Cutter
Item **KTNPC446**

- 3/8" to 1-1/4"
- 0.036" thickness
- Safety design holds strapping in place to prevent injury from flying ends
- Rubber pads gently release strapping when being cut

Strapping Dispenser
Item **KTNP555**

- 16"/8" core diameter
- 3"/6"/8" roll width
- Compatible with polyester, steel and polypropylene straps
- Accommodates core strapping sizes: 16" x 3", 16" x 6", 8" x 8"
- For use with 1/2" - 3/4" strapping
- Storage tray for accessories
- Heavy-duty 8" rubber wheels



KTNP550



KTNP351

Steel Strapping Sealers

- For use with open/double-notch and closed/semi-closed seals

Item	Width"	Type	Strapping Thk."
KTNP550	1/2	Open	0.018 to 0.023
KTNP551	3/4	Open	0.018 to 0.027
KTNP351	1/2	Closed/semi-closed	0.018 to 0.023
KTNP353	3/4	Closed/semi-closed	0.18 to 0.027

SHRINK WRAP



Item	Width"	Length'	Colour
LOW200001691	18	1000	Clear
LOWHP155	15	1500	Black

Banding Seals

- Open snap-on
- Galvanized steel
- Closed push-type
- 2000/Box



Item	Width"	Type
KTNP408	1/2	Open
KTNP415	1/2	Closed
KTNP410	3/4	Open
KTNP417	3/4	Closed



KTNP938



KTNP399

Tensioners

Item **KTNP938** (3/8" to 3/4" width)
Item **KTNP399** (3/4" to 1-1/4" width)

- 0.035" thickness
- Feed-wheel style
- Medium/heavy tension with unlimited take-up

LIFTING TOOLS

STRONGARM®



Bottle Jacks

Item	Cap. (T)	High Height"
Manual		
STR030102	2	12-1/2
STR030103	4	12-1/4
STR030104	6	16
STR030105	8	15-3/4
STR030106	12	17
STR030107	12	13 low profile
STR030110	20	18-1/4
STR030111	20	14-3/4 low profile
STR030112	30	18-3/4
STR030114	50	19-3/4
STR030115	50	19-3/4 double plunger
Hydraulic		
STR140101	2	13-5/8
STR140102	3	14-3/8
STR140103	5	15-3/8
STR140104	8	15-3/8
STR140105	12-1/2	18-1/2
STR140106	12-1/2	13-1/2 low profile
STR140107	17-1/2	20-1/16
STR140108	17-1/2	13 low profile
STR140109	22-1/2	16-7/8
STR140110	22-1/2	12-1/16 low profile
STR140111	35	17-1/4
STR140112	60	18-3/4

STRONGARM®



Floor Jacks

- Hardened steel
- Powder coat finish
- Professional grade seals

Item	Cap. (T)	High Height"
Double Piston		
STR030404	2	19.7 low profile
STR030417	3	18.1
STR030408	4	20.5
Super Heavy-Duty		
STR030604	2	23.6
STR030607	3-1/2	20.5
STR030608	4	20.5

HOISTS



Chain Hoist

- Grade 80 load chain*
- Grade 100 load chain**
- Triple spur gearing
- Dual pawl Weston-style brake



Item	Cap. (T)	Lift'
Standard Duty*		
JET101002	1/2	10
JET101006	1/2	20
JET101012	1	10
JET101016	1	20
JET101032	2	10
JET101036	2	20
JET101042	3	10
JET101046	3	20
Heavy Duty**		
JET101102	1/2	10
JET101106	1/2	20
JET101112	1	10
JET101116	1	20
JET101132	2	10
JET101136	2	20
JET101142	3	10
JET101146	3	20
JET101152	5	10
JET101156	5	20
JET101162	10	10
JET101172	15	10

BEAM CLAMPS



Item	Cap. (T)
JET120613	1
JET120615	2
JET120616	3
JET120617	5
With Locking Screw	
JET120603	1
JET120605	2
JET120606	3
JET120607	5

- All steel construction
- Built-in suspension bar
- Adjusts to fit securely on a range of flange and beam widths

BEAM TROLLEY



Item	Cap. (T)
JET120111	1/2
JET120112	1
JET120114	2
JET120115	3
JET120116	5

- Adjusts to fit securely on a range of flange and beam widths
- Install or remove at any point along the track
- Works on straight or curved H and I beams

SNATCH BLOCK



Item	Size"	Cap. (T)
Single Sheave		
JET130103	3	1/2
JET130104	4	1
JET130105	5	1-1/2
JET130106	6	2
JET130108	8	4
Double Sheave		
JET130203	3	1/2
JET130204	4	1

- Cast iron sheaves with powder metallurgy bushings
- Hook with safety latch
- Side plate swings open to accept rope
- Ball-type oiler on 3" to 5" models and Zerk-type grease fitting on 6" and 8" models



Lever Hoist

- VLP Series: Impact-resistant, cold-formed, stamped steel housing; grade 80 load chain; harden steel roller bearings
- KLP Series: high impact gear case and brake cover; grade 100 load chain; caged ball bearings on load sprocket

Item	Cap. (T)	Lift'
VLP Series		
JET110302	3/4	5
JET110303	1-1/2	5
JET110304	3	5
JET110306	3/4	10
JET110307	1-1/2	10
JET110308	3	10
KLP Series		
JET110803	1/4	5
JET110804	1/2	5
JET110402	3/4	5
JET110403	1-1/2	5
JET110404	3	5
JET110405	6	5
JET110406	3/4	10
JET110407	1-1/2	10
JET110408	3	10

CABLE PULLER & ASSEMBLY



SUMO Series Grip Puller

- Compact, high strength steel housing
- Built-in overload protection
- Parallel clamping system

Item	Cap. (T)
JET111136	3/4
JET111137	1-1/2
JET111138	3



Cable Assembly

- Safety hook included
- Galvanized wire
- Reusable reel

Item	Cap. (T)	Lift'
JET111152	3/4	66
JET111153	1-1/2	66
JET111154	3	66

HAND TRUCKS



COM890/804



COM890/HL8S



COM890/HL10P

- Welded tubular construction with powder-coat finish
- Pneumatic wheels
- Semi-pneumatic wheels*

Item	Cap. (lb)	Wheel Size"	H x W"	Nose Size"	Wt. (lb)	Type
COM890/804	400	10 x 4	45 x 21	7 x 13-1/2	25	All-Purpose
COM890/HL8S*	900	8 x 2	50 x 19	7 x 13-5/8	27	Commercial
COM890/HL10P	650	10 x 4	50 x 21	7 x 13-3/4	29	Commercial



We will assemble your wheelbarrow for you!

WHEELBARROWS



True Temper® w/ Flat-Free Tire Item TRUTIFS600FF

- Weight capacity 600 lb
- 6 cubic feet steel tray
- 16" flat-free tire
- 3/4" steel axle
- Hardwood handles



CARTS

- Medium-duty steel platform carts
- Steel frame with 2 swivel and 2 rigid casters
- 1200 lb capacity
- 5" wheels

Item	Deck Size"
COM890/S2436-5	24 x 36
COM890/S2442-5	24 x 42
COM890/S2448-5	24 x 48



- Heavy gauge steel
- Powder-coat finish
- 5" wheels
- Two swivel and two rigid casters
- 1200 lb capacity


Item	Deck Size"	Shelves
COM890/2436	24 x 36 x 34	2
COM890/2448	24 x 36 x 48	2
COM890/2436-3	24 x 36 x 34	3
COM890/2448-3	24 x 36 x 48	3

PALLET JACKS



Item ITC024852

- Entry rollers at fork tip
- Polyurethane coated steel steer wheels
- Polyurethane load rollers
- Heavy duty pump
- 5500 lb capacity
- 27" x 48"



Item JET190918

- Large diameter polyurethane coated steel steer wheels and polyurethane load rollers
- Steering column swivels 202°
- Fully adjustable push rods for fork height adjustment
- 3-position control lever
- 5500 lb capacity
- 27" x 48"



4 Material Handling

LADDERS



Fiberglass Step Ladders

- Type IA
- Da Boot™ technology for slip-resistant footing
- SHOX™ and ProTop™ for a non-conductive structural molded top
- Multifunctional raptor top with multiple tool slots and magnet
- Weight capacity 300 lb

Item	Size (ft)
LOUFS1504	4
LOUFS1506	6
LOUFS1508	8
LOUFS1510	10
LOUFS1512	12



Fiberglass Extension Ladders

- Type IA
- MAXLOCK engineered
- Patented Quicklatch Runglock system
- Steel swivel safety shoe with metal shield
- Mar-resistant end caps
- Weight capacity 300 lb

Item	Size (ft)
LOUFE3216	16
LOUFS3220	20
LOUFS3224	24
LOUFS3228	28
LOUFS3232	32
LOUFE3240	40

RAKES & SHOVELS



GAREAAL36



GARLBR14



GARLLR22



GARLPLR22

Item	L x W"	Head Width"	Tines
GAREAAL36	84.5 x 4.5	36	36
GARLBR14	59.5 x 14	14	14
GARLLR22	59 x 21	21	22
GARLPLR22	59 x 22.5	22.5	22



GARLHS2L



GARLHR2L



GARLHR2D



GARLHS2D



GARTHDS14FD



GARLHGS2D



GARGPG12D



GARBAG10

Item	L x W"	Blade Material	Handle Type
GARLHS2L	55 x 9.5	Tempered steel	Straight
GARLHR2L	55 x 8	Tempered steel	Straight
GARLHR2D	39.5 x 8	Tempered steel	D-grip
GARLHS2D	38.5 x 8.5	Tempered steel	D-grip
GARTHDS14FD	42.5 x 6	Tempered steel	D-grip
GARLHGS2D	40.5 x 6.5	Tempered steel	D-grip
GARGPG12D	47.5 x 14.5	ABS Poly	D-grip
GARBAG10	48.5 x 12.5	Aluminum	D-grip

5 Tool Storage



5 Tool Storage

TOOL BOXES



GRA9101

GRA9107

GRA9109

GRA9120

GRA9104

GRA9119

Metal Tool Boxes

- High gloss, scratch and corrosion-resistant
- Powder coat paint finish
- Chrome plated handles and latches

Item	W"	D"	H"	Cap. (in ³)	Wt. (lb)	Description
GRA9101	19.75	6.125	3.5	328	3.5	Blue, low profile
GRA9107	16	7	7.5	840	7	Red, utility box
GRA9109	19	7.125	7.5	1004	8	Red, hand box
GRA9120	20	8.5	9.5	1627	11	Red, heavy-duty
GRA9104	24.25	9.5	9.5	1866	17	Red, side handles
GRA9119	21	8.5	8.25	1472	12.5	Red, hip roof

ROLLING TOOL CABINETS



27" Utility Cart, 3 Drawers

Item DNCD069102

- Drawer liners, lock and key included
- Foldable side-tray
- 4 x 1 casters (2 fixed, 2 swivel with brake)
- 27" W x 18.5" D x 36" H (with casters)



52" Industrial Cart, 12 Drawers

Item DNCD069209

- Tubular lock and key
- Drawer liners and PVC top mat included
- 52-1/2" W x 31-5/8" D x 40-1/4" H (with casters)



45" Industrial Cart, 10 Drawers

Item DNCD069210

- 3 peg walls
- Lock, key and drawer liner kit included
- 2 adjustable shelves
- 3/4" thick PVC top
- 2 swivel/2 fixed 5 x 2 casters
- 45" W x 28-2/4" D x 40" H (with casters)



53" Roller Cabinet, 12 Drawers

Item DNCD069311

- Safety latches
- Drawer liners included
- Load capacity per drawer 132 lb
- 53" W x 24" D x 41" H (with casters)



71" Roller Cabinet, 17 Drawers

Item DNCD069313

- Safety latches
- Drawer liners included
- Load capacity per drawer 132 lb
- 71" W x 24" D x 41" H (with casters)



JOBSITE STORAGE



Southwire®



Field Office
Item SWTFO604482

- 16 gauge box construction
- Caster-ready 14-gauge steel skids
- Single recessed lock system
- Adjustable and removable split shelves
- 60" W x 44" D x 82" H



Southwire®



Clamshell Cabinet
Item SWTCB603065

- 16 gauge construction
- Casters included
- Recessed locking system
- Vertical tool storage area
- 65" W x 30" D x 60" H



Southwire®



Compact Chest
Item SWTCC482423

- 16-gauge steel construction
- Double-lock system
- Four-way skids
- Built-in tool tray, recessed handles
- 24" W x 24" D x 48" H



Southwire®



Mini-Compact Chest
Item SWTCC191932

- 16-gauge box construction
- Caster-ready 14-gauge steel skids
- Recessed lock housing
- Four-way skids
- Powder-coat finish
- 32" W x 19" D x 19" H



Southwire®



Piano Box
Item SWTPB483048

- Caster-ready 14-gauge steel skids
- Recessed lock housing
- Powder-coat finish
- 48" W x 30" D x 48" H



Southwire®



Piano Box
Item SWTPB603049

- 16-gauge box construction
- Caster-ready 14-gauge steel skids
- Recessed lock housing
- Powder-coat finish
- 30" W x 48.5" D x 60" H



Southwire®



Piano Box
Item SWTPB603034

- Caster-ready 14-gauge steel skids
- Recessed lock housing
- Heavy-duty 16 gauge box construction
- 34" W x 30" D x 60" H



Southwire®



Storage Cabinet
Item SWTCB602460

- 16-gauge box construction
- Recessed lock housing
- Four-way caster-ready skids
- 60" W x 24" D x 60" H



Southwire®



Weld Box
Item SWT799910

- Powder-coat finish for superior durability and corrosion resistance
- Light weight design for easy transportation
- 20.25" W x 9.5" D 8.5" H



6 Adhesives, Sealants & Tapes

ADHESIVES



- Ultra Bond®
495 Instant
Adhesive
Item PER49512**
- General purpose
 - Temp. range -54°C to 82°C
 - 28 g



- Adhesive Spray
Item PER27829**
- High-strength
 - Weather- and water-resistant
 - Cures in 24 hours, dries clear
 - 474 g



- Super 77
Spray
Adhesive
Item MMM77**
- Fast tack, long bonding range
 - Little or no soak-in
 - Bonds lightweight materials
 - 24 oz



- Hi-Strength
90 Spray
Adhesive
Item MMM90**
- High contact bond strength
 - One-minute dry time
 - 24 oz

SEALANTS



- Blue Threadlocker
Item PER24240**
- Medium strength, removable
 - Ideal for nut and bolt applications (6 to 20 mm)
 - 36 ml



- Orange Threadlocker
Item PER25236**
- High strength, removable
 - Ideal for nut and bolt applications (6 to 20 mm)
 - 36 ml



- Red Threadlocker
Item PER26240**
- High strength, permanent
 - For fasteners before assembly (10 to 25 mm)
 - 36 ml



- Thread Sealant
Item PER56750**
- Temp. range -54°C to 204°C
 - 50 ml
 - White



- Pneumatic/
Hydraulic Sealant
Item PER54540**
- Locks and seals high pressure hydraulic and pneumatic systems
 - 36 ml



- Pipe Joint Compound
Item PER80045**
- Universal sealant that lubricates and seals threaded joints
 - Temp. range -54°C to 204°C
 - 479 ml



- Gasket Maker
Item PER59813 (Ultra Black)
Item PER59913 (Ultra Grey)**
- RTV thixotropic paste
 - Temp. rating -54°C to 260°C
 - Cures in 24 hours
 - Non-corrosive
 - Low odour
 - 300 ml



- Silicone
Item DAP73461 (White)
Item DAP73473 (Clear)
Item DAP73485 (Aluminum)**
- All-purpose acetoxy cure sealant
 - Watertight, flexible seal
 - Temp. range -40°C to 204°C
 - 300 ml



- Alex Plus®
Item DAP74250 (White)**
- Acrylic latex caulk
 - 30-minute dry time
 - Cures in 24 hours
 - 300 ml

6 Adhesives, Sealants & Tapes

TAPE

3M



Duct Tape

Item **MMM2929*** (2" x 50 yd)

Item **MMM3939-2**** (2" x 60 yd)

- General use*
- Industrial grade**
- Polyethylene film over cloth scrim and rubber adhesive
- Silver

3M



Sheathing Tape

Item **MMM8088X6066**

- For use as a closure system and vapour seal on interior/exterior sheathing
- Red
- 2-1/2" wide x 66 m

3M



Crepe Tape

Item **MMM203-24X55** (1")

Item **MMM203-48X55** (2")

- General purpose
- Resists slivering and paint bleed-through
- Beige
- 55 m

Painter's Mate



Green Masking Tape

Item **PMB174284038** (1")

Item **PMB185083742** (2")

- Professional grade, multi-surface painter tape
- Interior use
- Removes cleanly for up to 8 days
- 55 m

3M



Tartan™ Filament Tape

Item **MMM8934-12X55** (1/2")

Item **MMM8934-18X55** (3/4")

Item **MMM8934-24X55** (1")

- Clear polypropylene backing
- Reinforced with glass yarn filaments
- Pressure-sensitive synthetic rubber adhesive
- 55 m

cantech



Aluminum Foil Tape

Item **CNT90-21**

- For use in duct insulation
- Silver
- 2" wide x 45 m

DOCAP



Hurricane Tape

Item **DOC554-245** (1" x 60 yd)

Item **DOC554-246** (2" x 20 yd)

- Form fitting, up to 7 days of residue-free removal
- Will not decay, flake or dissolve

cantech



Tuck Tape

Item **TUC219-08**

- Sheathing tape for PE vapour barrier
- Adheres to polyethylene
- Blue
- 60 mm x 55 m

DOCAP



Foam Tape

Item **DOC554-581**

- Double-sided
- Black
- 1" wide x 10 m

Tape continued

KLETON



Tape Dispenser

Item KLEPF712 (Standard-duty)

Item KLEPF713 (Heavy-duty)

- Industrial quality constructed of steel and high-impact plastic frame
- Protective shield over blade
- Adjustable brake, replaceable blades
- Fits tape width up to 2"

3M



Tartan™ Box Sealing Tape

Item MMM30248100

- Suitable for hard-to-stick-to-surfaces and cold temperature applications
- Clear
- 2" wide x 100 m

3M



Scotch® High Tack Sealing Tape

Item MMM311-48x100-CLR

- Medium-duty
- Suitable for hard-to-stick-to-surfaces and cold temperature applications
- Clear
- 2" wide x 100 m

DOCAP



Duct Tape

Item DOC554-200 (Silver)

Item DOC554-201 (Black)

Item DOC554-202 (Blue)

Item DOC554-203 (Green)

Item DOC554-204 (White)

Item DOC554-205 (Yellow)

Item DOC554-206 (Red)

- Temp. rating 0°C to 90°C

• 9 ml x 2" x 55 m

DOCAP



Electrical Tape

Item DOC554-500 (Black)

Item DOC554-510 (White)

Item DOC554-520 (Yellow)

Item DOC554-530 (Blue)

Item DOC554-540 (Green)

Item DOC554-550 (Red)

Item DOC554-570 (Brown)

Item DOC554-580 (Orange)

- Insulating PVC tape

- Temp. rating -7°C to 80°C

• 3/4" W x 66' L x 7 ml thick

3M



Scotch® Vinyl Electrical Tape

Item MMMSUPER88-3/4X66

- PVC backing, rubber resin adhesive
- Flame-retardant
- 3/4" x 66 ft x 8.5 ml thick
- Black
- Temp. range 18° to 105°C

3M



Temflex™ Vinyl Electrical Tape

Item MMMTEMFLEX-3/4X60

- Temperature rating -7°C to 80°C
- Black
- 6 ml x 3/4" W x 60' L

DOCAP



Thread Sealing Tape

Item DOC544-710 (1/2")

Item DOC544-720 (3/4")

- TFE fluorocarbon
- Temp. rating -268°C to 316°C
- 40 ft
- White

JET-LUBE



Petro-Tape Sealant

Item JTL30793 (1/2")

Item JTL30794 (3/4")

- PTFE
- 2000 psi liquid pressure range
- Temp. rating -240°C to 260°C
- 45 ft
- White



7 Lubricants & Fluids

LUBRICANTS



Multi-Use Products

- Protects metal from rust and corrosion
- Penetrates stuck parts
- Displaces moisture
- Lubricates

Item	Size	Type
WDDWD40-311G	311 g	Aerosol
WDDWD40-311GBB	311 g	Aerosol
WDDWD40-4L	4 L	Refill
WDDWD40-BOTTLE	473 ml	Empty bottle



BOLT-OUT™ Lubricant

- Non-chlorinated liquid
- Penetrates and lubricates to free seized parts
- Inhibits further rust
- Effective from -20°C to 250°C

Item	Size	Type
WAL53D892	400 ml	Aerosol
WAL53D893	500 ml	Trigger sprayer
WAL53D897	20 L	Pail



- Silicone Lubricant**
Item **MMMSILICONE-13.25OZ**
- Lubricates moving parts
 - Eliminates squeaks
 - Protects against rust and corrosion
 - 13.25 oz aerosol



- Copper Anti-Seize**
Item **PER09124** (454 g)
Item **PER09127** (226 g)
- Inhibits rusting, cold welding and galvanic corrosion
 - For assembly/disassembly of metal parts
 - Brush top



- Nickel Anti-Seize**
Item **PER77164**
- Protects metal parts from seizing and galling up to 1315°C
 - Recommended for use where copper contamination must be avoided
 - For use with stainless steel, titanium and nickel alloys
 - 454 g brush top



- Extra-Fine Graphite**
Item **PER31842**
- Dry and odourless powder
 - For use in dusty and dirty environments where oil lubricants are ineffective
 - 6 g tube



- White Lithium Grease**
Item **CRC73200**
- Break-in lubricant for bearings
 - General purpose lubricant and corrosion inhibitor
 - 283 g aerosol



- Clear Penetrating Grease**
Item **CRC73156**
- High tack, clear lubricating gel
 - Temp. range -34°C to 260°C
 - 368 g aerosol



- ROCK'N ROLL™ Lubricant**
Item **WAL53D852** (400 ml aerosol)
Item **WAL53D854** (9 oz paste/brush)
- Ceramic anti-seize lubricant
 - Inert, nontoxic, metal-free
 - White
 - Temp. range -30°C to 1400°C



- CHAIN GANG™ Lubricant**
Item **WAL53D102**
- Synthetic lubricant
 - Penetrates fine pins and bushings
 - Working temp. -20°C to 150°C
 - 400 ml aerosol

7 Lubricants & Fluids

Lubricants continued



- Fluid Film**
Item LUB3300
- Rust and corrosion protection
 - Temp. range -46°C to 177°C
 - 333 g



- Moovit**
Item LUB11014
- Loosens rusted, seized and frozen parts
 - Temp. range -40°C to 200°C
 - 350 g



- White Lithium Grease**
Item LUB11363
- NLGI Grade 2
 - Includes zinc additive for a white colour
 - 350 g



- Air Motor Oil**
Item LUB62004
- Lubricates, cleans and protects pistons and rotary air tools
 - 4 L



- Lubriplate® No. 105 Grease**
Item LUBL0034-094
- Motor assembly grease
 - White, waterproof
 - NLGI No. 0
 - 264 oz



- Grease Blast**
Item KLOKL-CH6550
- Cleaner/degreaser
 - Non-flammable, biodegradable
 - 3.78 L



- Gear Lubricant**
Item KLOKL-GL6880
- ISO 680 EP full synthetic
 - For industrial bearing and gear applications
 - 18.9 L



- Ultra Tac EP-00 Grease**
Item KLOKL-GR0880
- Extreme pressure, multi-purpose lithium complex formulation
 - Temp. range -45°C to 20°C
 - 15.9 kg



KLONDIKE®



- Rust Blast**
Item KLOKL-CH4030
- Foamy penetrating lubricant,
 - Stops squeaks and displaces moisture
 - 320 g aerosol



KLONDIKE®



- ULTRA-TAC EP-2**
Item KLOKL-GR1830
- Premium, heavy duty grease fortified with polymers, anti-wear agents, tackiness additives, and rust and oxidation inhibitors
 - 14 oz cartridge



KLONDIKE®



- MOLY-TAC**
Item KLOKL-GR2430 (EP-1)*
Item KLOKL-GR2830 (EP-2)**
- Temp. range -35°C to 150°C*
 - Temp. range -20°C to 150°C**
 - Advanced lithium complex grease formulated with 3% molybdenum disulfide
 - 14 oz cartridge



KLONDIKE®



- Multi-Purpose Grease**
Item KLOKL-GR0430
- Lithium-based red grease
 - Fortified with polymers, anti-wear agents, tackiness additives, and rust and oxidation inhibitors
 - 14 oz cartridge

CUTTING FLUID



TAPCUT™ Lubricant

- Formulated for thread cutting with taps and dies
- Non-toxic, biodegradable

Item	Size	Type
WAL53A103	350 ml	Squeeze bottle
WAL53A105	20 L	Pail
WAL53A107	4 L	Jug



STAINLESSCUT™ Lubricant

- High lubricity and cooling properties
- Contains EP additives
- Non-toxic, biodegradable

Item	Size	Type
WAL53B202	312 g	Aerosol
WAL53B203	350 ml	Squeeze bottle
WAL53B205	4 L	Jug



COOLCUT™ Lubricant

- Metal-cutting lubricant
- Contains EP additives
- Non-toxic, biodegradable
- Solvent- and chlorinated-free ingredients
- Suitable for (non)ferrous metals


Item	Size	Type
WAL53B002	11 oz	Aerosol
WAL53B013	10.5 oz	Solid stick
WAL53B003	350 ml	Squeeze bottle
WAL53B004	500 ml	Trigger sprayer
WAL53B005	4 L	Jug
WAL53B007	20 L	Pail



ICECUT™ Lubricant

- Ready-to-use coolant/lubricant
- For use with magnetic drilling units to reduce tool wear and improve production rates

Item	Size	Type
WAL53C055	4 L	Jug
WAL53C057	20 L	Pail



Rapid Tap® Cutting Fluid Item BESRT455

- Improves surface finish, machining accuracy and tool life
- 16 oz



GreenCut Cutting Fluid Item GRCGC7

- Biodegradable, non-toxic, fireproof
- 20 L concentrate

i See our selection of spill clean up supplies on page 46.



8 Fleet & Automotive



DIESEL EXHAUST FLUID



Diesel Exhaust Fluid
Item **RCHDEF946**

- Used in vehicles with Selective Catalytic Reduction technology
- 9.46 L

CAR WASH CLEANER



California Gold®
Item **JAN35632**

- Balanced pH liquid cleaner
- Resists water spotting
- Shines without removing wax
- 946 ml

SPRAY PROTECTANT



Multi-Purpose Cleaner
Item **ARM11068**

- Removes dirt, grease, grime, tar and bake dust
- 473 ml



Protectant
Item **MTR35316**

- UV blocker protectant
- Resists ozone and smog
- 473 ml

BRAKE PARTS CLEANER



Brake Blast
Item **KLOKL-CH8630**

- Dissolves and removes grease, oil, brake fluid, road grime and dirt
- Non-chlorinated, low odour
- 390 g



Bräkleen®
Item **CRC75088**

- Use where compliance calls for a chlorine-free product
- Removes contaminants from brake linings and pads
- 397 g



Bräkleen®
Item **CRC75089**

- Brake parts cleaner
- Removes contaminants from brake parts, lining, and pads
- 539 g

For automotive fluids, see our Seasonal winter section on page 145.

AUTOMOTIVE LUBRICANTS



Dry Graphite Lubricant
Item **CRC75101**

- Use where petroleum products must be avoided
- Resists dirt, dust and oil build-up
- Temp. range up to 850°F
- 320 g



Cutting Oil
Item **CRC75500**

- Thread-cutting lubricant for use on all types of metals, including brass, copper and aluminum
- 340 g



Engine Oils

- 15W-40 CK-4 Advanced Formula¹
- 15W-40 CK-4²
- Lubrication of chains, bars, chain saw sprockets³
- Cleans and prolongs spark plug life in 2-cycle engines⁴
- 10W-30 API SP/GF-6A⁵

Item	Type	Size
KLOKL-HD0580 ¹	Heavy-duty	18.9 L
KLOKL-HD3580 ²	Heavy-duty, synthetic	18.9 L
KLOKL-IO0650 ³	Bar & chain	3.5 L
KLOKL-IO6029 ⁴	2-Cycle universal	236 ml
KLOKL-LD1480 ⁵	Multi-grade, synthetic	18.9 L

8 Fleet & Automotive

STRAPS



Wire Hook



Flat Hook

Ratchet Straps

	Item	W" x L'	Working Load Limit (lb)
Wire Hook	LOARS-100-12-W	1 x 12	835
	LOARS-100-16-W	1 x 12	835
	LOARS-150-15-W	1-1/2 x 15	1670
	LOARS-150-20-W	1-1/2 x 20	1670
	LOARS-150-25-W	1-1/2 x 25	1670
	LOARS-150-30-W	1-1/2 x 30	1670
	LOARS-200-15-W	2 x 15	3335
	LOARS-200-20-W	2 x 20	3335
	LOARS-200-25-W	2 x 25	3335
	LOARS-200-30-W	2 x 30	3335
Flat Hook	LOARS-300-30-W	3 x 30	5000
	LOARS-200-15-F	2 x 15	3335
	LOARS-200-20-F	2 x 20	3335
	LOARS-200-25-F	2 x 25	3335
	LOARS-200-30-F	2 x 30	3335
	LOARS-300-20-F	3 x 20	5000
	LOARS-300-30-F	3 x 30	5000



EDPM Rubber Tarp Straps

	Item	Len.'	Cap. (lb)
S Hook	DYN11191	9	50
	DYN11192	15	50
	DYN11193	21	50
	DYN11194	31	50

JERRY CANS



AccuFlow™ Steel Safety Can
Item JUS7250120 (Red-gasoline)
Item JUS7250220 (Yellow-diesel)

- Type II with 5/8" metal hose
- Stainless steel flame arrester
- Safe-Squeeze® trigger
- Approved by FM, UL/ULC and TUV
- 5 gal



Plastic Jerry Can
Item SCE105 (Red-gasoline)
Item SCED520 (Yellow-diesel)

- HDPE material
- Easy-to-pour flexible spout stores inside can
- 20 L

FUNNELS



DYN13504



DYN13506



DYN14008



DYN14014

Item	Material	Description	Cap.	Dia."	Extension"
DYN13504	Polyethylene	Flexible	8 oz	4	—
DYN13506	Polyethylene	Flexible	32 oz	6	—
DYN14008	Epoxy steel	Offset	2 L	7	17
DYN14014	Metal	Mesh filter	1 L	5-1/2	14



BEACONS



Amber Beacons

- Low-profile strobing
- Fully encapsulated electronics
- Precision molded Fresnel lens
- 3-user selectable flash patterns
- 456 optical lumens

Item	Mount
SWS201ZS-12V-A	Suction
SWS201ZB-12V-A	Mirror bracket
SWS201ZM-12V-A	Magnetic
SWS201Z-12V-A	Permanent



SWS201ZS-12V-A



SWS201ZB-12V-A



SWS201ZM-12V-A



SWS201Z-12V-A

WHIPS, MOUNTS & LIGHTS



Buggy Whips w/ Base & Screw Mount

• 11.5" flag size

Item	Power	Ht'
SWCW05NP-SXY	—	5
SWCW08NP-SXY	—	8
SWCW10NP-SXY	—	10
SWCW12NP-SXY	—	12
SWCW05-SXY	Yes	5
SWCW08-SXY	Yes	8
SWCW10-SXY	Yes	10
SWCW12-SXY	Yes	12



Hold-Down Hook for Fibreglass Whips

Item SWCRH01



Threaded Whip Receiving Steel Mounts

Item	Type
SWC519.343	With wire in pigtail
SWC519.343.RCA	RCA-type power connector with RCA-type pigtail
SWC519.343NP	Non-powered



Super Heavy-Duty Spring Mounts

Item	Type
SWC519.30B	Powered with RCA-type pigtail; zinc-plated
SWC519.30BNP	Non-powered; zinc-plated steel
SWCABM	Angle bracket mount



- ### LED Whip Light
- 7 flash patterns or constant illumination
 - Weather-resistant
 - Rated to 100,000 hours

Item	Type	Colour
SWCAL8FA	Flash	Amber
SWCAL8CA	Constant	Amber
SWCAL8FW	Flash	White
SWCAL8CW	Constant	White



Hitch Mounts

• For 2" buggy whips

Item	Mount	Power	Alarm (dB)
SWCHM1	Screw	●	—
SWCHM1NP	Screw	—	—
SWCHM1A	Screw	●	107 dB
SWCHM1NPA	Screw	—	107 dB
SWCHM1S	Spring	●	—
SWCHM1SA	Spring	●	107 dB



9 Spill Control & Clean-Up



PROTECTIVE WEAR

uvex



- Safety Goggles**
Item UVXA610S
- Green tint indirect venting
 - Clear, anti-fog lens
 - OTG glasses
 - Elastic headband



- Capstone 500 Series Goggles**
Item PYRGG504T
- Grey direct/indirect goggle
 - Clear H2X anti-fog lens
 - OTG glasses
 - Removable vent caps



- Capture™ Plus Goggles**
Item PYRS9910STMRG
- Clear H2Max anti-fog lens
 - Rubber gasket
 - OTG glasses



- CA-43@ Apron**
Item RANA4348
- FR chemical/acid-resistant
 - 29" x 48" bib-style apron
 - Waist and neck ties with reinforced grommets



- 12" Frost Free Gloves**
Item WAT491-S to XXL
- For extreme cold conditions
 - Heavy acrylic fleece lining
 - Double-dipped PVC coating
 - Resin finish
 - Gauntlet style cuff



- 12" Chemstop™ Gloves**
Item SPRS15KGV30N-7 to -11
- Chemical-resistant PVC
 - Aramid fibre lining
 - Gauntlet cuffs
 - Black nitrile coating



- Hi-Viz Chemstop™ Glove**
Item SPRS15KGVNVB-7 to -11
- Chemical-resistant PVC
 - Aramid fibre lining
 - Hi-viz and impact-resistant
 - Nitrile coating



- 13" Nitrile Gloves**
Item BDG99-1-1715F-7 to -11
- Flock lining
 - 15 ml nitrile with diamond patterned palm
 - Gauntlet cuff
 - Latex free
 - Abrasion-, chemical-, and liquid-resistant

SORBENTS & CONTAINMENT



- Floor-Dry™**
Item EAPFD85N
- Absorbs oil and spills
 - 20 lb



- Sphag Sorb**
Item JANSS-2
- For oil spills on land or water



- Oil Gator**
Item JANGATOR30
- Premium oil absorbent
 - 30 lb



- Sweeping Compound**
Item JAN39095
- 20 lb box
 - Item JAN39090
 - 300 lb drum



- Spill Pads**
Item JANGA100 (Grey—general use)
Item JANGA100W (White—oil)
- 16" x 18"

9 Spill Control & Clean-Up

Sorbents & Containment continued



	Item	Oil	Universal	Size"	Qty.
Socks	SPILSEH953	●		3 x 48	12/Pk
	SPILSEH955	●		3 x 120	10/Pk
	SPILSEJ938		●	3 x 48	12/Pk
	SPILSEJ026		●	3 x 96	20/Pk
	SPILSEI048		●	3 x 120	10/Pk
Pillows	SPILSEH956	●		18 x 8	10/Pk
	SPILSEH957	●		18 x 18	10/Pk
	SPILSEJ028		●	18 x 8	10/Pk
	SPILSEJ029		●	18 x 18	10/Pk



Drip Pan w/ Sorbent Pillow
Item SPILSEI052 (Oil)
Item SPILSEI054 (Universal)
 • 10-1/2" x 10-1/2" x 3"
 • 1 gal absorbcency



Drip Trays
Item PPMP7DT* (24"x36"x4")
Item PPMP18STDT (40"x48"x4")
 • Equipped with handle*
 • Safe for solvents, oils and chemicals
 • Low profile and lightweight



Portable Berm
 • One-piece easy fold-up
 • High-viz yellow PVC

Item	Size"	Gal.
SPILBERM336	36 x 36 x 6	34
SPILBERM446	48 x 48 x 6	60
SPILBERM556	60 x 6 x 6	94



Drum Dollies
Item SPILDC466 (24.25"x7.6")
Item SPILDC467 (24.25"x8.6")
 • Polyethylene dolly will not dent, corrode or rust
 • Handles 30 Imp gal/37 US gal and 45 Imp gal/55 US gal drums
 • 2" lip contains spills up to 5 L
 • 1000 lb capacity
 • Grey



Spill Containment Pallet
Item SPIL5117-YE
 (25.5 gal-49"x24"x 6.5")
Item SPILSAP060
 (66 gal-54"x54"x12")
 • Removable grates for easy access to sump
 • Polyethylene construction
 • Connect units with inverted U-channels



Drain Cover
Item SPILSH104 (36"x36")
Item SPILSAP060 (48"x48")
 • Black, neoprene
 • Reusable
 • Cleans easily
 • Non-absorbing



Drums-up™
Item SPIL8091-YE
 • 20 gal spill capacity
 • 37.5" x 37.5" x 7.5"
 • Pour spout



Containment Bag
Item SPILBAG21X36CLEAR
 • 21" x 36", clear



Collapsible Shovel
Item SPIL1722C
 • Heavy-duty aluminum
 • Handle converts to side-mount position
 • Extends 17" to 30"
 • Collapsible for storage

SPILL KITS



- Polyethylene containers
- Pads (15"x17")
- Socks (3"x48", 3"x120")
- Pillows (8"x18")
- Drain covers (36"x36")
- Nitrile gloves XL (size 10)
- Microporous coveralls (XL)
- Safety goggles (one size)
- Disposal bags (26"x36")
- Repair putty (4 oz)

Item	Oil	Universal	Size/gal.	Container	Pads 15x17"	Socks 3x48"	Socks 3x120"	Pillows	Drain Covers	Gloves	Coveralls	Goggles	Disposal Bags	Repair Putty
SPILSEI265		●	5	Red nylon bag	10	1	0	0	0	1	0	0	1	0
SPILSEI266	●		5	Red nylon bag	10	1	0	0	0	1	0	0	1	0
SPILSEI160		●	5	White pail	0	5	0	0	0	1	0	1	2	0
SPILSEJ975	●		5	White pail	0	5	0	0	0	1	0	1	2	0
SPILSEI164		●	20	Yellow drum	50	4	0	2	0	1	0	1	1	0
SPILSEJ291	●		20	Yellow drum	50	4	0	2	0	1	0	1	1	0
SPILSEJ274		●	30	Blue drum	50	4	0	0	1	2	0	0	5	1
SPILSEI163	●		30	Blue drum	50	4	0	0	1	2	0	0	5	1
SPILSEI195		●	55	Black drum	50	5	3	0	1	1	2	1	3	0
SPILSEI196	●		55	Black drum	50	5	3	0	1	1	2	1	3	0



BROOMS, MOPS & ACCESSORIES

boardwalk.



Threaded Wooden Handle
Item BWKC34076

- Metal-tip lacquer
- 15/16" W x 54" L

MARINO



Broom Brace
Item JANMI351

- Push broom rod-style brace
- Metal construction
- Fits brooms 24" to 36"

boardwalk.



Broom Heads

- Item JANM216BR18 (18")
- Item JANM216BR24 (24")
- Item JANM216BR36 (36")
- Combination synthetic fill
- Stiff/medium

boardwalk.



Assembled Handle w/ 60" Handle

- Item JANM222M24-SK (24")
- Item JANM222M36-SK (36")
- Horsehair/PVC fibre mix
- Medium

boardwalk.



JANC34001

JANC34003

Corn Brooms

- Item JANC34001 (1-1/8 x 56")
- Item JANC34003 (11")
- Bound with polyester stitching
- 3-string

Rubbermaid
Commercial Products



RUB6385

RUB6389

Angle Brooms

- Item RUB6385 (48-7/8" grey aluminum)
- Item RUB6389 (46" black metal)
- Stain-resistant polypropylene, permanent fusion set bristles
- 1" diameter handle

M2 Professional
Cleaning Products Ltd



Counter Brush & Dustpan Set
Item JANBR-CO206D

- Plastic
- 9"

boardwalk.



BWKC34088

BWKC33005

Broom Dust Pans

- Item BWKC33005 (12" Plastic)
- Item BWKC34088 (16" Metal)

boardwalk.



Lobby Dust Pan
Item BWKC33031

- Plastic, 16" wide

Brooms, Mops & Accessories continued

boardwalk.



Window Squeegee
Item BWKC44105 (22")
Item BWKC44106 (52")
 • 10" wide

boardwalk.



Rubber Squeegee
Item BWKC44092 (18")
Item BWKC44093 (24")
 • Black rubber
 • Head only



Squeegee Head
Item MAL840-24 (24" straight)
Item MAL840-30 (30" straight)
Item MAL840-36 (36" straight)
Item MAL843-24 (24" curved)
Item MAL843-30 (30" curved)
Item MAL840-36 (36" curved)
 • Replacement blade



Tapered Wood Handle for Squeegee
Item MAL116
 • 1-1/8" x 54"

boardwalk.



Quick Change Mop Handle
Item BWKC33119 (54" fibreglass)
Item BWKC33120 (60" fibreglass)
Item BWKC33121 (60" metal)

boardwalk.



Wet Mop Head
Item BWKC33087 (20 oz)
Item BWKC33088 (24 oz)
Item BWKC33089 (32 oz)
 • Narrow band, synthetic



Janitorial Floor Sign
Item PIO301
 • Bilingual with black safety messages on both sides
 • Heavy-duty, durable, reinforced design
 • Deluxe hinge/carry handle
 • A-frame folds flat
 • Yellow, 12" x 29", 2.9 lb

boardwalk.



Side Press Bucket & Wringer
Item BWKC33080
 • Yellow
 • 35 qt capacity

boardwalk.



Janitor's Cart
Item BWKC83001
 • Transports cleaning supplies
 • Molded-in tool hooks
 • Vinyl waste/linen collection bag
 • High-impact polyethylene
 • 22" x 44" x 38"
 • Grey

PAPER PRODUCTS



PRO Select® Standard Bathroom Tissue
Item CAS4841

- Eco-friendly, 100% recycled fibre
- 420 sheets/roll
- 2-ply, 4.2" x 4.2"
- 48/Case



Purex® Bathroom Tissue
Item JAN05705

- Quilted
- 506 sheets/roll
- 2-ply, 4.2" x 4"
- 60/Case



Scott® Standard Bathroom Tissue
Item KIM48040

- ECOLOGO® certified
- 550 sheets/roll
- 2-ply, 4" x 4.1"
- 40/Case



PRO Select® Paper Towel
Item CASH140

- Centre-pull
- 500 sheets/roll
- 2-ply, 10" x 7.8"
- 6/Case



Scott® Essential Paper Towel
Item KIM01010

- Centre-pull
- ECOLOGO® certified
- 2-ply, 8" x 15"
- 4/Case



Singlefold Towel
Item JAN01900

- 1-ply, 4.5" x 10.7"
- 250 sheets/package
- 16/Case



White Swan® Multifold Towel
Item JAN01920

- 334 sheets/package
- 1-ply, 9" x 9.5"
- 12/Case



Scott® Essential Singlefold Paper Towel
Item KIM01700

- ECOLOGO® certified
- 250 sheets/package
- 1-ply, 9.3" x 10.5"
- 16/Case



Scott® Essential Multifold Paper Towel
Item JAN1804

- ECOLOGO® certified
- 250 sheets/package
- 1-ply, 9.2" x 9.4"
- 16/Case

RESPONSE®



Perforated Roll Towel
Item JAN30800

- Embossed paper towel
- Made from 100% recycled fibre
- 85 sheets/roll
- 2-ply, 9" x 11"
- 30/Case



PRO Select® Kitchen Roll Towels
Item CASK070

- 100% recycled fibre
- 70 sheets/roll
- 2-ply, 8" x 11"
- 30/Case



Scott® Wypall L40 Towels
Item KIM05027

- ECOLOGO® certified
- 70 sheets/roll
- 2-ply, 11" x 10.4"
- 24/Case

TOWEL DISPENSERS



JAN93-728

JAN800-450

JAN09110

- Item JAN93-728 (Centre-pull)
- Item JAN800-450 (Singlefold)
- Item JAN09110 (Multifold)

RAGS



- General Purpose Economy Wiper
- Item JANRC002C20 (Recycled, mixed colour)
- Item JANRC710-C20 (Flannel, mixed colour)
- Item JANRD462-C20 (Recycled, white colour)
- 20 lb

TRASH BAGS, CANS & LIDS



Trash Bags

Item	Colour	Size"	Quantity	Use/Strength
BWKC2224U-B	Black	22 x 24	500/box	Utility
BWKC2636XS-B	Black	26 x 36	125/case	X-Strong
BWKC3038XS-B	Black	30 x 38	125/case	X-Strong
BWKC3550XS-B	Black	35 x 50	100/box	X-Strong
BWKC2224U-C	Clear	22 x 24	500/case	Utility
BWKC2636XS-C	Clear	26 x 36	125/case	X-Strong
BWKC3038XS-C	Clear	30 x 38	125/case	X-Strong
BWKC3550XS-C	Clear	35 x 50	100/case	X-Strong
BWKC3038S-BL	Blue	30 x 38	200/case	Recycling strong
BWKC3550S-BL	Blue	35 x 50	125/case	Recycling strong



BRUTE® Lids

- Self-draining channels
- Snap-lock for a secure fit
- Grey

BRUTE® Containers

- With venting channels
- Grey

Waste Baskets

- Rectangular plastic containers
- 27 L capacity

Item	Cap. (gal)	Can No.
RUB2609GRY	10	2610
RUB2619GRY	20	2620
RUB2631GRY	32	2632

Item	Cap. (gal)	Size"
RUB2610GRY	10	26 x 36
RUB2620GRY	20	30 x 38
RUB2632GRY	32	35 x 50

Item	Size"	Colour
RUBFG295600BLA	22 x 24	Black
RUBFG295673BLU	22 x 24	Blue

CIGARETTE BUTT DISPOSAL



- Item JUS26800
- Smokers Ceasefire®
- Polyethylene
- Rain bonnet opening
- Interior galvanized steel pail
- Tie-down notches
- Drip-lip internal construction
- Grey colour
- 16.5" x 38.5"
- 12.5 lb

TRIGGER SPRAYER & BOTTLE



Trigger
Item DOC650-721

Bottle
Item DOC650-722
• 500 ml

MICROFIBRE CLOTHS



Cleaning cloths
Item JANBWKC43131Y (14" x 14")
Item JANBWKC43132Y (12" x 12")

GLASS CLEANER



- Institutional strength formula with Ammonia-D®
- Cuts through grease and grime with no streaking or filming
- Scented and phosphate-free

Item	Size	Type
JAN90139	765 ml	Trigger spray
JAN006722	5 L	Jug
JAN70773	560 g	Foaming aerosol

CLEANERS & DISINFECTANTS



Heavy-Duty Cleaner Disinfectant

- Disinfects in 45 seconds
- Non-abrasive, non-flammable
- Kills viruses and bacteria

Item	Size	Type
JANC26832	946 ml	Trigger spray
JANC26804	4 L	Jug
JANC26820	20 L	Pail



Antibacterial Cleaner

- Multi-surface cleaner
- Summer citrus scent
- Kills 99.9% of bacteria

Item	Size	Type
JANMRCLEAN-1L	1.3 L	Jug
JANMRCLEAN-4L	3.78 L	Jug



Fast Orange®

- Fine pumice lotion hand cleaner
- Biodegradable, waterless, petroleum-solvent free
- Fortified with aloe, lanolin, glycerin

Item	Size	Type
PER25217	1.89 L	Pump
PER25219	3.78 L	Pump



Disinfecting Wipes

- Kills 99.9% of viruses and bacteria
- Multi-surface cleaner
- Scented

Item	Count	Type
JAN05963	80	Wipes



Advanced Hand Rub Gel

- Kills 99.9% of germs on hands
- Fragrance- and dye-free

Item	Size	Type
GOJ9652-12-CAN00	236 ml	Pump



Dawn Professional Liquid Dish Detergent

Item JAN1080326

- Scent: original
- Ready-to-use pump
- 3.78 L (1 gal) jug



Febreze Air Effects (4 Pack)

Item FEB8827195

- Air refresher
- Scents: 1 Linen and sky, 1 Hawaiian Aloha, 1 Gain, 1 Unstoppables
- 4 x 250 g bottles



Air Freshner Strip Display

Item JANZHH-10000-48AA

- Includes Black Ice, New Car Scent, Vanillaroma, and Pure Steel (12 of each)
- Safe fragrance material
- Protects both the consumer and the environment



7.5% Industrial Vinegar

Item JANVIN-75-4L

- Can be used as a non-toxic cleaner, neutralizer, and deodorizer

Cleaners & Disinfectants continued



- All-Purpose Cleaner**
- Kills 99.9% of germs and viruses
 - Pine fragrance

Item	Size
JANCL40294	828 ml
JANCL40153	4.25 L



- Bleach with CLOROMAX®**
- Concentrated formula
 - Kills 99.9% of germs and bacteria

Item	Size
JAN1000051	3.57 L



- Dish Washing Soap**
- Grease-fighting action
 - Lemon scented

Item	Size
JAN5850506	1.2 L



- Multi-Purpose Cleaner**
- Fresh scent
 - Kills 99.9% of bacteria
 - Trigger spray

Item	Size
JANSCJ-P-F73525	946 ml

RESTROOM SUPPLIES



- Toilet Bowl Cleaner**
Item JANC50814
- 1 L



- Toilet Bowl Brush & Caddy Set**
Item BWKC43452




- Toilet Plunger**
Item BWKC33455
- Funnel
 - 20" wooden handle



- Liquid Hand Soap**
Item JANN024L
- 4 L jug



- Urinal Screen**
Item BWKC63251B (Bubble Gum)
Item BWKC63251R (Cherry)
- Vinyl



- Eva Urinal Screen**
Item BWKC63250B (Blue Mint)
Item BWKC63250G (Green Apple)
- Anti-splash



- Urinal Screen w/ Block**
Item BWKC63252
- Non-para deodorant block
 - Blue Citrus



- Urinal Puck**
Item JAN21105
- Eliminates odours
 - 3 oz, 12/box

11 Paint & Painting Supplies



PAINTING ACCESSORIES



Disposable Paint Tray Liner
Item RIC92077

- 4L
- Made of plastic



Plastic Paint Tray
Item RIC92067

- 4L
- Solid structure



Paint Roller Frame
Item RIC92005

- Cage frame with 4-wire
- Plastic handle



Roller Cage
Item RIC92002

- Cage frame with 5-hill wire
- Plastic handle



Ultra Rollers
Item RIC94066

- Great paint pick-up and release
- Lint free finish
- Good splatter resistance
- Best for flat, low sheen semi-gloss paints



General Purpose Rollers
Item RIC98002 (10mm)
Item RIC98003 (13mm)

- Excellent paint pick-up and release
- Low lint finish
- Good splatter resistance
- Best for flat, low sheen semi-gloss paints



Paint Brush
Item RIC0152 (1")
Item RIC80153 (2")
Item RIC80154 (3")
Item RIC80155 (4")

- Great utility brushes for use with most paints, Stains, varnish & acrylic
- Smooth wood handle



Polyester Bristle Paint Brush
Item RIC80002 (1")
Item RIC80003 (2")
Item RIC80004 (3")
Item RIC80005 (4")

- Smooth results on a wide range of surfaces
- Great with all paints, varnishes & enamals



Plastic Film
Item POL05C40505

- Clear
- Medium gauge
- 2 mm
- 102" x 59"



Metal Paint Can & Lid
Item PBE1QTMETAL

- 1 qt capacity
- Epoxy coated interior



Painter's Masking Tape
Item DOC554-261 (1")
Item DOC554-263 (2")

- UV-resistant
- Clean removal for up to 14 days
- Resists most paints and varnishes
- Blue
- 50 m



Green Masking Tape
Item PMB174284038 (1")
Item PMB185083742 (2")

- Professional grade, multi-surface painter tape
- Interior use
- Removes cleanly for up to 8 days
- 55 m

11 Paint & Painting Supplies

PAINTING ACCESSORIES



Putty Knife

- Item RICP2F (2" flexible)
- Item RICP2S (2" stiff)
- Item RICP3F (3" flexible)
- Item RICP3S (3" stiff)
- Item RICP4F (4" flexible)
- Item RICP4S (4" stiff)
- Ensures even distribution
- Ergonomic design



6 in 1 Combination Tool Item RIC119

- Ergonomic
- Slip protection
- Cleans rollers, opens paint cans, spreads compounds, scrapes, cleans out cracks, closes paint



9 in 1 Combination Tool Item RICRUB129

- Ergonomic
- Slip protection
- Full tang blade
- Cleans rollers, opens paint cans, spreads compounds, scrapes, cleans out cracks, closes paint cans, pulls nails, scrapes concave and convex surfaces

PAINT MARKERS



INKZALL™ Jobsite Marker

- Item MIL48-22-3100 (Black, fine)
- Item MIL48-22-3103 (Black, chisel)
- Item MIL48-22-3170 (Red, fine)
- Item MIL48-22-3180 (Blue, fine)
- Item MIL48-22-3190 (Green, fine)
- Clog-resistant tip
- Writes on dusty, wet or oily surfaces
- Tip designed for rough surfaces
- Ink dries quickly to reduce smearing without drying out quickly when cap is left off



Paint-Riter® Valve Action®

- Item MAR96820 (White)
- Item MAR96821 (Yellow)
- Item MAR96822 (Red)
- Item MAR96823 (Black)
- Item MAR96824 (Orange)
- Item MAR96825 (Blue)
- Wear-and weather-resistant
- Xylene-free
- 3.2 mm tip

STIR STICK



Rubberset Paint Stir Stick Item KRYWSS1

- 14"



Paintstik® Solid Paint Marker

- Item MAR80220 (White)
- Item MAR80221 (Yellow)
- Item MAR80222 (Red)
- Item MAR80223 (Black)
- Item MAR80225 (Blue)
- Item MAR80226 (Green)
- Crayon marker
- Weather- and UV-resistant
- Works on oily, icy, wet, dry, cold, rough, rusty, smooth or dirty surfaces



The Pumper®

- Item GEN04010012 (White)
- Item GEN04010013 (Yellow)
- Item GEN04010014 (Black)
- Item GEN04010015 (Red)
- Item GEN04010016 (Blue)
- Item GEN04010017 (Green)
- Heavy-duty, crush-resistant barrel
- Temp. range -20° to 150°F
- Excellent adhesion to cold and oily parts
- Permanent marks on wet and underwater surfaces
- Includes an extra 2.3 mm tip
- Valve actuated



Artline® Paint Marker

- Item JIFEK400B (Black)
- Item JIFEK400BL (Blue)
- Item JIFEK400G (Green)
- Item JIFEK400R (Red)
- Item JIFEK400W (White)
- Item JIFEK400Y (Yellow)
- Item JIFEK420BL (Blue, low chloride)
- Item JIFEK420R (Red, low chloride)
- Item JIFEK420W (White, low chloride)
- Item JIFEK420Y (Yellow, low chloride)
- Xylene-free permanent ink
- Acrylic fibre tip, bullet style
- 2.3 mm writing width

TRAFFIC MARKERS



Spot Marker
Item SEYZ-605

- Compact and lightweight
- Ideal for freehand marking with any Stripe® traffic or inverted tip cans



Paint Marking Wand
Item SEYZ-606

- Uses straight-tipped Stripe® inverted tip marking paints
- Lightweight tool



Graffiti Remover
Item SEY20-047

- Gel-like environmentally safe formula adheres to vertical surfaces
- Neutralized by rinsing with water
- 13 oz

ZINC-COLD GALVANIZING SPRAY



Sprayon®
Item KRY500740

- Zinc-cold galvanizing compound
- Stops rust and protects the base metal
- 14 oz

SPRAY & MARKING PAINT



Spruce® Spray Paint

- Item SEY98-1 (Chrome Aluminum, metallic)
- Item SEY98-10 (Flat Black, enamel)
- Item SEY98-12 (Flat White, enamel)
- Item SEY98-15 (Light Gray, primer)
- Item SEY98-2 (Gloss White, enamel)
- Item SEY98-26 (Red Iron Oxide, primer)
- Item SEY98-28 (Gloss Orange, enamel)
- Item SEY98-3 (Gloss Black, enamel)
- Item SEY98-34 (Gloss Light Yellow, enamel)
- Item SEY98-35 (Gloss Medium Blue, enamel)
- Item SEY98-39 (Gloss Pink, enamel)
- Item SEY98-4 (Gloss Cherry Red, enamel)
- Item SEY98-87 (Gloss Dark Blue, enamel)
- Item SEY98-88 (Gloss Bright Green, enamel)

- General use
- Durable finish, inhibits rust
- Dries fast, resists chipping and peeling
- 480 g



Stripe® Inverted Marker

- Item SEY20-652 (White)
- Item SEY20-654 (Fluorescent Red)
- Item SEY20-657 (Fluorescent Orange)
- Item SEY20-668 (Fluorescent Green)
- Item SEY20-669 (Fluorescent Blue)
- Item SEY20-671 (Red)
- Item SEY20-676 (Hi-Viz Yellow)
- Item SEY98-679 (Fluorescent Pink)
- Water-based, fast-drying permanent marker
- Designed to be applied in the inverted position
- Lead-free, VOC compliant
- Safe on grass
- Special overcap allows fingertip control without removing cap
- May be applied by hand, with a SEYZ-605 Spot Marker, or with SEYZ-606 Marking Stick
- 480 g





FIRE EXTINGUISHERS & ACCESSORIES



ABC Multi-Purpose Dry Chemical Portable Fire Extinguisher

- Wall bracket included
- Steel cylinder with protective skirt
- Polyester powder paint finish
- Waterproof stainless steel gauge
- Handle reinforced, full grip hardcoat anodized aluminum
- Oversized pull pin with retaining strap
- Colour and bar coded labels
- Temp. range -54°C to 49°C



Item	Cap. (lb)	Dia. "	Rating	Range'	PSI
FIRABC2.5	2.5	3-1/8	1-A : 10-B : C	8-10	150
FIRABC5	5.0	4-1/4	3-A : 10-B : C	8-10	195
FIRABC10	10	5-1/8	6-A : 80-B : C	10-15	235
FIRABC20	20	7-1/8	10-A : 120-B : C	10-15	235
FIRABC30	30	7-1/8	10-A : 120-B : C	10-15	195



Running Board Brackets

- Welded steel construction with catch pin to keep bracket from vibrating open

Item	Cap. (lb)	Shell Dia. "
FIRVB5	10	4-3/4 to 5-1/4
FIRVB6	10	5-1/2 to 6
FIRVB7	10-20	6-1/4 to 6-3/4
FIRVB8	20	6-3/4 to 7-1/4



Horn Signal Item FALPB8HNCN

- Air push button
- Sport safety
- 8 oz capacity



Extinguisher Tag Item SAFTAG

- 2-1/4" x 3"
- 4-year
- Metal



Heavy-Duty Punch for Fire Extinguisher Item SAFPUNCHHD

- Metal
- 1/8" hole
- 2" reach

EYE WASH



Bio Med Wash Item DSIFAEBM07

- For skin and eye
- 100% Bio-Logic Aqua®
- Removal of irritating chemicals from eyes and skin
- Continuous spray
- 7 oz



Bio Med Wash Mount Station Item DSIFAEBMDWMF

- Panel
- 2 x 7 oz bio med wash
- Mirror



Eye Wash Solution

- Item DSIFAEW016SU (16 oz)
- Item DSIFAEW032SU (32 oz)
- Isotonic solution
- Sterile bottle with eye cup
- Single use



Eye Wash Stations

- Item DSIFAES1113F (16 oz)
- Item DSIFAES6514F (32 oz)
- Item DSIFAES1416F (2 x 32 oz)

- Panel, mirror and isotonic solution with eye cup attached



FIRST AID KITS



Alberta First Aid Kits

- First aid supplies for treating common workplace injuries
- Meets CSA Standard Z1220-17

Item	Type	Kit Size	Material	Components
DSIFAKSAT1BP	1	Personal	Plastic Box	16
DSIFAKSAT2LBP	2	Large	Plastic Box	21
DSIFAKSAT2MBP	2	Medium	Plastic Box	21
DSIFAKSAT2SBP	2	Small	Plastic Box	21
DSIFAKSAT3LBP	3	Large	Plastic Box	30
DSIFAKSAT3MBP	3	Medium	Plastic Box	30
DSIFAKSAT3SBP	3	Small	Plastic Box	30



British Columbia First Aid Kits

- First aid supplies for treating common workplace injuries
- In accordance with British Columbia first aid room requirements



Item	Level	People/Kit	Material	Components
DSIFAKBCNBABN	Basic	5	Nylon pouch	30
DSIFAKBCN1BM	1	30	Metal box	20
DSIFAKBCN1BN	1	30	Nylon pouch	109
DSIFAKBCN1BP	1	30	Plastic box	20
DSIFAKBCN2BM	2	50	Metal box	127
DSIFAKBCN2BN	2	50	Nylon pouch	21
DSIFAKBCN2BP	2	50	Plastic box	21
DSIFAKBCN3BN	3	75	Nylon pouch	138



DSIFAKBCNBABN

DSIFAKBCN1BM

DSIFAKBCN1BN

DSIFAKBCN1BP

DSIFAKBCN2BM

DSIFAKBCN2BN

DSIFAKBCN2BP

DSIFAKBCN3BN

PADLOCKS



Safety Padlock

Item ABU7440KD-BK (Black)

Item ABU7440KD-BL (Blue)

Item ABU7440KD-G (Green)

Item ABU7440KD-O (Orange)

Item ABU7440KD-P (Purple)

Item ABU7440KD-R (Red)

Item ABU7440KD-Y (Yellow)

- 1-1/2" wide plastic body
- 1/4" diameter metal shackle
- Designed for Lockout/Tagout applications
- Non-conductive lock body
- High-security feature, reserved-for-safety cylinder with key retaining, to ensure padlock is not left unlocked

FLAGGING & BARRICADE TAPES



Barricade Tape

Item PIO387P (Yellow, CAUTION)

Item PIO389P (Red, DANGER)

Item PIO379 (Red, DANGER DO NOT ENTER)

- Polyvinyl
- 3" W x 1000' L



Duratech Flagging Tape

Item FLA11169 (Lime Green)

Item FLA11170 (Bright Orange)

Item FLA11171 (Pink)

Item FLA11172 (Hi-Viz Blue)

Item FLA11173 (Arctic Red)

Item FLA11174 (Yellow)

Item FLA11186 (Green)

Item FLA11189 (White)

- Non-stick
- Polyvinyl
- Operates to -35°C
- 1" W x 125' L

WORKSITE & TRAFFIC



Hazard Warning Tape

Item **PIO2311** (Black/Yellow)

Item **PIO2312** (Red/White)

- Tear-resistant durable reflective warning tape
- Oil- and water-resistant
- Quick release liner
- 2" x 150' roll



Wide Load/Oversize Load Reversible Banner

Item **PIO463**

- 18" bungee on each end
- 6 brass grommets
- Stitched double thick borders
- Double-sewn extra tough end reinforcements
- Water-, weather-, mildew- and tear-resistant vinyl laminated polyester
- 18" W x 84" L



Wooden Dowel Rod

Item **PIO458** (24")

Item **PIO459** (36")

- For traffic flags
- 3/4" diameter



Traffic Flags

- Dowel sleeve
- Folded over and sewn on all edges
- Hi-Viz orange

Item	Material	Grommets	Size"	Description
PIO353	Polyester	3	26 x 20	Reflective tape
PIO353P	Polyester	3	26 x 20	—
PIO367	Polyethylene	—	16 x 16	Mesh
PIO367G	Polyethylene	3	16 x 16	Mesh
PIO368	Polyethylene	—	18 x 18	Mesh
PIO368G	Polyethylene	3	18 x 18	Mesh
PIO369	Polyester	3	16 x 16	Waterproof coating
PIO462	Polyester	4	6 x 18	Shredded w/ rope



PIO353



PIO353P



PIO367/PIO368



PIO367G/PIO368G



PIO369



PIO462



Premium PVC Flexible Safety Cone

- No Bands

Item **PIO180P** (12")

Item **PIO181P** (18")

Item **PIO183P** (28")

- Solid high-viz orange with UV protection
- Soft, high-quality, one-piece injection-molded PVC
- Durable heavy, black rubberized base
- Stackable
- 100% recyclable design



Premium PVC Flexible Safety Cone

- 4" Band

Item **PIO181N** (18")

Item **PIO183N** (28")

- Solid high-viz orange with UV protection
- 4" high-luminance Type 3 band
- One-piece injection-molded PVC
- Durable heavy, black rubberized base
- Stackable
- 100% recyclable design



Premium PVC Flexible Safety Cone

- 4" & 6" Bands

Item **PIO183** (28")

Item **PIO186** (36")

- Solid high-viz orange with UV protection
- 4" and 6" high-luminance Type 3 bands
- Soft, high-quality, one-piece injection-molded PVC
- Durable heavy, black rubberized base
- Stackable
- 100% recyclable design

Worksite & Traffic continued



Connecting Rod
Item PIO189

- Single-side extendable from 3.3 to 7 ft
- Durable, lightweight and retractable
- Reflective bands
- Loops at each end
- Red and white



Delineator Post
Item PIO191 (T-Top, 47")
Item PIO192 (Loop-Top, 44")

- High-viz orange reflective post
- Two 4" high intensity reflective bands
- 2-piece construction
- UV inhibitors resist fading



Delineator Base
Item PIO201 (11 lb)
Item PIO202 (13.2 lb)

- Rubber
- Easy-to-carry hand hold
- Black



LED Traffic Baton
Item PIO429 (Orange)
Item PIO430 (Yellow)

- Shock- and weather-resistant
- Steel belt grip and nylon lanyard
- Six LED lights and a reflector holder
- Switch between flash, steady-on and off
- 21" length



Stackable Delineator
Item PIO2319

- Two 6" high-intensity Type 3 reflective bands at the top of the post
- LDPE material withstands cold temperatures to -20°C
- Stackable design saves storage space
- Base sold separately
- Compatible with base model 2320



Stackable Delineator
Item PIO2319

- U/PE compound material
- Durably built
- Compatible with stackable delineator V6210350
- 7.7" hole diameter



Barricade Light
Item PIO177

- Polycarbonate lens with advanced optics
- Tamper-proof switch
- Dusk and dawn photo sensor
- Steady-on or flashing settings
- LED flashing rate of 65 times/minute
- 360° swivel head, 7" high



Traffic Stop/Slow Paddle

- Item PIO455 (for BC, 16 x 16")
- Item PIO456 (for AB, MB, SK, 18 x 18")
- Lightweight, aluminum octagonal bat
- Hi-luminance Type III reflective
- 12" handle with foam grip
- Open bottom handle accommodates extension pole
- Stainless steel bolts



Paddle Extension Pole
Item PIO2301


- For Traffic Stop/Slow Paddle
- Extends 3.6 to 6.5 ft
- Aluminum handle
- Powder-coated connecting head

Worksite & Traffic continued



**Safety Warning Triangle (3/Pk)
Item PIO373**

- Unfolds from weighted tubular base
- Non-slip pads
- Air flow design
- 4-point bracing for stability
- Foldable for storage in carrying case
- 17.3" sides



Channel Cable Protector

- Commercial-grade rubber base construction
- Durable, high-viz yellow plastic-hinged lid
- Protects multiple cables from pedestrians and car traffic
- 30-tonne capacity

Item	Channels	Width"	Dia."	H"	L"	W"
PIO281	1	2.2	2	2	39.4	9.9
PIO282	2	1.4	1.4	2.8	39.4	10.6
PIO286	3	2.2	2	2.8	35.4	23.6
PIO287	5	1.4	1.4	2	35.4	23.6




**Heavy Duty Rubber Wheel Chock
Item PIO2309**

- Lightweight, aluminum octagonal bat
- Hi-luminance Type III reflective
- 12" handle with foam grip
- Open bottom handle accommodates extension pole
- Stainless steel bolts



**Double-Sided Wheel Chock
Item PIO298**

- For loading dock safety
- Hook for security chain for theft prevention
- Rubber compound reinforced for maximum wearability, strength and secure grip
- Traditional eye-bolt for sturdy chain connection
- 24.8 x 20.3 x 15.2 cm
- 9 lb



**Barrier Fencing Steel T-Post
Item VAN4204-0856**

- Free-standing
- 6 ft wide
- Black



**Snow/Safety Fencing
Item PIO777 (50 ft)
Item PIO778 (100 ft)**

- Heavy-duty 230 GSM (280 g/lm) extruded polyethylene
- Wind- and snow-resistant
- Controls drifting snow and sand
- 4 ft wide, orange



SAFETY EYEWEAR



Firebird Series

- Wraparound lightweight
- One-piece lens with soft rubber temple ends
- Hard nose piece



OTG-Extra EP750 Series

- Fits over prescription glasses
- Extra soft adjustable nose piece and temples
- EZ-ON temple system



Curve EP500 Series

- Universal comfort bridge system
- Low profile shape with High 9.0 base curve lens
- Certified CSA Z94.3 & Z87.1 compliant



SecureFit™ 400 Series

- Soft adjustable nose pads
- Dual injected temples and proprietary 3M™ Pressure Diffusion Temple Technology



Virtua™

- Safety glasses with Cord Control System
- Foam gasket seal
- Meets CSA Z94.3-07 requirements



Solus™

- Clear Scotchgard™ lens coating
- Comes with foam gasket and strap attachments



V2G® Series

- Headband and temples ratchet adjustable
- Interchangeable temples and headband
- Flame-resistant foam padding



DSIEP800C



DSIEP800S



DSIEP800IO

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
DSIEP800C	Anti-scratch, -static, -UV	Polycarbonate	Clear	Frameless
DSIEP800IO	Anti-scratch, -static, -UV	Polycarbonate	Mirror I/O	Frameless
DSIEP800S	Anti-scratch, -static, -UV	Polycarbonate	Smoke	Frameless



DSIEP750C



DSIEP750S



DSIEP750IO

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
DSIEP750C	Anti-fog, -scratch, -static, -UV	Polycarbonate	Clear	Clear
DSIEP750S	Anti-fog, -scratch, -static, -UV	Polycarbonate	Smoke	Smoke
DSIEP750IO	Anti-fog, -scratch, -static, -UV	Polycarbonate	Mirror I/O	Mirror



DSIEP500C



DSIEP500IO



DSIEP500S

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
DSIEP500C	Anti-scratch, -static, -UV	Polycarbonate	Clear	Smoke
DSIEP500IO	Anti-scratch, -static, -UV	Polycarbonate	Mirror I/O	Smoke
DSIEP500S	Anti-scratch, -static, -UV	Polycarbonate	Smoke	Smoke



MMMSF401AF-CA



MMMSF402AF-CA



MMMSF410AS-CA

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
MMMSF401AF-CA	Anti-fog	Polycarbonate	Clear	Frameless
MMMSF402AF-CA	Anti-fog, -scratch	Polycarbonate	Gray	Frameless
MMMSF410AS-CA	Anti-fog, -scratch	Polycarbonate	Mirror I/O	Frameless



MMM11872-00000-20



MMM11873-00000-20



MMM11874-00000-20

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
MMM11872-00000-20	Anti-fog	Polycarbonate	Clear	Clear/Blue
MMM11873-00000-20	Anti-fog	Polycarbonate	Grey	Black
MMM11874-00000-20	Anti-fog	Polycarbonate	Clear Mirror I/O	Clear/Blue



MMMS1101SGAF-KT



MMMS1102SGAF-KT



MMMS1107SGAF-KT

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
MMMS1101SGAF-KT	Scotchgard, anti-fog	Polycarbonate	Clear	Blue/Black
MMMS1102SGAF-KT	Scotchgard, anti-fog	Polycarbonate	Grey	Blue/Black
MMMS1107SGAF-KT	Scotchgard, anti-fog	Polycarbonate	Gray I/O	Clear



PYRGB1810ST



PYRGB1820ST



PYRGB1880ST

Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
PYRGB1810ST	Anti-fog, -scratch, -reflective	Polycarbonate	Clear	Black
PYRGB1820ST	Anti-fog, -scratch, -reflective	Polycarbonate	Grey	Black
PYRGB1880ST	Anti-fog, -scratch, -reflective	Polycarbonate	Clear Mirror I/O	Black

Safety Eyewear continued



OTS® Series

- Temples adjust for length and pitch
- Fits over prescription eyewear
- 99% UVA/B protection



Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
PYRS3510SJ	Anti-scratch, -reflective	Polycarbonate	Clear	Black
PYRS3520SJ	Anti-scratch, -reflective	Polycarbonate	Grey	Black
PYRS3580SJ	Anti-scratch, -reflective	Polycarbonate	Mirror I/O	Black



Venture II Readers

- Temples adjust to four different lengths
- Nose buds secure glass and prevents slippage
- 9.7 base curved lens
- 99% UVA/B/C protection



Item	Lens Coating	Lens Material	Lens Colour	Magnification
PYRSB1810R15	Scratch-resistant	Polycarbonate	Clear	+1.5
PYRSB1810R20	Scratch-resistant	Polycarbonate	Clear	+2.0
PYRSB1810R25	Scratch-resistant	Polycarbonate	Clear	+2.5
PYRSB1810R30	Scratch-resistant	Polycarbonate	Clear	+3.0



Impact-Resistant Sealed Safety Glasses

- Interchangeable soft co-molded temples and fire-resistant cloth strap
- Sealed safety glasses
- Fire-resistant foam insert with vent ports



Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
SELS70000	Anti-fog, -scratch	Polycarbonate	Clear	Yellow/Black
SELS70001	Anti-fog, -scratch	Polycarbonate	Smoke	Yellow/Black
SELS70002	Anti-fog, -scratch	Polycarbonate	I/O Tint	Yellow/Black

uvex

A700 Series

- Lightweight with sport temples
- Soft temple tip pads
- Moulded universal nose bridge
- 9-base lens provide 180° field of distortion-free vision



Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
UVXA700	Anti-scratch	Polycarbonate	Clear	Clear
UVXA701	Anti-scratch	Polycarbonate	Grey	Clear
UVXA704	Anti-scratch	Polycarbonate	Mirror I/O	Clear

uvex

HydroShield™ Seismic Safety Glasses

- Hydrophilic/hydrophobic lens
- UV protection
- Adjustable temples



Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
UVXS0600HS	Anti-fog, -scratch	Polycarbonate	Clear	Black
UVXS0604X	Anti-fog, -scratch	Polycarbonate	I/O	Black
UVXS0605HS	Anti-fog, -scratch	Polycarbonate	Grey	Black

uvex

Livewire™ Safety Glasses

- Padded nose piece and arms
- Converts for goggle use with adjustable cloth headband
- Wraparound side protection
- Brow and eye socket foam lining



Item	Lens Coating	Lens Material	Lens Colour	Frame Colour
UVXS2600HS	Anti-fog, -scratch	Polycarbonate	Clear	Black
UVXS2604XP	Anti-fog, -scratch	Polycarbonate	I/O	Black
UVXS2605HS	Anti-fog, -scratch	Polycarbonate	Grey	Black



VisionAid Flex Sideshields

- Additional protection to personal prescription eyewear
- Weaves through temple
- Absorbs impact energy



(frames not included)

LENS CLEANING



Lens Cleaning Towelettes
Item PYRLCT100

- Individual, pre-moistened
- Anti-fog, -static formula
- Safe with all lens coatings
- 100/Pk, 5" x 8"



Cleaning Station
Item PYRLCS20

- Anti-fog, -static formula
- For plastic, glass and polycarbonate lenses
- Low lint, non-abrasive
- 16 oz, 1200 tissues

HEAD & FACE PROTECTION



Headgear Ratchet
Item DSIEPHG300R (3")
Item DSIEPHG700R (7")

- Used without protective cap
- Ratchet adjustment
- HDPE



Crown Protector
Item FBMF4400 (4" Crown)
Item FBMF4500 (7" Crown)

- Quick-Lok™ mounting cup
- Made from Noryl®



Ratchet Headgear Crown Protector
Item FBMF400CSA

- Use with face protection windows
- 4" crown protector



Universal Aluminum Cap-Style Adapter
Item PYRHAA

- Steel spring adjustment
- Fits most cap-style hard hats and face shields



Quick-Lok™ Adaptors
Item FBM4000 (Kit)
Item FBM4001 (Female)
Item FBM4002 (Male)

- For Fibre-Metal® welding helmets



Chin Strap
Item FBMC2

- Elastic
- For Fibre-Metal® hard hats



2-Point Chin Strap
Item DSIEHP241C

- For HP241, HP241R, HP341, HP341R, HP741, HP741R
- Nylon, white



Face Shield
Item FBM4199CL

- Injection molded propionate
- 9-3/4" H x 19" W
- 0.06" thick
- Clear



Safety Visor
Item FBM4178CL (Clear)
Item FBM4178DGN (Green)

- Distortion-free optics
- Chemical- and impact-resistant
- 8" H x 16-1/2" W
- 0.06" thick



Safety Visors
Item DSIEP815/40 (Clear)*
Item DSIEP815PG/40 (Green)**

- Die-cut polyester*/ polycarbonate**
- Multi-fit 5-slot pattern
- 8" H x 15-1/2" W
- 0.04" thick

Head & Face Protection continued



Hard Hat Whistler Standard Brim
Item DSIHP241R/01 (White)
Item DSIHP241R/02 (Yellow)
Item DSIHP241R/03 (Orange)
Item DSIHP241R/04 (Dark Green)
Item DSIHP241R/07 (Sky Blue)
Item DSIHP241R/08 (Navy Blue)
Item DSIHP241R/09 (Grey)
Item DSIHP241R/11 (Black)
Item DSIHP241R/15 (Red)
 • HDPE shell
 • Rain trough and slotted design
 • 4-point nylon suspension
 • Sure-Lock ratchet adjustment
 • Type 1 Class E



Hard Hat Mont-Blanc™
Item DSIHP542R/01 (White)
Item DSIHP542R/08 (Navy Blue)
Item DSIHP542R/09 (Grey)
Item DSIHP542R/15 (Red)
 • HDPE shell
 • Foam liner for lateral side, front and rear impact protection
 • Sure-Lock ratchet adjustment
 • Accessory slots and chin strap attachments
 • Type 2 Class E



Hard Hat, Roughneck P2A Series
Item FBMP2AQRW01A000 (White)
Item FBMP2AQRW09A000 (Grey)
Item FBMP2AQRW11A000 (Black)
Item FBMP2AQRW71A000 (Blue)
Item FBMP2AQRW74A000 (Green)
 • Front brim and side slots for accessory mounting options
 • 8-point ratchet
 • Thermoplastic
 • Certified CSA Class G or C (Class C for Quick-Lok) Type 1, ANSI Class G Type 1



Sweat Band
Item DSIHPSB470PK
 • Blue terry cloth with Velcro® closure for hard hat



Reflective Strips
Item DSIHP1X4YLW
 • Yellow Dyna-Brite™ stick-on for hard hat
 • Plastic, 1" W x 4" L

HEARING PROTECTION



HOWLL1/HOWLL1DBK



HOWLL30

Laser Lite™ Earplugs
Item HOWLL1 (200/Box)
Item HOWLL1DBK (500/Box)
Item HOWLL30 (100/Box, corded)

- Self-adjusting, expanding foam
- Smooth, soil-resistant foam skin
- Contoured T-shape
- Disposable
- Yellow/pink
- NRR 32 dB



Peltor™ Optime™ Earmuffs

Item	NRR	Style
PLTH6B/V	21 dB	Behind-the-head
PLTH6F/V	21 dB	Foldable, over-the-head
PLTH7B	26 dB	Behind-the-head
PLTH7P3E	24 dB	Cap-mount
PLTH10A	30 dB	Over-the-head
PLTH10B	29 dB	Behind-the-head



PLTH6B-V



PLTH7B



PLTH10A



PLTH6F-V



PLTH7P3E



PLTH10B

RESPIRATORY PROTECTION



MMM8210



MMM8511



DSIRP513N95



DSIRP714N95

N95 Disposable Respirator

Item MMM8210 (No valve, 20/box)

Item MMM8511 (Valve, 10/box)

- NIOSH approved
- Two-strap design with dual point attachment

N95 Disposable Respirator

Item DSIRP513N95 (No valve, 20/box)

Item DSIRP714N95 (Valve, 10/box)

- NIOSH approved
- Latex free



NIOSH Approved Filters & Cartridges



Item	MMM2091	MMM2097	MMM2297	MMM6001	MMM6004
Quantity	1 pair	1 pair	1 pair	1 pair	1 pair
Filter	P100 Particulate	P100 Particulate	P100 Particulate	Gas and vapour	Combination
NIOSH Colour	Magenta	Magenta	Magenta	Black	Green
Protection Type	Particulates	Organic vapour, particulates	Organic vapour, particulates	Organic vapour	Ammonia, methylamine



Item	MMM60921	MMM60923	MMM60926
Quantity	1 pair	1 pair	1 pair
Filter	P100, gas & vapour	P100, gas & vapour	P100, gas & vapour
NIOSH Colour	Magenta/Black	Magenta/Yellow	Magenta/Olive
Protection Type	Organic vapour	Organic vapour, acid gas	Ammonia, chlorine, chlorine dioxide, formaldehyde, hydrogen chloride, hydrogen fluoride, hydrogen sulfide, methylamine, organic vapour, sulfur dioxide



NIOSH Approved Filters & Cartridges



Item	NOR75FFP100	NOR75FFP100NL	NOR75SCP100L	NOR7583P100L
Quantity	1 pair	1 pair	1 pair	1 pair
Filter	P100	P100	P100 combination	P100, organic vapour, acid gas
NIOSH Colour	Magenta	Magenta	Olive/Magenta	Yellow/Magenta
Protection Type	Particulates	Particulates, organic vapour, acid gases	Organic vapour, chlorine, hydrogen chloride, sulfur dioxide, hydrogen sulfide, hydrogen fluoride, chlorine dioxide, ammonia, methylamine, formaldehyde	Organic vapour, chlorine, hydrogen chloride, sulfur dioxide, hydrogen fluoride, chlorine dioxide

Respiratory Protection continued

3M



Half-Facepiece Reusable Respirator
Item MMM6100 (S)
Item MMM6200 (M)
Item MMM6300 (L)

- Adjustable head straps
- 4-point harness
- TPE material
- Can be disassembled and cleaned

3M



Rugged Comfort Quick Latch Half-Facepiece Reusable Respirator
Item MMM6501QL (S)
Item MMM6502QL (M)
Item MMM6503QL (L)

- Proprietary quick latch design
- 4-point quick latch
- Silicone face seal
- 3M™ Cool Flow™ valve

3M



Full-Facepiece Reusable Respirator
Item MMM6700 (S)
Item MMM6800 (M)
Item MMM6900 (L)

- Large lens
- Silicone face seal
- 4-point harness
- Centre adapter directs exhaled breath downward

3M



Ultimate FX Full-Facepiece Reusable Respirator
Item MMMFF401 (S)
Item MMMFF402 (M)
Item MMMFF403 (L)

- Large lens
- Silicone face seal
- 3M™ Cool Flow™ valve
- Passive speaking diaphragm

3M



Faceshield Cover
Item MMM6885

- Use with 3M™ full facepiece reusable respirator 6000 Series
- Protect lens from scratches, chips and dust

NORTH

by Honeywell



7700 Series Half-Mask
Item NOR770030S (S)
Item NOR770030M (M)
Item NOR770030L (L)

- Soft contoured sealing flange
- Non-allergic silicone
- Cradle suspension system
- Low profile

NORTH

by Honeywell



5400 Series Full-Facepiece
Item NOR54001S (S)
Item NOR54001 (M/L)

- Nose and chin cup
- All replaceable parts
- Latex free
- Polycarbonate lens
- Lightweight

NORTH

by Honeywell



BP1000 Series Backpack Adapter
Item NORBP1002

- Converts half- or full-facepiece to a welding respirator
- Can be disassembled, cleaned and reused

PYRAMEX
 Perform At Your Peak



Hygienic Cleaning Wipes
Item PYRHCW100

- Alcohol free
- Removes body oils and perspiration
- Individually wrapped
- 100/Pk box dispenser

ergodyne



ERG5180*



ERG5181

Arsenal Respirator Bags
Item ERG5180* (Half-face capacity, 7.5 x 3.5 x 6")
Item ERG5181 (Full-face capacity, 10 x 3.5 x 6")

- With waist strap*
- Built with lightweight 420D nylon
- Hook-and-loop flap closure
- Washable

Respiratory Protection Fit Test Kits



Respirator Fit-Test Kit

- Checks face-to-respirator seal on any particulate respirator or gas/vapour respirator with a particulate prefilter

Item	Type	Type/Size
MMMFT-10	Sweet	Kit
MMMFT-11	Sweet sensitivity	55 ml
MMMFT-12	Sweet	55 ml
MMMFT-30	Bitter	Kit
MMMFT-31	Bitter sensitivity	55 ml
MMMFT-32	Bitter	55 ml



Irritant Smoke Fit Test Kit Item NOR140090

- Kit: 6 fit test tubes, aspirator bulb, tube tip breaker, record form, instruction manual, hard shell plastic case



Irritant Smoke Tube Kit Item NOR770046

- Includes 10 smoke tubes

i The ARC Service Centre provides you with a multitude of services and equipment to get your job done. Here's what we can do for you to keep your respiratory protection equipment current and compliant.

	Inspect	Clean	Certify	Repair	3 rd Party Repair	Rent
Gas Detection Monitors	●	●	●	●	●	●
PAPRs	●	●	○	○	○	○
Respirators	○	●	○	●	○	○

HAND PROTECTION

Ansell



AlphaTec®
Item ANL04-644

- Rough finish with superb wet-grip
- 13 gauge knitted cotton liner
- PVC, 12" glove length
- Blue
- Sizes 8–11

Ansell



HyFlex®
Item ANL11-550

- FORTIX™ abrasion resistance
- Nitrile foam coating
- INTERCEPT™ cut-resistance
- Heat protection up to 100°C
- Para-Aramid®, Spandex®, nylon liner
- 15 gauge
- Sizes 6–11

Ansell



HyFlex®
Item ANL11-800

- Breathable foam nitrile coating
- Nylon lining
- ZONZ™ comfort fit
- Dermatec® certification
- Grey
- 15 gauge
- Sizes 6–11

Ansell



HyFlex®
Item ANL11-518

- Ultralight seamless liner
- Nylon, Spandex®, Dyneema® Diamond technology
- Durable PU coating
- Blue
- 18 gauge
- Sizes 6–11

Ansell



TouchNTuff®
Item ANL92-600

- TNT chemical splash resistance
- Silicone- and powder-free
- 5 ml thickness
- Nitrile, 9.5" glove length
- Green
- Sizes 6.5–10
- 100/Box

BDG
HIGH DUTY GLOVES



Split Cowhide Fitter
Item BDG30-1-411PP

- Split cowhide palm, index finger and fingertips
- Cotton backhand with split leather knuckle strap
- Fleece palm lining
- Safety cuff and inside elastic wrist
- Gunn cut with wing thumb
- One size

BDG
HIGH DUTY GLOVES



Grain Cowhide Fitter
Item BDG40-1-281ECU

- Grain cowhide palm, index finger and fingertips
- Cotton backhand with grain leather knuckle strap
- Rubberized safety cuff
- Inside elastic wrist
- Gunn cut with wing thumb
- Sizes S–3XL

BDG
HIGH DUTY GLOVES



Grain Goatskin Mechanics Glove
Item BDG20-1-1215

- Grain goatskin padded palm
- Spandex backhand with neoprene knuckles
- Elastic wrist with hook and loop closure
- Keystone thumb
- Reinforced fingertips
- Sizes S–2XL

BDG
HIGH DUTY GLOVES



Split Cowhide Welder
Item BDG60-1-7803B

- Gauntlet cuff
- Split cowhide palm and backhand
- Fleece lining
- Gunn cut with wing thumb
- Weltd thumb and fingertips
- One size

Hand Protection continued



Grain Goatskin TIG Welder
Item BDG60-1-1940

- 5" cuff and backhand heat patch
- Grain goatskin palm and backhand
- FR cotton backhand lining
- Shirred elastic wrist and wing thumb
- Foam padded palm and reinforced thumb saddle
- Stitched with Kevlar®
- Sizes S–2XL



Grain Cowhide Welder
Item BDG60-1-1818KV

- Grain cowhide palm, thumb and index finger
- Split cowhide backhand
- Cut-resistant lining
- 5" split cowhide gauntlet cuff
- Wing thumb with thumb strap
- Stitched with Kevlar®
- Sizes XS–2XL



Grain Goatskin Driver
Item BDG20-1-1610

- Grain goatskin palm and backhand
- Slip-on cuff
- Shirred elastic wrist
- Gunn cut with keystone thumb
- Sizes XS–2XL



Grain Goatskin Driver
Item BDG20-1-1600

- Grain goatskin palm and backhand
- Cut-resistant Kevlar® lining
- Slip-on cuff
- Shirred elastic wrist
- Gunn cut with keystone thumb
- Stitched with Kevlar®
- Sizes XS–2XL



Grain Goatskin Driver
Item BDG20-1-1880

- Grain goatskin palm and backhand
- Cut-resistant lining
- TPR backhand impact protection
- Slip-on cuff and shirred elastic wrist
- Wing thumb w/ reinforced thumb saddle
- Stitched with Kevlar®
- Sizes S–3XL



Grain Goatskin Glove
Item BDG20-1-1883

- Grain goatskin palm and backhand
- Cut-resistant lining
- TPR backhand impact protection
- 3" split cowhide cuff
- Shirred elastic wrist
- Wing thumb w/ reinforced thumb saddle
- Stitched with Kevlar®
- Sizes S–3XL



Grain Goatskin Glove
Item BDG20-1-1885

- Grain goatskin palm and backhand
- Cut-resistant lining
- TPR backhand impact protection
- 5" split cowhide cuff
- Shirred elastic wrist
- Wing thumb w/ reinforced thumb saddle
- Stitched with Kevlar®
- Sizes S–3XL



PU Coated
Item BDG99-1-9865

- 18 gauge nylon shell
- Polyurethane smooth finish palm coating
- Elastic knit wrist w/ hemmed cuff
- Sizes XS–2XL



Nitrile Coated
Item BDG99-1-9870

- 15 gauge nylon shell
- Smooth finished nitrile palm coating
- Elastic knit wrist w/ hemmed cuff
- Sizes XS–2XL

Hand Protection continued



Nitrile Coated HPPE
Item BDG99-1-9500

- 15 gauge HPPE shell
- Foam nitrile palm coating with textured finish
- Elastic knit wrist with hemmed cuff
- Reinforced thumb saddle
- Sizes XS–2XL



Double Nitrile Coated HPPE
Item BDG99-1-9623

- 13 gauge HPPE shell
- Double dipped nitrile palm coating with textured finish
- Elastic knit wrist with hemmed cuff
- Sizes XS–2XL



Nitrile Coated HPPE
Item BDG99-1-9625

- 13 gauge outer, 18 gauge inner HPPE shell
- Nitrile palm coating with textured finish
- Elastic knit wrist with hemmed cuff
- Reinforced thumb saddle
- Breathable inner membrane coating
- Sizes XS–2XL



Nitrile Coated HPPE
Item BDG99-1-9791

- HPPE shell
- Nitrile palm coating with textured finish
- TPR backhand impact protection
- Elastic knit wrist with hemmed cuff
- Sizes XS–2XL



Nitrile Coated HPPE
Item BDG99-1-9793

- 13 gauge outer, 18 gauge inner HPPE shell
- Nitrile palm coating with textured finish
- TPR backhand impact protection
- Elastic knit wrist with hemmed cuff
- Reinforced thumb saddle
- Sizes XS–2XL



Cut-Resistant Sleeve
Item SPRKAWC10
Item SPRKAWC10TH (Thumb hole)

- Para-Aramid fibre
- 10" long tubular knit
- Ambidextrous
- Yellow, 2-ply
- Pair



Endura® Easy-On
Item SPR378GOB

- Goatskin
- Oilbloc™ repels oil and water
- Elasticized backs
- Keystone thumb
- Sizes S–3XL



Endura® Tough Multi-Use
Item SPR378GOBKL

- 360° cut protection lining
- Arc Flash level 4
- Goatskin
- Oilbloc™ repels oil and water
- Elasticized backs
- Sizes XS–3XL



Endura® TIG Welding
Item SPR335CBP

- TIG welding glove
- Stitched with Kevlar®
- Heat-resistant up to 260°C
- Reverse cowhide
- Reinforced cowhide back patch
- Strapped thumbs and extended cowhide gauntlet cuffs, gunn-cut styling
- Sizes 2XS–3XL

Hand Protection continued



Endura® Close-Fitting, Hard-Wearing Item SPR378GKTA

- Goatskin
- Abrasion resistance
- Cut-and-sewn construction
- Keystone thumb design
- Sizes 2XS–3XL



Endura® Durable Driver Item SPR378GOT

- Goatskin
- Hi-viz orange fingertips
- Abrasion resistance
- Keystone thumb design
- Sizes 2XS–3XL



Endura® Arc Flash-Rated Item SPR378GKGE

- Goatskin glove
- DuPont™ Kevlar®/composite filament fibre liner
- Cut-and-sewn construction
- Keystone thumb design
- Sizes 2XS–3XL



Endura® MIG Welding Item SPR399GKGL5

- Heat protection up to 200°C
- Blended Aramid liner
- Abrasion resistance
- Cut-and-sewn construction
- Wing thumb design
- Extended gauntlet cuffs
- Sizes 2XS–3XL



Endura® Vibration-Dampening Item SPR378GKGVBE

- Goatskin
- Padded palm
- Composite filament fibre lining
- Impact-resistant back-of-hand protection
- Sizes 2XS–3XL



Endura® Vibration-Dampening Gauntlet Item SPR378GKGVBG

- Goatskin
- Padded palm
- TenActiv™ lining
- Extended gauntlet cuff
- Impact-resistant back-of-hand protection
- Abrasion resistance
- Sizes 2XS–3XL



Endura® Grip-On Protection Item SPR378GTXT

- TenActiv™ lined goatskin driver
- Palm grips
- Hi-visibility orange fingertips
- Sizes 2XS–3XL



Endura® Extended High-Viz Cuffs Item SPR365DLX6

- 6" gauntlet cuffs with retro-reflective silver strips
- Repels water, oil, and stains
- Thumb and palm patch
- Horsehide leather
- Para-Aramid fibre thread
- Sizes 2XS–3XL



TenActiv™ True Fit and Tactile Feel Item SPRSTAGXPU

- 13 gauge knit glove
- 2" cuff length
- Knit blend of TenActiv™ yarn, HPPE, composite filament fiber and spandex
- Polyurethane coating
- Sizes 2XS–3XL

Hand Protection continued



TenActiv™ Tough Knit
Item SPRS13TAXFN

- 13 gauge knit glove
- 2" cuff length
- Knit blend of steel, TenActiv™, composite filament-fibre
- Foam nitrile palm
- Sizes 2XS–3XL



TenActiv™ Static-Blocking
Item SPRS18TAFGN

- 18-gauge knit
- TenActiv™ yarn
- Electrostatic dissipative (ESD) properties
- Nitrile palm coating
- Treated with an active agent to achieve 99.9% antimicrobial status
- Silicone free, lint free
- Sizes 2XS–3XL



TenActiv™ Cut-Resistant w/Grip
Item SPRSTAFGNFNT

- 13-gauge knit
- TenActiv™ yarn will not absorb sweat/moisture
- Black foam nitrile palm coating
- Nitrile thumb crotch reinforcement
- Sizes 2XS–3XL



Dexterity® Cut-Resistant
w/Bare-Hand Feel
Item SPRS13KFGPU

- Composite fine 13 gauge knit
- Polyurethane palm coating
- Non-marring gloves
- Ergonomically shaped
- Sizes 2XS–3XL



Poor Boy
Item WATA281BB

- Full-grain cowhide leather
- Cotton drill back
- Palm patch
- Shirred elastic wrist
- Slip-on style safety cuff
- One size



Longhorn
Item WATA281E

- Full-grain cowhide leather
- Cotton drill back
- Full leather index finger, pulse protector, knuckle bar and hooded fingertips
- Outside elastic wrist
- Slip-on style safety cuff
- Sizes S–2XL



Flextime
Item WAT005

- Dryhide™ water-resistant full-grain goatskin leather palm
- Stretch back made from WasteNot™ Spandex
- Leather hooded fingertips and reinforced thumb
- Snug-fitting elastic wrist and Velcro™ closure
- Sizes S–2XL



Cow Town
Item WAT2761

- Premium split cowhide leather
- Full cotton fleece lining with foam lined back
- Gunn cut design with wing thumb
- 1.5" leather band seam protector
- Reinforced welted seams
- Stitched with Kevlar® thread
- Gauntlet style cuff with leather gore
- Sizes S–XL



Woman's Fire Brand
Item WAT9238W

- Split cowhide leather
- Cotton fleece lining
- Gunn cut design with wing thumb
- Reinforced welted seams
- Stitched with Kevlar® thread
- Gauntlet style cuff
- Made for a woman's hand
- Size S

Hand Protection continued



**Woman's Fired Up
Item WAT2782**

- Cutshield™ P-aramid, steel, polyester liner
- Full-grain cowhide leather palm with thumb and index finger
- Split cowhide back
- Stitched with Kevlar®
- Gauntlet style cuff
- Snug-fitting shirred elastic wrist
- Women's sizes S–M



**Scape Goat
Item WAT546**

- Full-grain goatskin leather
- Driver's style with keystone thumb
- Shirred elastic wrist
- Slip-on style cuff
- Sizes XS–2XL



**Scape Goat Gauntlet
Item WAT546G**

- Full-grain goatskin leather
- Classic gunn cut with inset thumb
- Shirred elastic wrist
- Gauntlet style cuff
- Sizes S–2XL



**Scape Goat
Item WAT546TPR**

- Full-grain goatskin leather
- Driver's style with keystone thumb
- Heavy-duty rubber on back of hand, fingers and wrist
- Shirred elastic wrist
- Slip-on style cuff
- Sizes XS–3XL



**Van Goat
Item WAT547**

- Cutshield™ P-aramid, steel, polyester liner
- Dryhide oil and water-resistant full-grain goatskin leather
- Driver's style with inset thumb
- Snug-fitting shirred elastic wrist
- Slip-on style cuff
- Sizes 2XS–2XL



**Van Goat
Item WAT547TPR**

- Cutshield™ P-aramid, steel, polyester liner
- Full-grain goatskin leather
- Driver's style with inset thumb
- Impact protection, heavy-duty flame-resistant rubber on back of hand, fingers and wrist
- Stitched with Kevlar®
- Snug-fitting shirred elastic wrist
- Sizes XS–3XL



**Stealth Phoenix
Item WAT379**

- WasteNot™ polyester knit
- 18 gauge cut-resistant HPPE/glass shell
- Sandy nitrile palm
- Reinforced thumb saddle
- Touchscreen-compatible fingertips
- Water-resistant treatment
- Snug-fitting knit wrist
- OEKO-TEX STANDARD® 100 certified
- Sizes XS–2XL



**Van Goat
Item WAT549**

- Full sock Cutshield™ P-aramid, steel and polyester liner
- Dryhide oil and water-resistant full-grain goatskin leather
- Gunn cut
- Wing thumb
- Pulse protector
- Gauntlet-style cuff
- Sizes M–2XL



**Van Goat
Item WAT549TPR**

- Full sock Cutshield™ P-aramid, steel and polyester liner
- Full-grain goatskin leather
- Impact protection, heavy-duty flame-resistant rubber on back of hand, fingers and wrist
- Gunn cut, wing thumb, Kevlar® thread
- Pulse protector with gauntlet-style cuff
- Sizes XS–3XL

Hand Protection continued



Stealth Frontier
Item **WAT351**

- WasteNot™ polyester knit
- 13 gauge cut-resistant HPPE/glass shell
- Sandy latex palm
- PVC reinforced thumb saddle
- Water-resistant treatment
- OEKO-TEX STANDARD® 100 certified
- Sizes XS–2XL



WAT5554PF WAT5555PF WAT5553PF WAT5559PF WAT5557PF WAT5558PF

Grease Monkey®

- Nitrile disposable gloves
- Powder-free
- Rolled cuff
- Landfill biodegradable*

Item	Size	Thk. (ml)	Cuff"	Colour	Qty.
WAT5554PF	S–2XL	5	9–1/2	Black	100/Box
WAT5555PF	S–2XL	8	11	Black	50/Box
WAT5553PF	M–2XL	15	11	Blue	50/Box
WAT5559PF*	S–2XL	4	9–1/2	Green	100/Box
WAT5557PF*	S–2XL	6	9–1/2	Orange	50/Box
WAT5558PF*	S–2XL	8	11	Black	50/Box

SASHES & BANDS



Ankle Band
Item **PIO1142**

- Stretchy hi-viz elastic with Velcro® closure
- 2" premium elastic with 2" reflective tape
- 14" long
- One size



- ●
- Traffic Cuffs**
Item **PIO164A** (Yellow)
Item **PIO166A** (Orange)
- Hi-viz polyester mesh
 - 2" silver StarTech™ double reflective tape
 - Hook and loop adjustment
 - 8" length



- Daytime Traffic Sash Belt**
Item **DSITSHG32/L**
- 1-1/2" Dyna-Lite™ silver and yellow-green reflective elasticized material
 - Adjustable buckles
 - 360° horizontal stripe
 - 2 frontal vertical reflective stripes, 1 dorsal X
 - Size L

VESTS



Dynamic™ Breakaway Mesh
Item **DSITSV2OG23**

- Hi-viz orange polyester mesh
- CSA Z96-09 Class 2 Level 2
- 2 inside and 2 outside front pockets
- 5-point tearaway Velcro®
- Sizes S–5XL



Tearaway Safety Vest
Item **PIO6926**

- Hi-viz orange polyester mesh
- CSA Z96-09 Class 2 Level 2
- 5-point tearaway
- 4 storage pockets
- One size



● ● ●

Traffic Vest
Item **PIO6927RB*** (Royal Blue)
Item **PIO6927BK*** (Black)
Item **PIO6927**** (Hi-Viz Yellow)

- CSA Z96-09 Class 1 Level 2*
- CSA Z96-09 Class 2 Level 2**
- Polyester mesh
- 5-point tearaway
- 4 storage pockets
- One size



Vests continued



Orange Safety Vest
Item PIO6930

- Hi-viz orange
- Tricot polyester interlock
- CSA Z96-09 Class 2 Level 2
- 5-point tearaway
- Drop shoulder
- 4 sealed pockets, 1 ID pocket
- Sizes S–5XL



Yellow/Green Safety Vest
Item PIO6931

- Hi-viz yellow/green
- Tricot polyester interlock
- CSA Z96-09 Class 2 Level 2
- 5-point tearaway
- 4 sealed pockets, 1 ID pocket
- Sizes S–5XL



Black Safety Vest
Item PIO6933BK

- Polyester mesh
- CSA Z96-09 Class 1 Level 2
- 5-point tearaway
- 4 sealed pockets, 1 ID pocket
- Sizes S–5XL



Surveyor's Safety Vest
Item PIO695

- Red 600 denier Oxford polyester, PU coated
- CSA Z96-09 Class 1 Level 2
- 12 storage pockets
- Back ruler slot
- 2 large backpack pockets
- Sizes S–5XL



Surveyor's Red Safety Vest – Hi-Viz Red
Item PIO7731

- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- ARC 2 rating category
- Multiple front pockets, 4 inner pockets, and back pouch with zipper opening
- Sizes S–4XL



FR Safety Vest
Item PIO7728* (Hi-Viz Orange)
Item PIO7729** (Black)

- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR*
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR**
- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- ARC 2 rating category
- Sizes S–4XL



WORKWEAR



- ●
- Women's Fleece Hoodie**
- Item **PIO6924W** (Hi-Viz Orange)
- Item **PIO6925W** (Hi-Viz Yellow)
- Full front zipper closure
- Premium 10.5 oz (360 GSM) polyester fleece material
- Detachable drawstring hood
- Elastic cuffs and hem
- 2 front storage pockets
- Sizes XS–4XL



- ● ●
- Micro Fleece Zip Hoodie**
- Item **PIO6940** (Hi-Viz Orange)
- Item **PIO6941** (Hi-Viz Yellow)
- Item **PIO6942*** (Black)
- CSA Z96-09 Class 2 Level 2*
- 7 oz (240 GSM) micro fleece
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-2020 Class 3 Type P and R
- Detachable drawstring hood
- Elastic cuffs and hem
- 2 front slash pockets
- Sizes S–5XL



- ●
- FR/ARC-Rated Zip Hoodie**
- Item **PIO337SF** (Black)
- Item **PIO338SF** (Orange)
- 100% FR treated preshrunk cotton, 12 oz (400 GSM)
- CSA Z96-15 Class 1 Level 2 and Class 1 Level FR
- ANSI/ISEA 107-15 Class 1 Type O
- ARC 2 rating category
- 2 front slash pockets, FR brass non-locking zipper, detachable snap hood
- Sizes XS–7XL



- ● ● ● ●
- Atlas Guardian® FR/Arc Flash Bib (HRC 2)**
- Item **ATW3072NB** (Navy Blue)
- Item **ATW3072GR** (Green)
- Item **ATW3072BK** (Black)
- Item **ATW3072RD** (Red)
- UL Certified flame-resistant garment
- Pre-shrunk 8oz 88% cotton and 12% nylon
- Arc flash rated, ATPV: 11 cal, HRC 2
- Heavy-duty two-way Aramid FR zippers
- Sizes S–7XL in regular and tall



- ● ● ● ●
- Atlas Guardian® FR/Arc Flash Coverall (HRC 2)**
- Item **ATW1072RB** (Royal Blue)
- Item **ATW1072GR** (Green)
- Item **ATW1072BK** (Black)
- Item **ATW1072RD** (Red)
- UL Certified flame-resistant garment
- Pre-shrunk 8 oz 88% cotton and 12% nylon
- Arc flash rated, ATPV: 11 cal, HRC 2
- Heavy-duty two-way Aramid FR zippers
- Sizes 32–70 in regular and tall



- ●
- Women's FR/ARC Coveralls**
- Item **PIO7702W** (Hi-Viz Orange)
- Item **PIO7704W** (Royal Blue)
- FR-Tech® 88% premium cotton blended with 12% high-tenacity nylon, 7 oz (240 GSM)
- 7702W–CSA Z96-15 Class 3 Level 2 and Class 3 Level FR
- 7 storage pockets, 2 pass-through pockets
- Sizes XS–3XL

Workwear continued



Women's Birdseye Safety T-Shirt

Item PIO6948 (Hi-Viz Orange)

Item PIO6949 (Hi-Viz Yellow)

- Soft premium birdseye moisture-wicking polyester
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-2020 Class 2 Type P and R
- Rib crew neck
- Chest pocket w/ hook-and-loop closure
- Sizes XS-4XL



Birdseye Safety T-Shirt

Item PIO6990 (Hi-Viz Orange)

Item PIO6991 (Hi-Viz Yellow)

Item PIO6992 (Black)

- Soft premium birdseye moisture-wicking polyester
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-2020 Class 2 Type P and R
- Chest pocket
- Sizes XS-5XL



Women's Birdseye Safety Long Sleeve Shirt

Item PIO6968 (Hi-Viz Orange)

Item PIO6969 (Hi-Viz Yellow)

- Premium birdseye moisture-wicking polyester
- CSA Z96-15 Class 2 Level 2 compliant and certified to ANSI/ISEA 107-2020 Class 3 Type P and R
- Thumb hole on the cuffs, chest pocket
- Sizes XS-4XL



Safety Long Sleeve Shirt

Item PIO6995 (Hi-Viz Orange)

Item PIO6996 (Hi-Viz Yellow)

Item PIO6997 (Black)

- Premium birdseye moisture-wicking polyester
- CSA Z96-15 Class 2 Level 2 and ANSI/ISEA 107-2020 Class 3 Type P and R
- Chest pocket
- Sizes XS-5XL



Disposable SMS Coverall

Item PIO2045

- Zipper front
- 3-layer spunbond melt-blown synthetic material
- Breathable
- Protects from dry particulates and fluids
- Good abrasion and tear-resistance
- Elastic waist, ankles and wrists
- Sizes XS-5XL



Disposable Microporous Coverall

Item PIO2055

- Zipper front
- Microporous film laminate
- Breathable
- Protects from dirt, grime and liquid
- Elastic waist, ankles and wrists
- Sizes XS-5XL



Disposable Flame-Resistant SMS Coverall

Item PIO2075

- Complies with Chemical Protective Coveralls Category III EN ISO 13982-1 Type 5 and EN ISO 13034 Type 6
- For FSR applications only: must be worn over other CGSB approved flame-resistant apparel
- 2-way zipper front with resealable storm flap
- Elastic cuff, ankle, face line and waist at back
- Sizes XS-5XL

RAINWEAR



Flame-Resistant Waterproof PVC Rainsuit

Item PIO578

- .35 mm FR treated yellow PVC/poly
- Meets CGSB 155.20-2000 Type 3
- Zipped jacket, snap front placket
- 2 patch pockets
- Detachable snap hood
- Bib pant with self-fabric suspenders
- Sizes S-6XL



Waterproof Safety Rainsuits

Item PIO5608 (Hi-Viz Orange)

Item PIO5609 (Hi-Viz Yellow/Green)

- 2-piece hooded jacket/bib pant in zippered storage pouch
- 150 denier Oxford polyester, PVC backing
- CSA Class 1 Level 2
- Jacket has 2 lower flap pockets, drawstring with toggle on hem, half-mesh lined back, full front zipper, hood folds into collar
- Bib pant has elastic suspenders, metal buckles, snaps on leg hems
- Sizes XS-4XL



Lightweight Waterproof Jacket w/ Detachable Hood

Item PIO5594 (Hi-Viz Orange)

Item PIO5596 (Hi-Viz Yellow/Green)

- 150 denier PU coated polyester
- CSA Z96-15 Class 2 Level 2 (becomes Class 3 when worn with hi-viz pant featuring reflective leg bands)
- ANSI/ISEA 107-2020 Class 3 Type P and R
- Multiple front and back vents
- Fully mesh lined, adjustable wrists
- 2 large front cargo pockets
- Sizes XS-5XL



Flame-Resistant Stretch Rain Jacket

Item PIO5892 (Hi-Viz Orange)

Item PIO5894 (Hi-Viz Yellow/Green)

Item PIO5894BK* (Black)

- CSA Z96-09 Class 1 Level 2 and Class 1 Level FR*
- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 2 Level 2 and Class 2 Level FR (becomes Class 3 when worn with FR hi-viz pant featuring reflective leg bands) and ANSI/ISEA 107-20 Class 3 Type P and R
- Oil- and chemical-resistant
- Waterproof, windproof
- Lightweight and tough 4-way stretch PU
- Extra-large detachable hood
- Full front zipper, snap closure storm front
- Sizes XS-5XL



Flame-Resistant Waterproof Safety Bib Pants

Item PIO5893 (Hi-Viz Orange)

Item PIO5895 (Hi-Viz Yellow/Green)

Item PIO5895BK (Black)

- FR treated 100% polyurethane/poly
- Meets CGSB 155.20-2000 Type 3
- CSA Z96-15 Class 3 Level 2 and Class 3 Level FR when worn with CSA Class 2 Level 2 and Class 2 Level FR top featuring reflective arm bands and ANSI/ISEA 107-15 Class E Supplemental Type
- Oil- and chemical-resistant
- Windproof
- Lightweight and tough 4-way stretch PU
- Heavy-duty suspenders with quick-release clips
- Adjustable waist with snaps
- Sizes XS-5XL



Waterproof Safety Bib Pants

Item PIO5595 (Hi-Viz Orange)

Item PIO5597 (Hi-Viz Yellow/Green)

- 150 denier PU coated polyester, 10 oz (350 GSM)
- Windproof
- CSA Z96-15 Class 3 Level 2 when worn with CSA Class 2 Level 2 top featuring reflective arm bands
- ANSI/ISEA 107-15 Class E Supplemental Type
- Elastic suspenders with quick-release clips
- Boot access zippers with adjustable ankles
- Fly access
- Sizes XS-5XL

FOOT & KNEE PROTECTION



- Steel Toe/Steel Plate Boot
Item PIO1022**
- CSA Class 1 safety boots
 - Static dissipative
 - Flexible 15" PVC shaft with 2 cut-off lines for shorter boot formats
 - Heavy-duty PVC compounded sole
 - Puncture- and tear-resistant
 - Sizes 4-13
 - Black



- Tool Works™ Heavy Duty
Leather Kneepad
Item KUNKP-300**
- 1/2" thick water-repellent felt lining
 - Riveted
 - Adjustable leather straps with steel buckles
 - One size



- Tool Works™ Buckle-Style
Soft Shell Knee Pad
Item KUNKP-302**
- Heavy-duty construction
 - High-density, closed cell foam interior
 - Soft shell polyester
 - Steel buckle with adjustable straps
 - One size



- Tool Works™ Foam
Kneepad
Item KUNKP-315**
- Thick, molded foam
 - Hook and loop fasteners
 - Adjustable elastic straps
 - One size



- Tool Works™ Professional
Gel Kneepad
Item KUNKP-340**
- 1680D ballistic polyester
 - Gel centre
 - Breathable neoprene lower straps
 - Upper elastic strap with slide buckle fasteners
 - Over-sized large caps
 - Two-strap fastening
 - One size

DBI-SALA® TRIPODS & WINCHES



- Advanced Aluminum Tripod**
Item DBI8000014 (7 ft)
Item DBI8000015 (9 ft)
- Telescoping adjustable locking legs
 - Built-in pulley system
 - Rubber safety shoes with spiked edges
 - 350 lb weight capacity



- Winches**
Item DBI8102060* (60 ft)
Item DBI8102009* (90 ft)
Item DBI8102005* (120 ft)
Item DBI8102022** (60 ft)
Item DBI8102011** (90 ft)
Item DBI8102007** (120 ft)
- Galvanized steel wire rope*
 - Stainless steel wire rope**
 - Manually operated
 - 6:1 gear ratio
 - Quick mount bracket
 - Reserve lifeline retention system
 - Swiveling snap hook with impact indicator
 - Carry bag

DBI-SALA® Tripods & Winches continued



Sealed-Blok™ SRL

- Pivoting anchorage loop
- Sealed design
- Anti-ratcheting design
- Carrying handle
- Secondary anchorage point
- Aluminum housing
- Stainless steel end-plate
- Ergonomic cable handle
- Self-locking swivel hook
- Impact indicator

3-Way Sealed-Blok™ SRL/RSQ

- Raise and lower personnel or materials
- Simple change in/out of retrieval
- Stowaway handle
- Optional bracket for davit attachment
- Available with RSQ™ option
- For rescue use only

Galvanized Lifeline	SS Lifeline	Steel Hook	SS Hook	Mounting Bracket	Retrieval Capability	420 lb Cap.	30 ft / 18 lb	50 ft / 29 lb	85 ft / 44 lb	130 ft / 60 lb	175 ft / 114 lb	Type
●		●				●	—	DBI3400900C	DBI3400863	DBI3400968	DBI3400653	Sealed-Blok™
●		●		●	●	●	DBI3400853C	—	—	—	—	3-Way Sealed-Blok™
●		●		●	●	●	—	DBI3400923C	DBI3400876	DBI3400981	—	3-Way Sealed-Blok™
	●		●			●	—	DBI3400902C	DBI3400865	DBI3400970	DBI3400655	Sealed-Blok™
	●		●	●	●	●	DBI3400858C	—	—	—	—	3-Way Sealed Blok™
	●		●	●	●	●	—	DBI3400926C	DBI3400883	DBI3400988	—	3-Way Sealed Blok™

DBI-SALA® HARNESSES



ExoFit™ NEX™ Arc Flash Positioning Harness

- Item DBI1103070C (S)
- Item DBI1103071C (M)
- Item DBI1103072C (L)
- Item DBI1103073C (XL)
- Item DBI1103074C (2XL)
- Nomex®/Kevlar® shoulder, back and leg padding
- Nomex®/Kevlar® fibre webbing
- Stand-up back D-ring
- 2 lateral D-rings
- Duo-Lok™ quick-connect chest and leg straps
- 420 lb capacity



Delta™ Vest-Style Harness

- Item DBI1102000C (Grommeted)
- Item DBI1110600C (Quick-Connect)
- Item DBI1103321C (Pass-Thru Buckle)
- Stand-up back D-ring
- Repel™ webbing
- Built-in lanyard keepers
- Universal size
- 420 lb capacity



ExoFit™ Plus Comfort Vest-Style Harness

- Item DBI1140001C (S)
- Item DBI1140002C (M)
- Item DBI1140003C (L)
- Item DBI1140004C (XL)
- Fixed back D-ring
- Shoulder, back and leg padding
- Quick-connect leg and chest connection
- 330 lb capacity



ExoFit™ NEX™ Plus Comfort Vest-Style Climbing Harness

- Item DBI1140109C (S)
- Item DBI1140110C (M)
- Item DBI1140111C (L)
- Item DBI1140112C (XL)
- Fixed back D-ring
- Front D-ring
- Padded shoulder, back and leg
- Dual lock quick-connect leg and chest connections
- 420 lb capacity

DBI-SALA® LANYARDS



- EZ-Stop™ Shock-Absorbing Lanyard
Item DBI1246011C**
- 6 ft single-leg
 - Hi-10™ Vectran™ energy absorption system
 - Repel™ webbing
 - Web lanyard with steel snap hooks at each end
 - 310 lb capacity



- EZ-Stop™ Shock-Absorbing Lanyard
Item DBI1246437C**
- 6 ft single-leg
 - E6, locking snap hook centre
 - Snap hook leg ends
 - Transverse-load-rated self-locking/closing aluminum Comfort Grip connector
 - 418 lb capacity



- EZ-Stop™ 100% Tie-Off Shock-Absorbing Lanyard
Item DBI1246022C**
- 6 ft double-leg
 - Self-locking steel snap hooks
 - Hi-10™ Vectran™ energy-absorption system
 - Repel™ webbing
 - 310 lb capacity



- EZ-Stop™ 100% Tie-Off Shock-Absorbing Lanyard
Item DBI1246021C**
- 6 ft double-leg
 - Aluminum self-locking snap hook at centre and locking gate/nose rebar hook at leg ends
 - 310 lb capacity



- EZ-Stop™ Arc Flash Shock-Absorbing Lanyard
Item DBI1246306C**
- 6 ft single-leg
 - Nomex®/Kevlar® fibre fire-resistant webbing
 - Self-locking steel snap hooks
 - 310 lb capacity



- Force2™ Adjustable 100% Tie-Off Shock-Absorbing Lanyard
Item DBI1246320C**
- 6 ft double-leg
 - Force2™ 12 ft free fall and dual-capacity rated
 - Arc flash and hot work rated
 - Self-locking steel snap hooks
 - 310 lb capacity

DBI-SALA® LIFELINES & ACCESSORIES



- Rebel™ Self-Retracting Lifeline**
- Galvanized steel wire rope
 - Self-locking swiveling snap hook
 - Swiveling anchorage loop and carabiner
 - Quick activating speed-sensing brake system
 - High capacity external energy absorber and impact indicator

Item	Wt. (lb)	Length'
DBI3590017	310	10
DBI3590022	310	15
DBI3590518	420	20
DBI3590502	420	33
DBI3590552	420	50
DBI3590592	420	66
DBI3590632	420	85
DBI3590672	420	100



- Rebel™ Self-Retracting Lifeline**
- Stainless steel cable
 - Swiveling self-locking snap hook with impact indicator
 - Speed-sensing all-metal brake system
 - Side lifeline exit with ergonomic handle

Item	Wt. (lb)	Length'
DBI3590519	420	20
DBI3590503	420	33
DBI3590553	420	50
DBI3590593	420	66
DBI3590633	420	85
DBI3590673	420	100



DBI-SALA® Lifelines & Accessories continued



PRO™ Rope Lifeline w/ Snap Hook
Item DBI1299996 (25 ft)
Item DBI1299997 (50 ft)
Item DBI1299997 (100 ft)
 • 5/8" diameter
 • Polyester/polypropylene blend
 • Built-in self-locking snap hook
 • 310 lb capacity



PRO™ Mobile Rope Grab
Item DBI5000003
 • 5/8" diameter
 • Inertia and cam-locking systems
 • Detachable anywhere along the line
 • 310 lb capacity



PRO™ Rope adjuster w/ Lanyard
Item DBI1340005
 • 2 ft long
 • 5/8" diameter
 • Manual design
 • Cam-locking system
 • 310 lb capacity



Rebel™ Suspension Trauma Safety Straps
Item DBI9501403C
 • Attaches to most harnesses
 • Helps to provide comfort and help prevent suspension trauma while worker is awaiting rescue by allowing the individual to stand up in their harness and to relieve pressure to arteries and veins around the legs
 • 420 lb capacity



Sayflin™ Synthetic Horizontal Lifeline System
 • Includes one tensioner, one energy absorber, two 6-ft tie-off adaptor anchors, one 11/16" static kernmantle rope lifeline, one duffel bag
 • 310 lb capacity
 • 11/16" diameter lifeline

Item	Length
DBI7600701	20
DBI7600702	30
DBI7600703	40
DBI7600704	50
DBI7600705	60
DBI7600706	70
DBI7600707	80
DBI7600708	90
DBI7600709	100



Inspect



Clean



Certify



Repair



3rd Party Repair



Rent

Fall protection	●	●	●	○	○	○
Lifelines (vertical/horizontal)	●	●	●	○	○	○
SRLs (Type 2 & 3)	●	●	●	●	●	●
Tripods	●	●	●	●	○	●
Winches (confined space)	●	●	●	●	●	●

Get in touch with us at arc.support@inlandindustrial.ca or call us at (780) 413-0029 to get your safety equipment serviced.

MSA LANYARDS



MSA10188100 MSA10188101 MSA10188102 MSA10188103

V-Series

- Standard shock absorbing, adjustable length
- Polyester thread/stitching and web material
- Steel snaphook material
- ANSI Z359.13, CSA Z259.11-17 certified

Item	Wt. (lb)	Length'	Leg	Hook Type	Snaphooks
MSA10188100	310	6	Single	Snap	SM
MSA10188101	310	6	Twin	Scaffold	LG
MSA10188102	310	6	Twin	Snap	SM
MSA10188103	310	6	Single	Scaffold	LG



V-TEC® Mini

- Compact and lightweight self-retracting lanyard
- Clear polycarbonate casing
- Integral energy absorber
- Structurally reinforced pawl mechanism
- Fully rotating attachment point
- Temp. range -40° to 54°C

Item	Single-Leg		Twin-Leg	
	Len.'	Hook Type	Len.'	Hook Type
MSA63111-00ACA	6	Aluminum rebar	6	Aluminum rebar
MSA63111-00BCA	6	Snap	6	Snap
MSA63111-00ECA	6	Swivel snap	6	Swivel snap
MSA63111-00FCA	6	Steel rebar	6	Steel rebar
MSA63011-00ACA	6	Aluminum rebar	6	Aluminum rebar
MSA63011-00BCA	6	Snap	6	Snap
MSA63011-00CCA	6	Aluminum swivel snap	6	Aluminum swivel snap
MSA63011-00ECA	6	Swivel snap	6	Swivel snap
MSA63011-00FCA	6	Rebar	6	Rebar
MSA63013-00ACA	10	Aluminum rebar	10	Aluminum rebar
MSA63013-00CCA	10	Aluminum swivel snap	10	Aluminum swivel snap
MSA63013-00ECA	10	Swivel snap	10	Swivel snap
MSA63013-00FCA	10	Rebar	10	Rebar



V-Edge®

Item MSA10192007

- Self-retracting lanyard
- 8 ft leading edge single-web leg
- Stationary
- Aluminum rebar snap hook
- Locking pin harness connection
- 310 lb capacity



V-TEC® Standard

- Snap hook
- Precision-made spring radial energy absorber
- Polycarbonate housing
- 400 lb capacity



Len.'	Galvanized Cable	Stainless Steel Cable
20	MSA63206-00ACA	MSA63306-00ACA
30	MSA63210-00ACA	MSA63310-00ACA
50	MSA63215-00ACA	MSA63315-00ACA
100	MSA63230-00ACA	MSA63330-00ACA



Workman®

- Self-retracting lanyard
- Integral, ergonomic carrying handle
- Swivel snaphook with load indicator
- RFID-enabled
- 400 lb capacity



Item	Len.'	Cable Material
MSA10119507	30	Galvanized
MSA10120724	30	Stainless steel
MSA10121834	50	Galvanized
MSA10121778	50	Stainless steel

MSA HARNESSSES



V-FORM™ Safety Harness

- Back D-ring
- Qwik-fit leg straps
- RaceFORM™ buckle
- Athletic cut
- Pull-down adjustment

Item	Wt. (lb)	Size
MSA10197195	150	XS/M
MSA10197196	230	Standard
MSA10197197	300	XL



CABLE ANCHORS



Cable Sling Choker

Item DSIFP10/4FD (4 ft)

Item DSIFP10/6FD (6 ft)

- 1/4" galvanized cable with PVC coated flemish eye at both ends
- One 3" O-ring at one end and one snap hook model FP6650HS at the other end

PEAKWORKS HARNESSSES



Peakpro Series

- Padded shoulder, back and leg straps
- 5-point adjustment
- Fall indicator
- Polyester webbing
- Universal fit
- 400 lb capacity

Item	Leg Style	D-Rings
PKWFBH-60110A	Stab-lock buckles	1 Dorsal
PKWFBH-60110B	Stab-lock buckles	1 Dorsal, 2 Lateral
PKWFBH-60120A	Grommets	1 Dorsal
PKWFBH-60120B	Grommets	1 Dorsal, 2 Lateral



Peakpro Plus Series

- Aluminum hardware
- Webbing designed to show red indicator
- Upgraded padding
- Trauma strap installed on harness
- 400 lb capacity
- Sizes S–XL

Item	Leg Style	D-Rings
PKWFBH-70110A	Stab-lock buckles	1 Dorsal
PKWFBH-70110B	Stab-lock buckles	1 Dorsal, 2 Lateral
PKWFBH-70110G	Stab-lock buckles	1 Dorsal, 2 Lateral 2 Shoulder

PEAKWORKS SELF-RETRACTING LIFELINES



SRL

- 1" wide Dyneema core materials
- Swivel eye anchor point
- Sewn-in indicator

Item	Wt. (lb)	Len.'	Leg	Hook Material
PKWSRL-80302-12LE	300	12	Single web	Steel snap
PKWSRL-80302-18LE	300	18	Single web	Steel snap



Leading Edge SRL

- Designed for working near an edge and where a fall hazard exists that could cause the lifeline to come into contact with the edge
- Provides additional protection against sharp or abrasive surfaces
- Can be mounted below D-ring
- Used without external shock absorber

Item	Wt. (lb)	Len.'	Leg	Hook Material
PKWSRL-75105-6LE	300	6	Single web	Steel snap
PKWSRL-70502-6LE	300	6	Twin web	Steel snap
PKWSRL-73302-10LE	300	10	Single galvanized	Steel swivel snap
PKWSRL-73302-20LE	300	20	Single galvanized	Steel swivel snap
PKWSRL-73302-40LE	300	40	Single galvanized	Steel swivel snap
PKWSRL-73302-60LE	300	60	Single galvanized	Steel swivel snap

HARDWARE



Carabiners

- Zinc-plated alloy steel
- Resists rust, corrosion and weathering
- Auto-twist lock
- 5000 lb capacity

Item	Size"	Opening"
PKWCP-03015-2	3/4	3/4
PKWCP-03015-1	1	3/4
PKWCP-04011-1	2	2



Drop-In Anchor

Item PKWCP-12010-1

- 3/4" concrete hole
- 5000 lb minimum tensile strength
- 310 lb capacity



PKWRB-9800



PKWRB-9701

Roof Anchor Brackets

Item PKWRB-9701 (non-reusable)

Item PKWRB-9800 (reusable)

- 5000 lb minimum tensile strength
- 310 lb capacity

TOOL TETHERING



D-Ring Attachment

- Creates instant attachment points
- Tool lanyard with D-ring attachment point

Item	Size"	Cap. (lb)	Qty.
DBI1500003	0.5 x 2.25	2	10/Pk
DBI1500004	0.5 x 2.25	2	100/PK
DBI1500007	1 x 3	5	10/Pk
DBI1500008	1 x 3	5	100/PK



Quick-Wrap Tape II

- Item DBI1500174 (1/Pk)
- Item DBI1500175 (10/Pk)
- Creates instant tethering points
- Resists tears and stretches further
- Proprietary 3M™ material and adhesive technology
- 1 in x 9 ft
- Yellow



Heat Shrink

- Quick-Wrap Tape II protects from abrasives and harsh work environments
- 200% reduction in size when heat is applied
- Yellow

Item	Size"	Qty.
DBI1500019	3/4 x 1-3/4	25/Pk
DBI1500020	1 x 1-3/4	25/Pk
DBI1500021	1-1/2 x 2	25/Pk
DBI1500022	2 x 4	10/Pk
DBI1500023	3 x 4	10/Pk



Squids® Tool Lanyard

- Item ERG3100 (Black, 34–42")
- Item ERG3100EXT (Black or Lime, 42–54")
- Locking screwgate aluminum carabiner and cinch loop
- Energy absorbing tubular nylon webbing and lock stitching
- Captive eye carabiner
- 10 lb capacity with a 2:1 safety factor



Squids® Elastic Hard Hat Lanyard

- Item ERG3155
- Tethers easily to hard hat
- Quick-release clamp
- High-stretch elastic lanyard
- Hi-viz lime
- 2 lb capacity
- 18–48 in



Skullerz Eyewear Lanyard

- Item ERG3200-L
- 100% cotton
- Adjustable barrel slide
- Slides over temple ends
- Black



Squids® Glove Clip Holder

- Item ERG3400BK
- Dual clips
- Breakaway design
- 6-1/2 x 1 in
- Black



Squids® Coiled Hard Hat Lanyard

- Item ERG3400BK
- Quick-release clamp
- Low-profile coil
- 12 x 48 in
- Lime



Hard Hat Lanyard

- Item PROJLANHATRD
- Easy release to disengage the side release buckle, leaving one piece secured to the hard hat and the other attached to an outer garment
- Red

13 Tools & Equipment



13 Tools & Equipment

SOCKET ACCESSORIES



Ratchets

- Release button and thumb operated reverse switch*
- Reversible ratchet**
- Chrome finish

Item	Drive"	Length"	Teeth
DNCD001301*	1/4	5	45
DNCD005301*	3/8	7.6	45
DNCD012301*	1/2	9.33	45
DNCD019301*	3/4	19.69	24
GRAX101**	1	24	45



Universal Joints

- Ball and spring socket retention
- 360° articulation
- Chrome: chrome finish
- Impact: chrome-resistant black phosphate* or black oxide finish**

Item	Drive"	Length"
Chrome		
DNCD001601	1/4	1.46
DNCD005601	3/8	1.81
DNCD012600	1/2	2.76
GRA4295	3/4	3.5
Impact		
DNCD008660*	3/8	2
DNCD016660*	1/2	2.5
GRAP6-140A**	3/4	4
GRAP7-140A**	1	4-3/8



Sliding T-Handles

- Ball and spring socket retention
- Chrome finish

Item	Drive"	Length"
DNCD012500	1/2	9.75
DNCD019501	3/4	17.72



Flex Handles

- Chrome finish
- Flex handle bends 110° in either direction

Item	Drive"	Length"
DNCD001800	1/4	6
DNCD005800	3/8	7.87
DNCD012803	1/2	26.25
DNCD019805	3/4	18.7
GRA4288	3/4	21
GRAX106	1	26



Adapters

- Ball and spring retention
- Chrome: chrome finish
- Impact: chrome-resistant black phosphate* or black oxide finish**

Item	Female"	Male"	Length"
Chrome			
DNCD001201	1/4	1/4	1
DNCD005701	3/8	1/4	1.38
DNCD005702	3/8	1/2	1/81
DNCD012701	1/2	3/8	1.42
GRA4299	3/4	1/2	2
GRA4211	3/4	1	2.25
GRA4213	1	3/4	2-5/8
Impact			
DNCD005710*	3/8	1/2	1.45
DNCD012710*	1/2	3/8	1.5
DNCD012711*	1/2	3/4	2
GRAP6-4**	3/4	1/2	2-3/16
GRAP6-7**	3/4	1	2-1/2
GRAP7-6**	1	3/4	2-7/8
GRAP7-8**	1	1-1/2	3-1/4



Extensions

- Notched with spring-loaded ball
- Chrome: chrome finish
- Quick Release: chrome finish with quick-release collar
- Impact: chrome-resistant black phosphate* or black oxide finish**

Item	Drive"	Length"
Chrome		
DNCD001002	1/4	2
DNCD001004	1/4	4
DNCD001006	1/4	6
DNCD005003	3/8	3
DNCD005006	3/8	5
DNCD005010	3/8	10
DNCD012005	1/2	5
DNCD012010	1/2	10
DNCD019004	3/4	4
DNCD019008	3/4	8
DNCD019016	3/4	16
GRAX8	1	8
GRAX9	1	17
Quick Release		
DNCD012023	1/2	3
DNCD012025	1/2	5
DNCD012030	1/2	10

Item	Drive"	Length"
Impact		
DNCD005053*	3/8	3
DNCD005056*	3/8	6
DNCD012055*	1/2	5
DNCD012060*	1/2	10
GRAP6-107**	3/4	7
GRAP6-110**	3/4	10
GRAP6-113**	3/4	13
GRAP5406**	1	7
GRAP5410**	1	10
GRAP5413**	1	13



Socket Driver Adapters

- Chrome vanadium steel
- Spring-loaded ball

Item	Drive"	Length"
DNCD112001	1/4	2-1/2
DNCD112002	3/8	2-1/2
DNCD112003	1/2	3

1/4" DRIVE SOCKETS & SETS



1/4" Drive Sockets

Chrome			
Hex Size	6-Point Std.	12-Point Std.	6-Point Deep
SAE (in)			
5/32	DNCD003303	—	—
3/16	DNCD003304	DNCD003404	DNCD003504
7/32	DNCD003306	DNCD003406	DNCD003506
1/4	DNCD003308	DNCD003408	DNCD003508
9/32	DNCD003309	DNCD003409	DNCD003509
5/16	DNCD003310	DNCD003410	DNCD003510
11/32	DNCD003311	DNCD003411	DNCD003511
3/8	DNCD003312	DNCD003412	DNCD003512
7/16	DNCD003314	DNCD003414	DNCD003514
1/2	DNCD003316	DNCD003416	DNCD003516
9/16	DNCD003318	DNCD003418	DNCD003518
Metric (mm)			
4	DNCD003004	DNCD003104	DNCD003204
4.5	DNCD003045	—	—
5	DNCD003005	DNCD003105	DNCD003205
5.5	DNCD003055	—	DNCD003255
6	DNCD003006	DNCD003106	DNCD003206
7	DNCD003007	DNCD003107	DNCD003207
8	DNCD003008	DNCD003108	DNCD003208
9	DNCD003009	DNCD003109	DNCD003209
10	DNCD003010	DNCD003110	DNCD003210
11	DNCD003011	DNCD003111	DNCD003211
12	DNCD003012	DNCD003112	DNCD003212
13	DNCD003013	—	DNCD003213
14	DNCD003014	—	DNCD003214
15	DNCD003015	—	—



10-Piece 6 Pt. SAE Socket Set

- Sizes (in): 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16
- Chrome finish

Item	MMT	Drive"	Depth	Pcs.
DNCD004001	SAE	1/4	Deep	10



11-Piece 6 Pt. SAE Socket Set

- Sizes (in): 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16
- Chrome finish

Item	MMT	Drive"	Depth	Pcs.
DNCD004000	SAE	1/4	Standard	11



12-Piece 6 Pt. Metric Socket Set

- Sizes (mm): 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- Chrome finish

Item	MMT	Drive"	Depth	Pcs.
DNCD004003	Metric	1/4	Deep	12



13-Piece 6 Pt. Metric Socket Set

- Sizes (mm): 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
- Chrome finish

Item	MMT	Drive"	Depth	Pcs.
DNCD004002	Metric	1/4	Standard	13



25-Piece 6-Pt. SAE Socket Set

- 10 SAE Sockets (in): 3/16, 7/32, 1/4, 9/32,
- 2 and 6 extensions, hand driver, universal joint, 45-tooth chrome ratchet
- Chrome finish

Item	MMT	Drive"	Depth	Pcs.
DNCD004005	SAE	1/4	Standard/Deep	25



28-Piece 6-Pt. SAE/Metric Socket Set

- 10 SAE Sockets (in): 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16
- 13 Metric Sockets (mm): 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15
- 2 and 6 extensions, hand driver, universal joint, 45-tooth chrome ratchet
- Chrome finish

Item	MMT	Drive"	Depth	Pcs.
DNCD004004	SAE/Metric	1/4	Standard	28

13 Tools & Equipment

3/8" DRIVE SOCKETS & SETS



3/8" Drive Sockets

Hex Size SAE (in)	Chrome				Impact	
	6-Point Std.	12-Point Std.	6-Point Deep	12-Point Deep	6-Point Std.	6-Point Deep
1/4	DNCD008308	DNCD009408	DNCD008508	DNCD009608	—	—
5/16	DNCD008310	DNCD009410	DNCD008510	DNCD009610	DNCD007310	DNCD007510
3/8	DNCD008312	DNCD009412	DNCD008512	DNCD009612	DNCD007312	DNCD007512
7/16	DNCD008314	DNCD009414	DNCD008514	DNCD009614	DNCD007314	DNCD007514
1/2	DNCD008316	DNCD009416	DNCD008516	DNCD009616	DNCD007316	DNCD007516
9/16	DNCD008318	DNCD009418	DNCD008518	DNCD009618	DNCD007318	DNCD007518
5/8	DNCD008320	DNCD009420	DNCD008520	DNCD009620	DNCD007320	DNCD007520
11/16	DNCD008322	DNCD009422	DNCD008522	DNCD009622	DNCD007322	DNCD007522
3/4	DNCD008324	DNCD009424	DNCD008524	DNCD009624	DNCD007324	DNCD007524
13/16	DNCD008326	DNCD009426	DNCD008526	DNCD009626	—	—
7/8	DNCD008328	DNCD009428	DNCD008528	DNCD009628	—	—
15/16	DNCD008330	DNCD009430	DNCD008530	DNCD009630	—	—
1.00	DNCD008332	DNCD009432	DNCD008532	DNCD009632	—	—
Metric (mm)						
6	DNCD008006	DNCD009106	DNCD008206	DNCD009706	—	—
7	DNCD008007	DNCD009107	DNCD008207	DNCD009707	—	—
8	DNCD008008	DNCD009108	DNCD008208	DNCD009708	DNCD007008	DNCD007208
9	DNCD008009	DNCD009109	DNCD008209	DNCD009709	DNCD007009	DNCD007209
10	DNCD008010	DNCD009110	DNCD008210	DNCD009710	DNCD007010	DNCD007210
11	DNCD008011	DNCD009111	DNCD008211	DNCD009711	DNCD007011	DNCD007211
12	DNCD008012	DNCD009112	DNCD008212	DNCD009712	DNCD007012	DNCD007212
13	DNCD008013	DNCD009113	DNCD008213	DNCD009713	DNCD007013	DNCD007213
14	DNCD008014	DNCD009114	DNCD008214	DNCD009714	DNCD007014	DNCD007214
15	DNCD008015	DNCD009115	DNCD008215	DNCD009715	DNCD007015	DNCD007215
16	DNCD008016	DNCD009116	DNCD008216	DNCD009716	DNCD007016	DNCD007216
17	DNCD008017	DNCD009117	DNCD008217	DNCD009717	DNCD007017	DNCD007217
18	DNCD008018	DNCD009118	DNCD008218	DNCD009718	DNCD007018	DNCD007218
19	DNCD008019	DNCD009119	DNCD008219	DNCD009719	DNCD007019	DNCD007219
20	DNCD008020	DNCD009120	DNCD008220	—	—	—
21	DNCD008021	DNCD009121	DNCD008221	—	—	—
22	DNCD008022	DNCD009122	DNCD008222	—	—	—
23	DNCD008023	DNCD009123	DNCD008223	—	—	—
24	DNCD008024	—	—	—	—	—



3/8" Drive Hex Head Sockets

- Chrome finish
- Laser etched markings

Hex Size	Standard	Long
SAE (in)		
1/8	DNCD006052	DNCD006452
5/32	DNCD006053	DNCD006453
3/16	DNCD006054	DNCD006454
7/32	DNCD006056	DNCD006456
1/4	DNCD006058	DNCD006458
5/16	DNCD006060	DNCD006460
3/8	DNCD006062	DNCD006462
Metric (mm)		
4	DNCD006004	DNCD006404
5	DNCD006005	DNCD006405
6	DNCD006006	DNCD006406
7	DNCD006007	DNCD006407
8	DNCD006008	DNCD006408
9	DNCD006009	DNCD006409
10	DNCD006010	DNCD006410



3/8" Drive 6 Point SAE Universal Joint Sockets

- Chrome finish
- Laser etched markings
- Meets ANSI standards

Item	Size	Length	Drive"	Weight (lbs)
DNCD008612	3/8"	1.73	0.75	0.12
DNCD008614	7/16"	1.81	0.75	0.12
DNCD008616	1/2"	1.93	0.75	0.13
DNCD008618	9/16"	1.93	0.75	0.13
DNCD008620	5/8"	1.93	0.75	0.14
DNCD008622	11/16"	1.93	0.75	0.16
DNCD008624	3/4"	2.01	0.75	0.16



3/8" Drive Phillips Head Bit Sockets

- 1.89" overall length
- Chrome finish
- Laser etched markings
- Meets ANSI standards

Item	Size	Bit Length"	Drive"	Weight (lbs)
DNCD006201	PH1	0.87	0.70	0.09
DNCD006202	PH2	0.87	0.70	0.09
DNCD006203	PH3	0.87	0.70	0.09
DNCD006204	PH4	0.87	0.70	0.09



3/8" Drive Slotted Head Bit Sockets

- 1.89" overall length
- Chrome finish
- Laser etched markings
- Meets ANSI standards

Item	Size	Bit Length"	Drive"	Weight (lbs)
DNCD006105	SL5	0.87	0.70	0.11
DNCD006106	SL6	0.87	0.70	0.11
DNCD006107	SL7	0.87	0.70	0.11
DNCD006108	SL8	0.87	0.70	0.11



3/8" Drive 6 Point Universal Joint Socket

- Chrome finish
- 360° articulation
- Meets ANSI standards

Item	Size	Length"	Drive"	Weight (lbs)
DNCD008710	10 mm	1.73	0.75	0.12
DNCD008711	11 mm	1.81	0.75	0.12
DNCD008712	12 mm	1.81	0.75	0.13
DNCD008713	13 mm	1.93	0.75	0.13
DNCD008714	14 mm	1.93	0.75	0.13
DNCD008715	15 mm	1.93	0.75	0.14
DNCD008716	16 mm	1.93	0.75	0.14
DNCD008717	17 mm	1.93	0.75	0.16
DNCD008718	18 mm	2.01	0.75	0.16
DNCD008719	19 mm	2.01	0.75	0.16

3/8" Drive Sockets & Sets continued

ADynamic



- 13-Piece 6-Pt. SAE Socket Sets**
- Sizes (in): 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010000	SAE	3/8	Standard	13
DNCD010001	SAE	3/8	Deep	13

ADynamic



- 14-Piece 6-Pt. Metric Socket Sets**
- Sizes (mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010004	Metric	3/8	Standard	14
DNCD010005	Metric	3/8	Deep	14

ADynamic



- 27-Piece 6-Pt. SAE Socket Set**
- 11 SAE Sockets (in): 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1
 - 3 and 6 extensions, universal joint, 8 flex handle, 45-tooth chrome ratchet
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010009	SAE	3/8	Std/Deep	27

ADynamic



- 35-Piece 6-Pt. Metric Socket Set**
- 15 Metric Sockets (mm): 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20
 - 3 and 6 extensions, universal joint, 8 flex handle, 45-tooth chrome ratchet
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010011	Metric	3/8	Std/Deep	35

ADynamic



- 7-Piece Metric Hex Socket Set**
- Sizes (mm): 4, 5, 6, 7, 8, 9, 10
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010016	Metric	3/8	Standard	7

ADynamic



- 8-Piece 6-Pt. SAE Impact Socket Set**
- Sizes (in): 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4
 - Corrosion-resistant black phosphate finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010020	SAE	3/8	Standard	8
DNCD010021	SAE	3/8	Deep	8

ADynamic



- 12-Piece 6-Pt. Metric Impact Socket Set**
- Sizes (mm): 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
 - Corrosion-resistant black phosphate finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD010022	Metric	3/8	Standard	12
DNCD010023	Metric	3/8	Deep	12

ADynamic



- 7-Piece SAE Hex Socket Set**
- Sizes (in): 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8

Item	MMT	Drive"	Depth	Pcs.
DNCD010014	SAE	3/8	Standard	7



See our selection of tool boxes, rolling tool cabinets and other jobsite storage products on page 30.

13 Tools & Equipment

1/2" DRIVE SOCKETS & SETS



1/2" Drive Sockets

Hex Size	Chrome				Impact	
	6-Point Std.	12-Point Std.	6-Point Deep	12-Point Deep	6-Point Std.	6-Point Deep
SAE (in)						
3/8	DNCD016312	DNCD015412	DNCD016512	DNCD015612	DNCD014312	DNCD014512
7/16	DNCD016314	DNCD015414	DNCD016514	DNCD015614	DNCD014314	DNCD014514
1/2	DNCD016316	DNCD015416	DNCD016516	DNCD015616	DNCD014316	DNCD014516
9/16	DNCD016318	DNCD015418	DNCD016518	DNCD015618	DNCD014318	DNCD014518
5/8	DNCD016320	DNCD015420	DNCD016520	DNCD015620	DNCD014320	DNCD014520
11/16	DNCD016322	DNCD015422	DNCD016522	DNCD015622	DNCD014322	DNCD014522
3/4	DNCD016324	DNCD015424	DNCD016524	DNCD015624	DNCD014324	DNCD014524
13/16	DNCD016326	DNCD015426	DNCD016526	DNCD015626	DNCD014326	DNCD014526
7/8	DNCD016328	DNCD015428	DNCD016528	DNCD015628	DNCD014328	DNCD014528
15/16	DNCD016330	DNCD015430	DNCD016530	DNCD015630	DNCD014330	DNCD014530
1.00	DNCD016332	DNCD015432	DNCD016532	DNCD015632	DNCD014332	DNCD014532
1-1/16	DNCD016334	DNCD015434	DNCD016534	DNCD015634	DNCD014334	DNCD014534
1-1/8	DNCD016336	DNCD015436	DNCD016536	DNCD015636	DNCD014336	DNCD014536
1-3/16	DNCD016338	DNCD015438	DNCD016538	DNCD015638	DNCD014338	DNCD014538
1-1/4	DNCD016340	DNCD015440	DNCD016540	DNCD015640	DNCD014340	DNCD014540
1-5/16	DNCD016342	DNCD015442	DNCD016542	DNCD015642	DNCD014342	DNCD014542
1-3/8	—	—	—	—	DNCD014344	DNCD014544
1-7/16	—	—	—	—	DNCD014346	DNCD014546
1-1/2	—	—	—	—	DNCD014348	DNCD014548
Metric (mm)						
8	—	—	—	—	DNCD014008	DNCD014208
9	—	—	—	—	DNCD014009	DNCD014209
10	DNCD016010	DNCD015110	DNCD016210	DNCD015710	DNCD014010	DNCD014210
11	DNCD016011	DNCD015111	DNCD016211	DNCD015711	DNCD014011	DNCD014211
12	DNCD016012	DNCD015112	DNCD016212	DNCD015712	DNCD014012	DNCD014212
13	DNCD016013	DNCD015113	DNCD016213	DNCD015713	DNCD014013	DNCD014213
14	DNCD016014	DNCD015114	DNCD016214	DNCD015714	DNCD014014	DNCD014214
15	DNCD016015	DNCD015115	DNCD016215	DNCD015715	DNCD014015	DNCD014215
16	DNCD016016	DNCD015116	DNCD016216	DNCD015716	DNCD014016	DNCD014216
17	DNCD016017	DNCD015117	DNCD016217	DNCD015717	DNCD014017	DNCD014217
18	DNCD016018	DNCD015118	DNCD016218	DNCD015718	DNCD014018	DNCD014218
19	DNCD016019	DNCD015119	DNCD016219	DNCD015719	DNCD014019	DNCD014219
20	DNCD016020	DNCD015120	DNCD016220	DNCD015720	DNCD014020	DNCD014220
21	DNCD016021	DNCD015121	DNCD016221	DNCD015721	DNCD014021	DNCD014221
22	DNCD016022	DNCD015122	DNCD016222	DNCD015722	DNCD014022	DNCD014222
23	DNCD016023	DNCD015123	DNCD016223	DNCD015723	DNCD014023	DNCD014223
24	DNCD016024	DNCD015124	DNCD016224	DNCD015724	DNCD014024	DNCD014224
25	DNCD016025	DNCD015125	DNCD016225	DNCD015725	DNCD014025	—
26	DNCD016026	DNCD015126	DNCD016226	DNCD015726	DNCD014026	—
27	DNCD016027	DNCD015127	DNCD016227	DNCD015727	DNCD014027	DNCD014227
28	DNCD016028	DNCD015128	DNCD016228	—	DNCD014028	—
29	DNCD016029	—	DNCD016229	—	DNCD014029	—
30	DNCD016030	DNCD015130	DNCD016230	—	DNCD014030	DNCD014230
31	DNCD016031	—	DNCD016231	—	DNCD014031	—
32	DNCD016032	DNCD015132	DNCD016232	—	DNCD014032	—
36	—	—	—	—	DNCD014036	DNCD014236



1/2" Drive Hex Head Sockets

- Chrome finish
- Laser etched markings

Hex Size	Standard	Long
SAE (in)		
1/4	DNCD013058	DNCD013458
5/16	DNCD013060	DNCD013460
3/8	DNCD013062	DNCD013462
7/16	DNCD013064	DNCD013464
1/2	DNCD013066	DNCD013466
9/16	DNCD013068	DNCD013468
5/8	DNCD013070	DNCD013470
3/4	DNCD013074	DNCD013474
Metric (mm)		
6	DNCD013006	DNCD013406
8	DNCD013008	DNCD013408
10	DNCD013010	DNCD013410
12	DNCD013012	DNCD013412
14	DNCD013014	DNCD013414
17	DNCD013017	DNCD013417
19	DNCD013019	DNCD013419



- 7-Piece Metric Hex Socket Set**
- Sizes (mm): 6, 8, 10, 12, 14, 17, 19
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD018014	Metric	1/2	Standard	7



- 8-Piece SAE Hex Socket Set**
- Sizes (in): 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4
 - Chrome finish
 - Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD018018	SAE	1/2	Standard	8

1/2" Drive Sockets & Accessories continued

Dynamic



14-Piece 6-Pt. Impact Metric Socket Set

- Sizes (mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23
- Corrosion-resistant black phosphate finish
- Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD018023	Metric	1/2	Standard	14
DNCD018022	Metric	1/2	Deep	14

Dynamic



16-Piece 6-Pt. SAE Socket Set

- Sizes (in): 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16
- Chrome finish
- Laser etched markings

Item	MMT	Drive"	Depth	Pcs.
DNCD018000	SAE	1/2	Standard	16
DNCD018001	SAE	1/2	Deep	16

Dynamic



19-Piece 6-Pt. Regular and Impact Socket Sets

- SAE impact sizes (in): 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2
- Metric sizes (mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28

Item	MMT	Drive"	Depth	Pcs.
Regular				
DNCD018004	Metric	1/2	Standard	19
DNCD018005	Metric	1/2	Deep	19
Impact				
DNCD018024	SAE	1/2	Standard	19
DNCD018026	SAE	1/2	Deep	19

Dynamic



41-Piece 6-Pt. SAE/Metric Socket Set

- 16 SAE Sockets (in): 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16
- 19 Metric Sockets (mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
- 5 and 10 extensions, 45-tooth ratchet, universal joint, flex handle, T-handle

Item	MMT	Drive"	Depth	Pcs.
DNCD018010	SAE/Metric	1/2	Standard	41

Dynamic



43-Piece 6-Pt. Metric Socket Set

- 19 Standard Metric Sockets (mm): 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
- 18 Deep Metric Sockets (mm): 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28
- 5 and 10 extensions, 45-tooth ratchet, universal joint, flex handle, T-handle


Item	MMT	Drive"	Depth	Pcs.
DNCD018013	Metric	1/2	Std/Deep	43

3/4" DRIVE SOCKETS & SETS



3/4" Drive Sockets

Hex Size SAE (in)	Chrome		Impact	
	12-Point Std.	6-Point Deep	6-Point Std.	6-Point Deep
9/16	—	—	GRAP2609	GRAPL2609
5/8	—	—	GRAP2610	GRAPL2610
11/16	—	—	GRAP2611	GRAPL2611
3/4	—	—	GRAP2612	GRAPL2612
13/16	—	—	GRAP2613	GRAPL2613
7/8	DNCD022428	—	GRAP2614	GRAPL2614
15/16	DNCD022430	GRARLH30	GRAP2615	GRAPL2615
1	DNCD022432	GRARLH32	GRAP2632	GRAPL2632
1-1/16	DNCD022434	GRARLH34	GRAP2634	GRAPL2634
1-1/8	DNCD022436	GRARLH36	GRAP2636	GRAPL2636
1-3/16	DNCD022438	—	GRAP2638	GRAPL2638
1-1/4	DNCD022440	GRARLH40	GRAP2640	GRAPL2640
1-5/16	DNCD022442	GRARLH42	GRAP2642	GRAPL2642
1-3/8	DNCD022444	GRARLH44	GRAP2644	GRAPL2644
1-7/16	DNCD022446	GRARLH46	GRAP2646	GRAPL2646
1-1/2	DNCD022448	GRARLH48	GRAP2648	GRAPL2648
1-9/16	DNCD022450	—	GRAP2650	GRAPL2650
1-5/8	DNCD022452	GRARLH52	GRAP2652	GRAPL2652
1-11/16	DNCD022454	—	GRAP2654	GRAPL2654
1-3/4	DNCD022456	—	GRAP2656	GRAPL2656
1-13/16	DNCD022458	—	GRAP2658	GRAPL2658
1-7/8	DNCD022460	—	GRAP2660	GRAPL2660
1-15/16	—	—	GRAP2662	GRAPL2662
2	DNCD022464	—	GRAP2664	GRAPL2664
2-1/16	—	—	GRAP2666	GRAPL2666
2-1/8	—	—	GRAP2668	GRAPL2668
2-3/16	—	—	GRAP2670	GRAPL2670
2-1/4	—	—	GRAP2672	GRAPL2672
2-5/16	—	—	GRAP2674	GRAPL2674
2-3/8	—	—	GRAP2676	GRAPL2676
2-7/16	—	—	—	GRAPL2678
2-1/2	—	—	—	GRAPL2680
Metric (mm)				
17	—	—	GRAMP3417H	—
18	—	—	GRAMP3418H	—
19	DNCD022119	—	GRAMP3419H	GRAMPD3419H
20	DNCD022120	—	GRAMP3420H	—
21	DNCD022121	—	GRAMP3421H	GRAMPD3421H
22	DNCD022122	—	GRAMP3422H	GRAMPD3422H
23	DNCD022123	—	GRAMP3423H	GRAMPD3423H
24	DNCD022124	—	GRAMP3424H	GRAMPD3424H
25	DNCD022125	—	GRAMP3425H	GRAMPD3425H
26	DNCD022126	—	GRAMP3426H	GRAMPD3426H
27	DNCD022127	—	GRAMP3427H	GRAMPD3427H
28	DNCD022128	—	GRAMP3428H	—
29	DNCD022129	—	GRAMP3429H	—
30	DNCD022130	—	GRAMP3430H	GRAMPD3430H
31	—	—	GRAMP3431H	GRAMPD3431H
32	DNCD022132	—	GRAMP3432H	GRAMPD3432H
33	—	—	GRAMP3433H	GRAMPD3433H
34	—	—	GRAMP3434H	GRAMPD3434H
35	DNCD022135	—	GRAMP3435H	GRAMPD3435H
36	DNCD022136	—	GRAMP3436H	GRAMPD3436H
37	—	—	—	GRAMPD3437H
38	DNCD022138	—	GRAMP3438H	GRAMPD3438H
40	—	—	GRAMP3440H	—
41	DNCD022141	—	GRAMP3441H	GRAMPD3441H
42	—	—	GRAMP3442H	—
43	—	—	GRAMP3443H	GRAMPD3443H
46	DNCD022146	—	GRAMP3446H	GRAMPD3446H
50	DNCD022150	—	GRAMP3450H	GRAMPD3450H



3/4" Drive Hex Head Sockets

- Corrosion-resistant black oxide finish

Hex Size SAE (in)	Standard	Hex Size Metric (mm)	Standard
9/16	GRAPB2618	14	GRAPB2614M
5/8	GRAPB2620	17	GRAPB2617M
3/4	GRAPB2624	19	GRAPB2619M
7/8	GRAPB2628	22	GRAPB2622M
1	GRAPB2632	24	GRAPB2624M

5-Piece SAE Impact Hex Socket Set

- Sizes (in): 9/16, 5/8, 3/4, 7/8, 1

Item	MMT	Drive"	Depth	Pcs.
GRA45805	SAE	3/4	Standard	5

5-Piece Metric Hex Socket Set

- Sizes (mm): 14, 17, 19, 22, 24

Item	MMT	Drive"	Depth	Pcs.
GRA46805	Metric	3/4	Standard	5

10-Piece 6-Pt. SAE Impact Socket Set

- Sizes (in): 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8

Item	MMT	Drive"	Depth	Pcs.
GRA45010	SAE	3/4	Standard	10
GRA45260	SAE	3/4	Deep	10

10-Piece 12-Pt. SAE Socket Set

- Sizes (in): 15/16, 1, 1-1/16, 1-1/8, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8
- Mirror chrome finish

Item	MMT	Drive"	Depth	Pcs.
GRA45110	SAE	3/4	Standard	10

20-Piece 12-Pt. Metric Socket Set

- 15 Metric Sockets (mm): 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 35, 36
- 4, 8 and 16 extensions, flex handle, 24-tooth chrome ratchet

Item	MMT	Drive"	Depth	Pcs.
DNCD23001	Metric	3/4	Standard	20

21-Piece 12-Pt. SAE Socket Set

- 17 SAE Sockets (in): 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-3/16, 1-1/4, 1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-5/8, 1-3/4, 1-13/16, 1-7/8, 2, 4
- 8 and 16 extensions, flex handle, 24-tooth chrome ratchet

Item	MMT	Drive"	Depth	Pcs.
DNCD23000	SAE	3/4	Standard	21

1" DRIVE SOCKETS & SETS



1" Drive Sockets

Chrome		Impact		
Hex Size	12-Point Std.	6-Point Std.	8-Point Std.	6-Point Deep
SAE (in)				
3/4	—	GRA7-624	—	—
13/16	—	GRA7-626	—	—
7/8	—	GRA7-628	—	GRA17-628
15/16	—	GRA7-630	—	GRA17-630
1	—	GRA7-632	—	GRA17-632
1-1/16	—	—	—	GRA17-634
1-1/8	—	GRA7-636	—	GRA17-636
1-1/6	—	GRA7-634	—	—
1-3/16	—	GRA7-638	—	GRA17-638
1-1/4	—	GRA7-640	—	GRA17-640
1-5/16	—	—	—	GRA17-642
1-1/3	—	GRA7-642	—	—
1-3/8	—	GRA7-644	—	GRA17-644
1-7/16	GRAX46	—	—	GRA17-646
1-4/9	—	GRA7-646	—	—
1-1/2	GRAX48	GRA7-648	—	GRA17-648
1-4/7	—	GRA7-650	—	—
1-5/8	GRAX52	GRA7-652	GRA7-652S	GRA17-652
1-2/3	—	GRA7-654	—	—
1-9/16	—	—	—	GRA17-650
1-11/16	GRAX54	—	GRA7-654S	GRA17-654
1-3/4	GRAX56	GRA7-656	GRA7-656S	GRA17-656
1-4/5	—	GRA7-658	—	—
1-13/16	GRAX58	—	GRA7-658S	GRA17-658
1-7/8	GRAX60	GRA7-660	GRA7-660S	GRA17-660
1-15/16	—	GRA7-662	—	GRA17-662
2	GRAX64	GRA7-664	GRA7-664S	GRA17-664
2-1/16	GRAX66	GRA7-666	—	GRA17-666
2-1/8	GRAX68	GRA7-668	—	GRA17-668
2-3/16	GRAX70	GRA7-670	—	GRA17-670
2-1/4	GRAX72	GRA7-672	—	GRA17-672
2-5/16	GRAX74	GRA7-674	—	GRA17-674
2-3/8	GRAX76	GRA7-676	—	GRA17-676
2-7/16	GRAX78	GRA7-678	—	GRA17-678
2-1/2	GRAX80	GRA7-680	—	GRA17-680
2-9/16	GRAX82	GRA7-682	—	GRA17-682
2-5/8	GRAX84	GRA7-684	—	GRA17-684
2-11/16	—	GRA7-686	—	—
2-3/4	GRAX88	GRA7-688	—	GRA17-688
2-13/16	—	GRA7-690	—	—
2-7/8	—	GRA7-692	—	—
2-15/16	GRAX94	GRA7-694	—	—
3	GRAX96	GRA7-696	—	—
3-1/8	GRAX100	GRA7-6100	—	—
3-1/4	—	GRA7-6104	—	—
3-3/8	—	GRA7-6108	—	—
3-1/2	GRAX112	GRA7-6112	—	—
3-5/8	—	GRA7-6116	—	—
3-3/4	—	GRA7-6120	—	—
3-7/8	—	GRA7-6124	—	—
4	—	GRA7-6128	—	—
4-1/8	—	GRA7-6132	—	—
4-1/4	—	GRA7-6136	—	—
4-1/2	—	GRA7-6144	—	—

Chrome		Impact
Hex Size	12-Point Std.	6-Point Std.
Metric (mm)		
19	—	GRAXP19H
22	—	GRAXP22H
24	—	GRAXP24H
26	—	GRAXP26H
27	—	GRAXP27H
28	—	GRAXP28H
29	—	GRAXP29H
30	—	GRAXP30H
32	—	GRAXP32H
33	—	GRAXP33H
35	—	GRAXP35H
36	—	GRAXP36H
38	—	GRAXP38H
41	—	GRAXP41H
46	GRAMX46	GRAXP46H
50	GRAMX50	GRAXP50H
54	GRAMX54	GRAXP54H
55	GRAMX55	GRAXP55H
58	—	GRAXP58H
60	GRAMX60	GRAXP60H
65	GRAMX65	GRAXP65H
70	GRAMX70	GRAXP70H
75	GRAMX75	GRAXP75H
80	—	GRAXP80H
85	—	GRAXP85H
90	—	GRAXP90H
95	—	GRAXP95H
100	—	GRAXP100H
105	—	GRAXP105H
110	—	GRAXP110H
115	—	GRAXP115H
120	—	GRAXP120H

WRENCHES & HANDLES




Contractor Series Combination & Chrome Fully Polished Wrenches

- 15° angled open and 15° offset boxed end

Hex Size	12-Point Contractor	12-Point Fully Polished
SAE (in)		
1/4	DNCD074308	DNCD074008
5/16	DNCD074310	DNCD074010
3/8	DNCD074312	DNCD074012
7/16	DNCD074314	DNCD074014
1/2	DNCD074316	DNCD074016
9/16	DNCD074318	DNCD074018
5/8	DNCD074320	DNCD074020
11/16	DNCD074322	DNCD074022
3/4	DNCD074324	DNCD074024
13/16	DNCD074326	DNCD074026
7/8	DNCD074328	DNCD074028
15/16	DNCD074330	DNCD074030
1	DNCD074332	DNCD074032
1-1/16	DNCD074334	DNCD074034
1-1/8	DNCD074336	DNCD074036
1-1/4	DNCD074340	DNCD074040
1-5/16	DNCD074342	—
1-3/8	DNCD074344	—
1-7/16	DNCD074346	—
1-1/2	DNCD074348	—
1-5/8	DNCD074350	—
1-11/16	DNCD074352	—
1-3/4	DNCD074354	—
1-13/16	DNCD074356	—
1-7/8	DNCD074358	—
2	DNCD074360	—
2-1/8	DNCD074362	—
2-1/4	DNCD074364	—
2-3/8	DNCD074366	—
2-1/2	DNCD074368	—
Metric (mm)		
6	DNCD074406	DNCD074106
7	DNCD074407	DNCD074107
8	DNCD074408	DNCD074108
9	DNCD074409	DNCD074109
10	DNCD074410	DNCD074110
11	DNCD074411	DNCD074111
12	DNCD074412	DNCD074112
13	DNCD074413	DNCD074113
14	DNCD074414	DNCD074114
15	DNCD074415	DNCD074115
16	DNCD074416	DNCD074116
17	DNCD074417	DNCD074117
18	DNCD074418	DNCD074118
19	DNCD074419	DNCD074119
20	DNCD074420	DNCD074120
21	DNCD074421	DNCD074121
22	DNCD074422	DNCD074122
23	DNCD074423	DNCD074123
24	DNCD074424	DNCD074124
25	DNCD074425	DNCD074125
26	DNCD074426	DNCD074126
27	DNCD074427	DNCD074127
28	DNCD074428	DNCD074128
29	DNCD074429	DNCD074129
30	DNCD074430	DNCD074130
32	DNCD074432	DNCD074132

13 Tools & Equipment


Wrenches & Handles continued



11-Piece 12-Pt. Metric Combination Wrench Set

- Sizes (mm): 9 to 19
- 15° angled open and 15° offset boxed end


Item	MMT	Depth	Type	Pcs.
DNCD074204	Metric	Standard	Fully polished	11
DNCD074224	Metric	Standard	Contractor	11



8-Piece 12-Pt. SAE Reversible Combination Ratcheting Wrench Set

- Sizes (in): 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4
- 15° angled open and 15° offset boxed end


Item	MMT	Depth	Type	Pcs.
DNCD076601	SAE	Standard	Polished	8



12-Piece 12-Pt. Metric Reversible Combination Ratcheting Wrench Set

- Sizes (mm): 8 to 19
- 15° angled open and 15° offset boxed end

Item	MMT	Depth	Type	Pcs.
DNCD076603	Metric	Standard	Polished	12



12-Piece 12-Pt. SAE Combination Wrench Sets

- Sizes (in): 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16
- 15° angled open and 15° offset boxed end

Item	MMT	Depth	Type	Pcs.
DNCD074202	SAE	Standard	Fully polished	12
DNCD074222	SAE	Standard	Contractor	12



Adjustable Wrenches

- Size graduation markings on head
- Drop forged, chrome finish

Item	Size"	Max. Jaw Opening"
DNCD072004	4	0.60
DNCD072006	6	0.80
DNCD072008	8	1.00
DNCD072010	10	1.20
DNCD072012	12	1.40
DNCD072015	15	1.70
DNCD072018	18	2.10



12-Pt. SAE & Metric Reversible Combination Ratcheting Wrenches

- 15° angled open and 15° offset boxed end

Hex Size	12-Point Polished	Hex Size	12-Point Polished
SAE (in)		Metric (mm)	
5/16	DNCD076010	8	DNCD076108
3/8	DNCD076012	9	DNCD076109
7/16	DNCD076014	10	DNCD076110
1/2	DNCD076016	11	DNCD076111
9/16	DNCD076018	12	DNCD076112
5/8	DNCD076020	13	DNCD076113
11/16	DNCD076022	14	DNCD076114
3/4	DNCD076024	15	DNCD076115
		16	DNCD076116
		17	DNCD076117
		18	DNCD076118
		19	DNCD076119



Pipe Wrenches

- Industrial I-beam forged construction
- Floating hook jaw

Item	Capacity"	Length"
Cast Iron		
GRAGSP8	1	8
GRAGSP10	1-1/2	10
GRAGSP12	2	12
GRAGSP14	2	14
GRAGSP18	2-1/2	18
GRAGSP24	3	24
GRAGSP36	5	36
Aluminum		
GRAGSP14A	2	14
GRAGSP18A	2-1/2	18
GRAGSP24A	3	24
GRAGSP36A	5	36
GRAGSP48A	6	48



Structural Wrenches

- Offset head
- Precision broached

Item	Size"	Length"
GRA903A	5/8	12
GRA904A	3/4	12
GRA905	7/8	14-1/2
GRA906	15/16	14-1/2
GRA906B	1	14-1/2
GRA907	1-1/16	16-3/4
GRA907A	1-1/8	16-3/4
GRA908	1-1/4	18
GRA908A	1-5/16	18
GRA909	1-7/16	20
GRA909A	1-1/2	20
GRA910	1-5/8	22
GRA912	2	24



Torque Wrenches

- Dual scale
- Positive lock with spring-loaded pull-down lock ring

Item	Size"	Range (ft-lb)
CDI752MFRMH	3/8	5-75
CDI1002MFRMH	3/8	10-100
CDI1503MFRMH	1/2	20-150
CDI2503MFRMH	1/2	30-250
CDI4004MFRMH	3/4	80-400
CDI6004MFRMH	3/4	100-600
CDI10005MFRMH	1	200-1000

Wrenches & Handles continued



Crowfoot Wrenches

- High grade steel
- Open end with continuous arc

Item	Drive"	Open End"
JHWBCO10700	3/8	3/8
JHWBCO10701	3/8	7/16
JHWBCO10702	3/8	1/2
JHWBCO10703	3/8	9/16
JHWBCO10704	3/8	5/8
JHWBCO10705	3/8	11/16
JHWBCO10706	3/8	3/4
JHWBCO10707	3/8	13/16
JHWBCO10708	3/8	7/8
JHWBCO10709	3/8	15/16
JHWBCO10710	3/8	1
JHWBCO10711	3/8	1-1/16
JHWBCO10712	3/8	1-1/8
JHWBCO10713	3/8	1-3/16
JHWBCO10714	3/8	1-1/4
JHWBCO10715	3/8	1-5/16
JHWBCO10716	3/8	1-3/8
JHWBCO10717	3/8	1-7/16
JHWBCO10718	3/8	1-1/2
JHWBCO10719	3/8	1-9/16
JHWBCO10720	3/8	1-5/8
JHWBCO10721	3/8	1-11/16
JHWBCO10722	3/8	1-3/4
JHWBCO10723	3/8	1-13/16
JHWBCO10724	3/8	1-7/8
JHWBCO10725	3/8	1-15/16
JHWSOE10810	1/2	15/16
JHWSOE10811	1/2	1
JHWSOE10812	1/2	1-1/16
JHWSOE10813	1/2	1-1/8
JHWSOE10814	1/2	1-3/16
JHWSOE10815	1/2	1-1/4
JHWSOE10816	1/2	1-5/16
JHWSOE10817	1/2	1-3/8
JHWSOE10818	1/2	1-7/16
JHWSOE10819	1/2	1-1/2
JHWSOE10820	1/2	1-9/16
JHWSOE10821	1/2	1-5/8
JHWSOE10822	1/2	1-11/16
JHWSOE10823	1/2	1-3/4
JHWSOE10824	1/2	1-13/16
JHWSOE10825	1/2	1-7/8
JHWSOE10826	1/2	1-15/16
JHWSOE10827	1/2	2
JHWSOE10828	1/2	2-1/16
JHWSOE10829	1/2	2-1/8



12-Pt. Strike-Free Leverage Wrenches

- 45° offset head
- Precision broached

Item	Size	Length	Handle
SAE (in)			
GRA66632	1	7-1/2	60024
GRA66634	1-1/16	7-1/2	60024
GRA66636	1-1/8	7-1/2	60024
GRA66638	1-3/16	7-1/2	60024
GRA66640	1-1/4	7-1/2	60024
GRA66642	1-5/16	7-1/2	60024
GRA66644	1-3/8	7-1/2	60024
GRA66646	1-7/16	8	60024
GRA66648	1-1/2	8	60024
GRA66650	1-9/16	8	60024
GRA66652	1-5/8	8	60024
GRA66654	1-11/16	8	60036
GRA66656	1-3/4	8	60036
GRA66658	1-13/16	8	60036
GRA66660	1-7/8	8	60036
GRA66662	1-15/16	8	60036
GRA66664	2	8-1/4	60036
GRA66666	2-1/16	8-1/4	60036
GRA66668	2-1/8	8-1/4	60036
GRA66670	2-3/16	9-1/4	60036
GRA66672	2-1/4	9-1/4	60036
GRA66674	2-5/16	9-1/4	60036
GRA66676	2-3/8	9-1/4	60036
GRA66678	2-7/16	9-1/2	60036
GRA66680	2-1/2	9-1/2	60036
GRA66682	2-9/16	9-1/2	60036
GRA66684	2-5/8	9-1/2	60036
GRA66686	2-11/16	10	60036
GRA66688	2-3/4	10	60036
GRA66690	2-13/16	10	60036
GRA66692	2-7/8	10	60036
GRA66694	2-15/16	10	60036
GRA66696	3	10	60036
GRA66698	3-1/16	10	60036
GRA66699	3-1/8	10	60036
Metric (mm)			
GRA66530	30	187	60024
GRA66532	32	187	60024
GRA66536	36	200	60024
GRA66541	41	200	60024
GRA 66546	46	200	60036
GRA66555	55	205	60036
GRA66560	60	231	60036
GRA66565	65	237	60036
GRA66570	70	250	60036
GRA66575	75	250	60036
GRA66580	80	250	60036



12-Pt. Striking Face Box End Wrenches

- 45° offset head
- Precision broached

Item	Size	Length
SAE (in)		
GRA66832	1	11
GRA66834	1-1/16	11
GRA66836	1-1/8	11
GRA66838	1-3/16	11
GRA66840	1-1/4	11
GRA66842	1-5/16	11
GRA66844	1-3/8	11
GRA66846	1-7/16	12-1/2
GRA66848	1-1/2	12-1/2
GRA66850	1-9/16	12-1/2
GRA66852	1-5/8	12-1/2
GRA66854	1-11/16	12-1/2
GRA66856	1-3/4	12-1/2
GRA66858	1-13/16	12-1/2
GRA66860	1-7/8	12-1/2
GRA66862	1-15/16	12-1/2
GRA66864	2	12-3/4
GRA66866	2-1/16	12-3/4
GRA66868	2-1/8	14
GRA66870	2-3/16	14
GRA66872	2-1/4	14
GRA66874	2-5/16	14
GRA66876	2-3/8	14
GRA66878	2-7/16	14
GRA66880	2-1/2	14-1/2
GRA66882	2-9/16	14-1/2
GRA66884	2-5/8	14-1/2
GRA66886	2-11/16	16
GRA66888	2-3/4	16
GRA66890	2-13/16	16
GRA66892	2-7/8	16
GRA66894	2-15/16	16
GRA66896	3	16
GRA66898	3-1/16	16
GRA66899	3-1/8	16
Metric (mm)		
GRA66927	27	279
GRA66930	30	279
GRA66932	32	279
GRA66935	35	279
GRA66936	36	317
GRA66938	38	317
GRA66941	41	317
GRA66943	43	317
GRA66946	46	324
GRA66950	50	324
GRA66951	51	324
GRA66954	54	355
GRA66955	55	355
GRA66957	57	355
GRA66960	60	355
GRA66964	64	362
GRA66965	65	362
GRA66970	70	406
GRA66973	73	406
GRA66975	75	406
GRA66980	80	406



Tubular Handle

- For strike-free leverage wrenches
- Corrosion-resistant black oxide finish
- Long, tapered handle locates and aligns bolt and rivet holes



Item	Length"
GRA60024	24
GRA60036	36

13 Tools & Equipment

HEX KEY SETS



9-Piece Metric Hex Key Set
Item DNCD043204

- Sizes (mm): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10




9-Piece Metric Ball End Long Hex Key Set
Item DNCD043202

- Sizes (mm): 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10



9-Piece TORX® Hex Key Set
Item DNCD043205

- Sizes: T10, T15, T20, T25, T27, T30, T40, T45, T50



13-Piece SAE Hex Key Set
Item DNCD043203

- Sizes (in): 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8



13-Piece SAE Ball End Long Hex Key Set
Item DNCD043201

- Sizes (in): 3/64, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8




30-Piece SAE & Metric Hex Key Set
Item DNCD043206

- Regular Metric (mm): 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10
- Long SAE (in): 0.028, 0.035, 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8



7-Piece Metric Folding Hex Key Set
Item DNCD043208

- Sizes (mm): 1.5, 2, 2.5, 3, 4, 5, 6



8-Piece Torx® Folding Hex Key Set
Item DNCD043209

- Sizes: T8, T10, T15, T20, T25, T27, T30, T40



9-Piece SAE Folding Hex Key Set
Item DNCD043207

- Sizes (in): 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4

SCREWDRIVERS & BITS

Dynamic



Phillips®

- High visibility, cushion-grip handle, tip-type ID at top of handle

Item	Tip Size	Length"
DNCD062100	#0	6.00
DNCD062101	#1	6.89
DNCD062102	#2	8.39
DNCD062103	#3	10.67

Dynamic



Robertson Square Recess

- High visibility, cushion-grip handle, tip-type ID at top of handle

Item	Tip Size	Length"
DNCD062201	#0	7.4
DNCD062202	#1	8.39
DNCD062203	#2	8.39
DNCD062204	#3	9.37

Dynamic



Slotted

- High visibility, cushion-grip handle, tip-type ID at top of handle

Item	Tip Size"	Length"
DNCD062001	1/8	6.02
DNCD062002	5/32	7.87
DNCD062003	3/16	7.87
DNCD062004	1/4	9.37
DNCD062005	5/16	10.67
DNCD062006	3/8	12.64

Dynamic



Phillips® Precision

- Rotating end cap
- Cushioned non-slip handle

Item	Tip Size	Length"
DNCD062805	#000	6
DNCD062806	#00	6
DNCD062807	#0	6.5

Dynamic



Slotted Precision

- Rotating end cap
- Cushioned non-slip handle

Item	Tip Size"	Length"
DNCD062801	3/64	6
DNCD062802	3/16	6
DNCD062803	1/4	6.5
DNCD062804	5/16	6.5

Dynamic



13-Piece Screwdriver Set

- Contains: Ratcheting screwdriver handle, Phillips® bits: #0, #1, #2, #3; Square Bits: 0, 1, 2, 3; Slotted Bits: 3.5, 4.5, 5.5, 6.5"
- Three setting ratcheting mechanism
- 1/4" hex quick-release bit holder

Item	Tip Size"	Pcs.
DNCD062508	1/4	13

Dynamic



7-Piece Precision Screwdriver Set Item DNCD062509

- Contains: Phillips®: #000, #00, #0; Slotted: 1/16, 5/64, 3/32, 1/8"
- Rotating end cap
- Cushioned no-slip handle

Dynamic



9-Piece Screwdriver Set Item DNCD062500

- Contains 5 Slotted: 1/8, 5/32, 1/4, 5/16, 3/8"; 2 Phillips®: #1, #2; 2 Square Recess: #1, #2



15-In-1 Multi-Bit Ratcheting Screwdriver Item KLE32305

- Double ratcheting mechanism
- 14 double-sided screwdriver bits and a 1/4" nut driver
- Collar sets ratchet direction
- Contains Phillips® #0, #1, #2, #3; Slotted 3/16", 1/4"; Square #1, #2; Torx® T10, T15, T20, T25; and Combo #1, #2 bits

13 Tools & Equipment

Screwdrivers & Bits continued



Pro-Tip® 2-Piece Square Recess Power Driver Bits

- Heat-treated S-2 alloy steel tip swagged into a steel body shank
- Cling-fit tip

Item	Tip Size	Length"
HPA140-321B	#1	2
HPA140-322B	#2	2
HPA140-323B	#3	2
HPA140-331B	#1	3
HPA140-332B	#2	3
HPA140-333B	#3	3



Pro-Tip® Phillips® Power Driver Bits

- S-2 alloy tool steel
- Heat treated

Item	Tip Size	Length"
HPA140-421B	#1	2
HPA140-423B	#3	2
HPA140-424B	#2	2
HPA140-431B	#1	3
HPA140-432B	#2	3
HPA140-433B	#3	3



SHOCKWAVE™ Impact Duty™ 2-9/16" Magnetic Drivers

- Custom Alloy76™ Steel
- Colour-coded band, chamfered edge

Item	Size"
MIL49-66-4832	1/4
MIL49-66-4833	5/16
MIL49-66-4835	3/8
MIL49-66-4536	7/16
MIL49-66-4537	1/2



SHOCKWAVE™ Impact Square Bits

- Wear Guard Tip™
- Custom Alloy76™ Steel

Item	Tip Size	Length"
MIL48-32-4471	#1	2
MIL48-32-4472	#2	2
MIL48-32-4473	#3	2
MIL48-32-4572	#2	3-1/2
MIL48-32-4573	#3	3-1/2
MIL48-32-4622	#1	6
MIL48-32-4805	#2	6
MIL48-32-4809	#3	6



SHOCKWAVE™ Impact Phillips® Bits

- Wear Guard Tip™
- Custom Alloy76™ steel

Item	Tip Size	Length"
MIL48-32-4461	#1	2
MIL48-32-4462	#2	2
MIL48-32-4463	#3	2
MIL48-32-4560	#1	3-1/2
MIL48-32-4562	#2	3-1/2
MIL48-32-4563	#3	3-1/2
MIL48-32-4800	#1	6
MIL48-32-4802	#2	6
MIL48-32-4308	#3	6



SHOCKWAVE™ 2" Impact Slotted Power Bits

- Wear Guard Tip™
- Custom Alloy76™ steel

Item	Tip Size	Size"
MIL48-32-4916	#6	1/8
MIL48-32-4919	#8	3/16
MIL48-32-4918	#10	1/4



SHOCKWAVE™ 10-Piece Phillips®/ Square Impact Driver Bit Set

- 2" length
- Carabiner carrying rail



Screwdrivers & Bits continued

Milwaukee



40-Piece SHOCKWAVE™ Impact Duty Drill & Drive Set
Item MIL48-32-4006

Includes:

- (2) TORX® bit 2" T25
- (1) TORX® bit 2" T20
- (2) TORX® bit 1" T25
- (1) TORX® bit 1" T20
- (1) TORX® bit 1" T15
- (1) Square bit 2" SQ3
- (1) Square bit 2" SQ2
- (1) Square bit 1" SQ3
- (2) Square bit 1" SQ2
- (1) Square bit 1" SQ1
- (1) Slotted 2" #10 bit
- (1) Slotted 1" #8 bit
- (1) Slotted 1" #10 bit
- (1) SHOCKWAVE™ compact magnetic bit holder
- (1) Phillips® reduced 1" PR2 bit
- (1) Phillips® bit 2" P3
- (4) Phillips® bit 2" P2
- (1) Phillips® bit 1" P3
- (2) Phillips® bit 1" P2
- (1) Phillips® bit 1" P1
- (1) Hex bit 1" 5/32"
- (1) Hex bit 1" 3/16"
- (1) Hex bit 1" 1/8"
- (1) Hex bit 1" 1/4"
- (1) 5/16" magnetic nut driver
- (1) 3/8" socket adapter
- (1) 3/8" magnetic nut driver
- (1) 3/16" SHOCKWAVE™ hex drive bit
- (1) 1/8" drill bit
- (1) 1/4" SHOCKWAVE™ hex drive bit
- (1) 1/4" magnetic nut driver
- (1) 1/2" socket adapter

Milwaukee



55-Piece SHOCKWAVE™ Impact Duty Drill & Drive Set
Item MIL48-32-4028

Includes:

- (1) SHOCKWAVE™ compact magnetic bit holder
- (1) SHOCKWAVE™ 3" magnetic bit tip holder
- (1) SHOCKWAVE™ 6" magnetic bit tip holder
- (2) Phillips® bit 1" P1
- (8) Phillips® bit 1" P2
- (2) Phillips® bit 1" P3
- (1) Phillips® reduced 1" PR2 bit
- (1) Square bit 1" SQ1
- (3) Square bit 1" SQ2
- (1) TORX® bit 1" T10
- (1) TORX® bit 1" T15
- (3) TORX® bit 1" T20
- (5) TORX® bit 1" T25
- (1) TORX® bit 1" T27
- (1) TORX® bit 1" T30
- (1) TORX® bit 1" T40
- (1) Slotted bit 1" SL 3/16"
- (1) Slotted bit 1" SL 1/4"
- (1) Hex bit 1" 3/16"
- (1) Hex bit 1" 3/32"
- (1) Hex bit 1" 5/32"
- (1) Hex bit 1" 7/64"
- (1) Hex bit 1" 9/64"
- (1) Hex bit 1" 1/4"
- (1) 1/4" magnetic nut driver
- (1) 5/16" magnetic nut driver
- (1) Insert 1/2" socket adapter
- (1) Insert 1/4" socket adapter
- (1) 3/8" socket adapter

Milwaukee



100-Piece SHOCKWAVE™ Impact Duty Drill & Drive Set
Item MIL48-32-4222

Includes:

- (1) SHOCKWAVE™ compact magnetic bit holder
- Magnetic nut drivers 1-7/8" long: 1/4", 5/16", 3/8"
- SHOCKWAVE™ impact duty driver bits:
 - Phillips® bits 1" long: 1 of P1, 4 of P2, 1 of PR2, 1 of P3
 - Phillips® bits 2" long: 2 of P1, 5 of P2, 2 of P3
 - Square bits 1" long: 2 of SQ1, 11 of SQ2, 2 of SQ3
 - Square bits 2" long: 3 of SQ1, 13 of SQ2, 3 of SQ3
 - 3-1/2" long square bits: 4 of SQ2
 - TORX® bits 1" long: 1 of T10, 2 of T15, 4 of T20, 4 of T25, 1 of T27, 2 of T30, 1 of T40
 - TORX® bits 2" long: 1 of T10, 1 of T15, 4 of T20, 4 of T25, 1 of T27, 1 of T30, 1 of T40
 - TORX® bits 3-1/2" long: 2 of T20, 2 of T25
 - Slotted bits 1" long: 1 of #6, 1 of #8, 1 of #10
 - SAE hex bits 1" long: 1 each of 1/8", 5/32", 3/16", 1/4"
 - Spanner bit 1" long: 1 of #10
 - Clutch bits 1" long: 1 each of 5/32", 3/16"

13 Tools & Equipment

PLIERS, SNIPS, CUTTERS & CLAMPS



- Ironworker's Pliers Heavy-Duty Cutting**
Item KLED2000-7CST (9 in)
- Twists and cuts soft annealed rebar tie wire
 - Cuts ACSR, screws, nails, most hardened wire
 - Spring-loaded
 - Heavy-duty knurled jaws



- Lineman's Pliers, New England Nose**
Item KLED201-7NE (7 in)
Item KLED201-8NE (8 in)
- Streamline with sure-gripping, cross-hatched knurled jaws
 - Induction hardened cutting knives



- Diagonal Cutting Pliers, Tapered Nose**
Item KLED202-6 (6 in)
- Designed to work in confined areas
 - Short jaws and beveled cutting edges
 - Induction-hardened cutting knives



- Needle Nose Side-Cutter Pliers**
Item KLED203-6 (6 in)
Item KLED203-7 (7 in)
- Induction hardened cutting knives
 - Knurled jaws
 - Slim head design



- Diagonal Cutting Pliers, Semi-Flush**
Item KLED210-6C (6 in)
- Diagonal cutters
 - Spring-loaded for self-opening action
 - Short jaws and beveled cutting edges



- Lineman's Pliers, High-Leverage**
Item KLED213-8NE (8 in)
Item KLED213-9NE (9 in)
- High-leverage design
 - Rivet closer to cutting edge for 46% greater cutting and gripping power



- End-Cutting Pliers**
Item KLED232-8 (8 in)
- Wide throat clearance
 - High-leverage design
 - Extended handles for longer reach and leverage



- Diagonal Cutting Pliers, Angled Head, Short Jaw**
Item KLED248-8 (8 in)
- Angled head design
 - High-leverage pliers with rivet closer to the cutting edge for 36% greater cutting power



- Diagonal Cutting Pliers, Heavy-Duty**
Item KLED252-6 (6 in)
- Diagonal cutting pliers with short jaws and beveled cutting edges
 - Tapered nose
 - Heavier design for all-purpose use

Pliers, Snips, Cutters & Clamps continued



Pump Pliers
Item KLED502-6 (6 in)
Item KLED502-10 (10 in)
Item KLED502-12 (12 in)
Item KLED502-16 (16 in)
 • Quick-adjust rivet allows one-handed jaw adjustment
 • Adjusts between five machined tongue-and-groove jaw positions



Slip-Joint Pliers
Item KLED511-6 (6 in)
Item KLED511-8 (8 in)
Item KLED511-10 (10 in)
 • Shear-type cutter for precision wire cutting
 • Two versatile jaw positions
 • Serrated jaws
 • Nickel-chrome plated

Dynamic



Diagonal Cutting Pliers
Item DNCD055038 (6 in)
Item DNCD055000 (7 in)
 • Cushion-grip handle
 • Satin chrome finish
 • Drop-forged and specially heat-treated

Dynamic



Linesman's Pliers
Item DNCD055013 (7 in)
Item DNCD055014 (8 in)
 • Cushion-grip handle
 • Satin chrome finish
 • Drop-forged and specially heat-treated

Dynamic



Bent Nose Pliers
Item DNCD055004 (6 in)
Item DNCD055005 (8 in)
Item DNCD055006 (11 in)
 • Cushion-grip handle
 • Satin chrome finish
 • Drop-forged and specially heat-treated

Dynamic



Long Nose Pliers
Item DNCD055001 (6 in)
Item DNCD055002 (8 in)
Item DNCD055003 (11 in)
 • Cushion-grip handle
 • Satin chrome finish
 • Drop-forged and specially heat-treated

Dynamic



Slip Joint Pliers
Item DNCD055007 (6 in)
Item DNCD055008 (7 in)
Item DNCD055009 (10 in)
 • Cushion-grip handle
 • Satin chrome finish
 • Drop-forged and specially heat-treated

Dynamic



Groove Joint Pliers
Item DNCD055010 (7-1/2 in)
Item DNCD055011 (9-1/2 in)
Item DNCD055012 (12 in)
 • Cushion-grip handle
 • Satin chrome finish
 • Drop-forged and specially heat-treated

Milwaukee



Long-Cut Straight Aviation Snips
Item MIL48-22-4537 (11.5 in)
 • Forged serrated blades with bolt lock
 • Flush pivot bolt
 • Chrome plated
 • 3" long cut blade
 • Yellow

13 Tools & Equipment

Pliers, Snips, Cutters & Clamps continued

Milwaukee



Straight-Cutting Aviation Snips

Item MIL48-22-4530 (10 in)

- Forged serrated blades with bolt lock
- Flush pivot bolt
- Chrome plated
- Yellow

Milwaukee



Left-Cutting Aviation Snips

Item MIL48-22-4510 (10 in)

- Forged serrated blades with bolt lock
- Flush pivot bolt
- Chrome plated
- Red

Milwaukee



Right-Cutting Aviation Snips

Item MIL48-22-4520 (10 in)

- Forged serrated blades with bolt lock
- Flush pivot bolt
- Chrome plated
- Green

Milwaukee



Straight-Cutting Offset Aviation Snips

Item MIL48-22-4532 (10 in)

- Forged serrated blades with bolt lock
- Flush pivot bolt
- Chrome plated
- Yellow

Milwaukee



Left-Cutting Offset Aviation Snips

Item MIL48-22-4512 (10 in)

- Forged serrated blades with bolt lock
- Flush pivot bolt
- Chrome plated
- Red

Milwaukee



Right-Cutting Offset Aviation Snips

Item MIL48-22-4512 (10 in)

- Forged serrated blades with bolt lock
- Flush pivot bolt
- Chrome plated
- Green

Dynamic



Bolt Cutters

Item DNCD091001 (14 in)

Item DNCD091002 (18 in)

Item DNCD091003 (24 in)

Item DNCD091004 (30 in)

Item DNCD091005 (36 in)

- Steel tubular handles with rubber grips
- Drop-forged alloy tool steel jaws
- Toggle joint transforms 50 lb hand pressure to 4000 lb cutting jaw pressure
- Screw-type adjustment re-aligns cutting edges

GRAY TOOLS
The highest standard. Yours.



Wire Cutter/Stripper with Lock

Item GRAB120 (6 in)

- AWG 20, 18, 16, 14, 12, 10
- .8, 1.0, 1.3, 1.6, 2.0, 2.6 mm
- Spring-loaded

GRAY TOOLS
The highest standard. Yours.



Stripper/Cutter

Item GRAB124 (7-3/4 in)

- Stripper, crimper, bolt cutter
- Strips: 16/14/12 AWG
- Crimps: insulated: 22-14, 12-10 AWG non-Insulated: Auto 7 and 8 mm
- Bolt cutter: 4-40/6-32/8-32/10-32/10-24 in

Pliers, Snips, Cutters & Clamps continued



TORQUE LOCK™ Curved Locking Pliers

- Item MIL48-22-3422 (5 in)
- Item MIL48-22-3421 (7 in)
- Item MIL48-22-3420 (10 in)
- Curved jaw
- Screwdriver through-hole
- One-handed control release



TORQUE LOCK™ Long Nose Locking Pliers

- Item MIL48-22-3504 (4 in)
- Item MIL48-22-3506 (6 in)
- Item MIL48-22-3509 (9 in)
- Thumb screw
- Screwdriver through-hole
- One-handed control release



TORQUE LOCK™ Straight Jaw Locking Pliers

- Item MIL48-22-3507 (7 in)
- Item MIL48-22-3510 (10 in)
- Thumb screw
- Screwdriver through-hole



TORQUE LOCK™ Locking C-Clamp w/ Regular Jaws

- Item MIL48-22-3532 (6 in)
- Item MIL48-22-3531 (11 in)
- Item MIL48-22-3530 (18 in)
- Screwdriver through-hole
- Wide jaws



TORQUE LOCK™ Locking C-Clamp w/ Swivel Jaws

- Item MIL48-22-3522 (6 in)
- Item MIL48-22-3521 (11 in)
- Item MIL48-22-3520 (18 in)
- Swivel jaw pad
- Screwdriver through-hole
- Wide jaws

PRY BARS, PUNCHES & CHISELS



Pry Bars

- Forged from premium alloy steel
- Royal blue paint finish
- Specially heat-treated

Item	Length*	Shank*	Cut Width*
------	---------	--------	------------

Rolling Head

GRAC39A	11	1/2	9/16
GRAC39	15-1/4	1/2	9/16
GRAC39B	20	5/8	11/16

Pinch Bars w/ Hexagon Shank

GRAC37	16	1/2	5/8
GRAC38	16	5/8	7/8
GRAC38C	18	5/8	7/8
GRAC38A	20	3/4	1-1/16
GRAC40	24	3/4	7/8
GRAC41	30	3/4	1
GRAC42	38	3/4	1-1/16
GRAC43	4	7/8	1-1/16
GRAC44	48	7/8	1-1/16

Wrecking

GRAWB12	12	1/2	5
GRAWB18	18	5/8	3/4
GRAWB24	24	3/4	7/8
GRAWB30	30	3/4	7/8
GRAWB36	36	3/4	7/8
GRAWB42	42	3/4	7/8

Erector w/Hexagon Shank

GRA73324	24	7/8	1-3/16
GRA73330	30	7/8	1-3/16
GRA73336	36	7/8	1-3/16
GRA73348	48	7/8	1-3/16

Punches & Chisels

- High polished and lacquered working end
- Royal blue painted shank
- Specially heat-treated

Item	Pin Dia.™	Body™	Length*
------	-----------	-------	---------

Centre Punches

GRAC33A	3/32	1/4	4
GRAC33	1/8	5/16	5
GRAC34	1/8	3/8	5-1/4
GRAC35	3/16	1/2	6
GRAC35A	3/16	1/2	7

Pin Punches, Long Length

GRAC28C	1/16	1/4	4
GRAC28B	3/32	5/16	4-3/4
GRAC28	1/8	5/16	4-3/4
GRAC28A	5/32	5/16	5
GRAC29	3/16	3/8	5-1/4
GRAC29A	7/32	3/8	6
GRAC30	1/4	3/8	6-1/4
GRAC31	5/16	7/16	6-1/2
GRAC31A	3/8	5/8	8
GRAC31C	1/2	3/4	10
GRAC290	1/8	5/16	8
GRAC291	5/32	5/16	8
GRAC292	3/16	3/8	8
GRAC293	7/32	3/8	8
GRAC294	1/4	3/8	8
GRAC295	5/16	7/16	8
GRAC296	3/8	1/2	8

Chisels, Long Flat

GRAC1	1/4	3/16	4-1/2
GRAC1A	5/16	1/4	5
GRAC2A	3/8	1/4	5-1/4
GRAC2	1/2	3/8	5-1/2
GRAC3	5/8	1/2	6
GRAC4	3/4	5/8	6-1/2
GRAC5	7/8	3/4	7-1/2
GRAC6	1	7/8	7-3/4
GRAC7	1-1/8	1	8-1/2
GRAC9	3/4	5/8	12
GRAC10	7/8	3/4	14
GRAC14	1	7/8	18

HAND SAWS & BLADES

STANLEY



FATMAX® Compass Saw

Item STA17-205 (12 in)

- Heavy-duty screws for a secure blade-to-handle assembly
- Solid, one-piece bi-material handle
- Heat-treated, triple-ground teeth
- 11 TPI

STANLEY



FATMAX® Carbon Steel Handsaw

Item STA20-045 (15 in)

- SharpTooth™ technology
- Induction-hardened teeth
- 8 TPI

JET



Adjustable Tubular Steel Hacksaw Frame

Item ITC023005

- Uses 10" or 12" blades
- 10" to 12" adjustable width

ECLIPSE



Bi-Metal High Speed Steel Hacksaw Blades

Item ECLAA45E (18 TPI)

Item ECLAA46V (24 TPI)

Item ECLAA47R (32 TPI)

- Length 12"

MIRRORS & MAGNETS

GRAY TOOLS
The highest standard. Yours.



Telescopic Inspection Glass Mirrors

- Swivel head
- Vinyl grip handle

Item	Shape	Glass Dia."	Reach"	Mirror Part No.
GRACF146	Round	2-1/4	10 to 14	TBC
GRACF147	Rectangle	2-1/8 x 3-1/2	11-1/4 to 15-1/4	CF147RM



Magnetic Telescopic Pickup Tool

Item GRAK5

- Lifts up to 1 lb
- Reach: 5-1/4" to 17-1/4"

HAMMERS

GRAY TOOLS
The highest standard. Yours.



Claw & Ball Pein Hammers

Item	Head Wt. (oz)	Length"	Handle Material	Handle Part No.
Claw				
GRA220	20	13-1/2	Hickory	HH12
GRAGC16	16	13	Fibreglass	59-853
Ball Pein				
GRA212K	4	10-3/4	Hickory	HH1
GRA212I	8	11-3/4	Hickory	HH2
GRA212H	12	12-3/4	Hickory	HH3
GRA212G	16	13-3/4	Hickory	HH4
GRA212E	24	15-3/4	Hickory	HH5
GRA212C	32	15-3/4	Hickory	HH5
GRA212A	40	16-1/2	Hickory	HH6
GRA212	48	16-1/2	Hickory	HH6
GRAGM-16	16	14	Fibreglass	59-754
GRAGM-24	24	14	Fibreglass	59-854
GRAGM-32	32	14	Fibreglass	59-854

GRAY TOOLS
The highest standard. Yours.

STANLEY



Soft Face Hammers

- Plastic composition face, wooden handle*
- COMPO-CAST® head, non-ferrous materials**

Item	Head Dia."	Wt. (oz)	Length	Handle Part No.	Tip Part No.
GRAPH15*	1-7/32	8	12 in	HH15	PH15-TIP
GRAPH20*	1-11/32	16	12 in	HH16	PH20-TIP
STA57-531**	—	18	290 mm	—	—
STA57-532**	—	21	330 mm	—	—
STA57-533**	—	42	362 mm	—	—
STA57-534**	—	52	387 mm	—	—

GRAY TOOLS
The highest standard. Yours.



One-Piece Dead Blow Hammers

Item	Head Wt. (lb)	Length"
GRAPHD2	1.6	12.75
GRAPHD3	2.8	14.37
GRAPHD4	3.3	15.25
GRAPHD6	5.5	20
GRAPHD9	9	30
GRAPHD11	10.5	30
GRAPHD12	12	36



Fibreglass Sledge Hammers

Item	Head Wt. (lb)	Length"
GRAPHF25	2	13-1/2
GRAPHF41	4	13-1/2
GRAPHF42	6	31
GRAPHF43	8	31
GRAPHF44	10	31
GRAPHF45	12	31
GRAPHF46	16	31



Rubber Mallet

- Head dia. 2-1/2"
- Head length 4-1/2"
- Length 16-1/2"
- Handle part no. HH18

KNIVES & ACCESSORIES



Cable Splicer Knife
Item KLE44200 (6.25 in)
 • Special-purpose short blade with full-sized, heavy-duty handle
 • 1095 steel coping-type blade steel



Leather Cable Splicer Knife Holder
Item KLE5188T
 • 2-1/4" tunnel connect for belt attachment
 • Riveted and stitched
 • Designed to hold KLE44200
 • 2.125 x 1 x 7.25 in



Self-Retracting Utility Knife
Item MIL48-22-1512
 • Metal body
 • Tool-free blade change
 • Stores 5 extra blades
 • Two blade positions
 • 6.52 x .89 x 1.41 in



FASTBACK™ Compact Folding Utility Knife
Item MIL48-22-1901
 • Press-and-flip for one-handed opening
 • All-metal body
 • Integrated gut hook and wire stripper cutting up to 10 ga
 • Length 7-1/4 in



Snap-Off Knife with Metal Lock
Item MIL48-22-1961 (18 mm)
Item MIL48-22-1962 (25 mm)
 • Microcarbide blade
 • Over-molded rubber handle
 • Acetone-resistant



Snap-Off Knife
Item MIL48-22-1964 (18 mm)
 • Lock and speed thread
 • 8-point microcarbide blade
 • Over-molded handle
 • Acetone-resistant



FASTBACK™ Hawk Bill Folding Knife
Item MIL48-22-1985
 • Press-and-flip for one-handed opening
 • Resharpenable stainless steel blade
 • Reversible wire-form belt clip
 • Length 7-1/4 in



Semi-Automatic Self-Retracting Safety Knife
Item OLFSK4 (19 mm)
 • Spring-activated blade retracts when lifted from cutting surface
 • Stainless steel return spring and channel
 • Dual-edge safety blade



Concealed Blade Safety Knife
Item OLFSK10 (4 mm)
 • 4-point adjustable blade positioning
 • 4 mm thread inlet
 • Stainless steel tape splitter


13 Tools & Equipment

Knives & Accessories continued




General Purpose Utility Blades w/ Dispenser
Item MIL48-22-1900 (100/Pk)
Item MIL48-22-1950 (50/Pk)

- Microcarbide dispersed metal
- Fits Milwaukee® and most standard utility knives



Precision Snap-Off Blades
Item MIL48-22-9118 (18 mm)
Item MIL48-22-9125 (25 mm)

- Microcarbide dispersed metal
- Fits Milwaukee® and most standard utility knives
- 10/pack



Replacement Blades
Item OLFSKB-10/10B* (10/Pk)
Item OLFSKB-2/50B** (50/Pk)

- For SK-10 knife*
- For SK4, SK6, SK9 knives**



Hook Blade with Dispenser
Item STA11-961A (100/Pk)

- Fits most standard utility knives

SCISSORS



Jobsite Offset Scissors
Item MIL48-22-4040 (4.5" Offset)
Item MIL48-22-4041 (3.75" Straight)

- Iron carbide edge blades with bolt-lock technology
- Rust protection hard chrome plated blades
- Ruler markings on blade

TAPE MEASURES



Tape Measures

- Rubber comfort grips
- Nylon coated steel blades
- Co-molded rubber brakes
- 3 blade stops

Item	Length'	Width"	MMT.
PTAT2215	16	1	SAE/Metric
PTAT2225	25	1	SAE/Metric
PTAT2240	50	1/2	SAE/Metric



Compact Tape Measure

- Equipped with wear-resistant nylon blade protection
- Impact-resistant 5-point reinforced frame

Item	Length'	Width"	MMT.
MIL48-22-6617	16	1	SAE/Metric
MIL48-22-6626	26	1	SAE/Metric



Fibreglass Open Reel Long Tape Measure

- GRIME GUARD™ blade wiper
- Reinforced 3:1 planetary metal gears

Item	Length'	Width"	MMT.
MIL48-22-5330	100	1/2	SAE/Metric
MIL48-22-5360	200	1/2	SAE/Metric
MIL48-22-5310	300	1/2	SAE/Metric

MEASURING & LAYOUT TOOLS



Measuring Wheel
Item MIL48-22-5012
 • Top handle clearing function
 • Wheel debris cleaning flap
 • Zero-point indicator
 • 12" measuring wheel



Steel Square
Item EMP100IM (12 x 8 in)
Item EMP1110IM (24 x 16 in)
 • Alloy steel
 • Stamped numbers
 • 1/8" graduation
 • SAE/metric units




Brass Stair Gauge
Item EMP105 (2/Pk)
 • Solid brass construction with sure-grip thumb screws
 • Attaches to any Empire® framing square or rafter square



Heavy Duty Aluminum Try Square
Item EMP122 (8 in)
Item EMP122M (20 mm)
 • Stainless steel etched blade



Combination Square
Item EMP240IM
Item EMPE250IM (w/ scribe pin)
 • Etched stainless steel blade
 • Full view acrylic vial
 • Self-aligning drawbolt
 • 11.8" with SAE/metric graduations



Heavy-Duty Drywall T-Square
Item EMP418-48
Item EMP419-48 (adjustable)
 • Anodized aluminum
 • 48" long



POLYCAST™ Rafter Square
Item EMP296 (7 in)
Item EMP396 (12 in)
 • Molded conversion tables
 • SAE graduations on both sides



Heavy-Duty Stainless Steel T-Bevel
Item EMP132 (10 in)
 • Aluminum billet handle
 • Low-profile locking nut
 • Adjustable stainless steel blade



Magnetic I-Beam Level
Item EMP500M-24 (24 in)
Item EMP500M-48 (48 in)
Item EMP500M-78 (78 in)
 • All-metal frame
 • Impact-resistant end caps
 • Acrylic mono vials
 • Top-read window

13 Tools & Equipment

Measuring & Layout Tools continued



Aluminum Straight Edge
Item EMP4002 (24 in)
Item EMP4003 (36 in)
Item EMP4004IM* (48 in)
Item EMP4006 (72 in)
Item EMP4008 (96 in)
 • SAE/Metric graduations*
 • 2" wide



I-Beam Level
Item IMP540-24 (24 in)
Item EMP540-48 (48 in)
 • Acrylic vials
 • Impact-resistant endcaps
 • Top read window
 • All metal frame



POLYCAST® Magnetic Protractor
Item EMP36
 • Magnetic base and back
 • Reading dial with adjustable angle pointer



Magnetic Digital Box Level
Item EMP105-24 (24 in)
Item EMP105-48 (48 in)
 • Auto-calibrated
 • 7 measuring modes
 • Dust and water protected
 • Top read and overhead inverted display



Magnetic Torpedo Level
Item EMP581-9 (9 in)
 • Aluminum frame
 • Tapered edge
 • Top read window
 • Level, plumb and 45° vials

PICK-UP TOOLS



Magnetic Pick-Up Tool
Item EMP27058
 • 3" diameter head
 • Aluminum shaft
 • Telescopic handle 23 to 39"
 • 50 lb capacity



Aluminum Line Level
Item EMP93-3 (3 in)
 • Lightweight
 • Open hooks



Circular Bullseye Level
Item EMP3604
 • Plastic
 • Diameter 1-3/8"



Heavy-Duty Magnetic Sweep
Item EMP27060
 • Rolling unit with magnets enclosed in a heavy gauge aluminum shell
 • Release handle
 • Adjustable sweeping height 3/4 to 1-1/2"
 • Adjustable handle length 25 to 40"
 • 24" wide
 • 30 lb capacity



Orange Twisted Line Reel
Item EMP39503N (500 ft)
 • Number 8 nylon line
 • Handle doubles as a stake
 • Notched for holding line in place



Plumb Bobs
Item EMP908 (8 oz steel)
Item EMP916BR (16 oz brass)
Item EMP924BR (24 oz brass)
Item EMP932BR (32 oz brass)
 • Ties easily to string or line

BUCKETS & TOOL BAGS



Canvas Bucket Leather Bottom Item KLE5104

- No. 4 Canvas Bucket
- 100 lb max load rating
- Web handle extends down the sides
- High-density polyethylene top ring
- Inside pocket 8" x 8"
- Leather cuff extends 3" up the side
- 17" H x 12" D



Canvas Bucket Flame-Resistant Item KLE5104FR

- Flame-resistant No. 4 canvas
- 100 lb max load rating
- Leather-reinforced handle extends down the sides
- Stitched and riveted with a double-reinforced bottom
- 17" H x 12" D



Canvas Bucket Swivel Snap Item KLE5104S

- No. 4 canvas
- 100 lb max load rating
- Web handle extends down the sides
- High-density polyethylene top ring
- Leather bottom
- Inside pocket 8" x 8"
- Swivel snap hook
- 17" H x 12" D



Canvas Bucket Closing Top Item KLE5104CLR17

- No. 1 canvas
- 150 lb max load rating
- Web strap extends down the side
- Swivel snap, zipper closed top
- Leather bottom extends 3" up the side
- Steel rim
- Accommodates standard 5 gal. bucket
- 17" H x 14" D



Canvas Bucket Drawstring Close Item KLE5114DSC

- No. 4 canvas
- 100 lb max load rating
- Web handles extend down the sides
- Drawstring close top
- Double-locking carabiner for hoisting
- Interior D-rings
- Swivel snap
- 17" H x 12" D



Leather Bottom Utility Bucket Item KUNSW-744

- Canvas with high strength top ring
- 150 lb max load rating
- Back-braided polypropylene rope handle through leather reinforced metal grommet
- Leather bottom
- One inside pocket
- 16" H x 10.5" D

13 Tools & Equipment

Buckets & Tool Bags continued



Canvas Messenger Bag
Item KUNSW-725

- Heavy-duty canvas
- Adjustable waist belt with quick-release buckle that can be used as a shoulder strap
- Adjustable hook and loop closure flap
- Internal back wall pockets
- 14" L x 4" W x 9" H



21-Pocket
14" Open Top Soft-Sided Tool Box
Item KUNSW-1578

- 21 multi-use pockets
- Metal handle bar with foam grip
- Padded adjustable shoulder strap
- Zippered pocket
- 14" L x 11" W x 11" H



22-Pocket
16" Large Bigmouth® Bag
Item KUNSW-797

- 12 inside and 10 outside pockets
- Padded web carrying handles
- Adjustable shoulder strap
- Heavy-duty stitching
- Bar tacking at all stress points
- 16" L x 8-1/2" W x 10" H



23-Pocket
12" Standard Bigmouth® Bag
Item KUNSW-798

- 17 inside and 6 outside pockets
- Padded web carrying handles
- Heavy-duty stitching
- Bar tacking at all stress points
- 12" L x 8-1/2" W x 8" H



27-Pocket
20" Open Top Soft-Sided Tool Box
Item KUNSW-1579

- Removable and customizable partition
- Internal pocket
- Padded adjustable shoulder strap
- Metal handle bar with molded foam grip
- 20" L x 11" W x 11" H



48-Pocket
Bucket Organizer
Item KUNSW-1119

- 14 double-row pockets inside
- 34 triple-row pockets outside
- Tape strap and key clip
- Drill pocket w/ hook and loop handle strap
- Fits 3-1/2 to 5 gal. buckets



3-Piece Electrician's Combo
Item KUNEL-1609 (Fits 29"–46" waist)

- 20 pockets
- Double layered lightweight and durable poly fabric
- All parts are removable and interchangeable
- Metal clip
- Custom pocket for holding a cordless drill
- Metal chain for tape and a tool snap
- 3" wide padded belt with a double tongue steel roller buckle



5-Piece Professional Carpenter's Combo
Item KUNAP-760 (Fits 29"–46" waist)

- 18 pockets
- Easy carry handle design
- All parts removable and interchangeable
- Double layer lightweight ballistic poly fabric
- Sta-Open feature on main reversed pockets
- 5" wide padded belt with double tongue steel roller buckle

Buckets & Tool Bags continued



6-Piece Carpenter's Ballistic Combo

Item KUNAP-2617 (Fits 29"–46" waist)

- 28 pockets
- Double layer of rugged, lightweight ballistic poly fabric
- Adjustable and padded suspenders
- PVC reinforced main pocket bottoms
- 5" wide padded belt with double tongue steel roller buckle



Pro Framers' Ballistic Nylon Combo System

Item KUN54531 (Fits 29"–42" waist)

Item KUN54531X (Fits 40"–52" waist)

- 17 pockets
- Easy carry handle
- Gusset design front pockets
- Double layered 1680D ballistic nylon fabric and heavy-duty top grain leather
- 3" wide, heavy-duty leather belt with double tongue steel roller buckle



12-Pocket Apron

Item KUNAP-1429 (Fits 29"–46" waist)

- Polyester fabric and ballistic binding
- 4 main pockets and 6 smaller pockets
- 2" wide web belt with steel buckle



Heavy Duty Framers' Comfortlift™ System

Item KUNAP-6714 (Fits 29"–46" waist)

- 31 pockets
- Polyester fabric and ballistic binding
- Padded suspenders
- Easy carry handle
- Metal hook to carry tools
- Easy access cell phone holder
- PVC reinforced main pocket bottoms
- 5" wide padded belt with double tongue steel roller buckle

14 Power Tools



BATTERIES & CHARGERS



M18™ REDLITHIUM™ Batteries

- Lithium-ion battery pack
- Built-in REDLINK™ Intelligence
- Fuel gauge onboard
- Compatible with M18™ tools
- 18 volts

Item	Amp	Qty.
MIL48-11-1820	2.0	1
MIL48-11-1835	3.0	1
MIL48-11-1822	3.0	2/Pk
MIL48-11-1840	4.0	1
MIL48-11-1850	5.0	1
MIL48-11-1851	5.0	10/Pk
MIL48-11-1852	5.0	2/Pk
MIL48-11-1862	6.0	2/Pk
MIL48-11-1865	6.0	1
MIL48-11-1812	12.0	1



M18™ Six-Pack Sequential Charger Item MIL48-59-1806

- Integrated hang holes for vertical mounting, and a pass through plug to conserve outlet space
- Charges M18™ compact batteries in 30 min. and extended capacity (XC) batteries in 60 min.
- 18 volts



M18™ REDLITHIUM™ HIGH OUTPUT™ Starter Kit Item MIL48-11-1820

- 2 batteries, 1 charger
- Built-in REDLINK™ Intelligence
- Compatible with M18™ tools
- 18 volts, 2 amps



M18™/M12™ Multi-Voltage Charger Item MIL48-59-1812

- Charges all M18™ and M12™ batteries

FASTENING & DRILLING



M18 FUEL™ 1/4" Hex Impact Driver Item MIL2953-20 (Tool only)

- Kit: 1 driver, 2 batteries, 1 charger, 1 belt clip, 1 carry case



M18 FUEL™ 3/8" Compact Impact Wrench w/ Friction Ring Item MIL2854-20 (Tool only)

- Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case



M18 FUEL™ 3/8" Mid-Torque Impact Wrench w/ Friction Ring Item MIL2960-20 (Tool only)

- Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case

Fastening & Drilling continued



- M18 FUEL™ 1/2" Compact Impact Wrench w/ Friction Ring Bare Tool**
Item MIL2855-20 (Tool only)
Item MIL2855-22R (Kit)
- POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, tri-LEDs, AUTO SHUT-OFF™, REDLINK PLUS™ Intelligence
 - 250 ft-lbs, 18 volts
 - Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case



- M18 FUEL™ 1/2" Mid-Torque Impact Wrench w/ Friction Ring Bare Tool**
Item MIL2962-20 (Tool only)
Item MIL2962-22R (Kit)
- 4-mode DRIVE CONTROL™, tri-LEDs, REDLINK PLUS™ Intelligence
 - 650 ft-lbs, 18 volts
 - Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case



- M18 FUEL™ 1/2" High-Torque Impact Wrench w/ Friction Ring Bare Tool**
Item MIL2767-20 (Tool only)
Item MIL2767-22R (Kit)
- 4-mode DRIVE CONTROL™, LED light, REDLINK PLUS™ Intelligence
 - 1400 ft-lbs, 18 volts
 - Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case



- M18 FUEL™ w/ ONE-KEY™ 3/4" High-Torque Impact Wrench w/ Friction Ring Bare Tool**
Item MIL2864-20 (Tool only)
Item MIL2864-22R (Kit)
- POWERSTATE™ brushless motor, LED light
 - 1500 ft-lbs, 18 volts
 - Kit: 1 wrench, 2 batteries, 1 charger, 1 carry case



- M18 FUEL™ 1" High-Torque Impact Wrench w/ ONE-KEY™**
Item MIL2867-20 (Tool only)
Item MIL2867-22 (Kit)
- POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, LED light, REDLINK PLUS™ Intelligence
 - 1800 ft-lbs, 18 volts
 - Kit: 1 wrench, 2 batteries, 1 charger, 1 tool-free adjustable handle, 1 lanyard loop, 1 contractor bag



- M18 FUEL™ 1" D-Handle High-Torque Impact Wrench w/ ONE-KEY™**
Item MIL2868-20 (Tool only)
Item MIL2868-22HD (Kit)
- POWERSTATE™ brushless motor, 4-mode DRIVE CONTROL™, tri-LEDs, REDLINK PLUS™ Intelligence
 - 2000 ft-lbs, 18 volts
 - Kit: 1 wrench, 2 batteries, 1 charger, 1 tool-free adjustable handle, 1 lanyard loop, 1 contractor bag

Fastening & Drilling continued



M18 FUEL™ 1/2" Drill Driver
Item MIL2606-20 (Tool only)

- REDLINK PLUS™ Intelligence
- 4-Pole frameless motor
- All metal gear case and chuck
- 500 in-lbs, 18 volts



M18 FUEL™ 1/2" Hammer Drill/Driver
Item MIL2904-20 (Tool only)
Item MIL2904-22 (Kit)

- POWERSTATE™ brushless motor, LED light, REDLINK PLUS™ Intelligence, Auto-Stop™ control mode
- 1400 in-lbs, 18 volts
- Kit: 1 drill/driver, 2 batteries, 1 charger, 1 side handle, 1 carry case



M18™ Cordless Lithium-Ion 2-Tool Combo Kit
Item MIL2691-22

- Kit: one 1/2" drill driver, one 1/4" hex impact driver, 2 batteries, 1 charger, 1 belt clip, 1 contractor bag



M18 FUEL™ Hole Hawg® Right Angle Drill w/ QUIK-LOK™
Item MIL2808-20 (Tool only)

- POWERSTATE™ brushless motor, LED light, REDLINK PLUS™ Intelligence
- Up to 220 7/8" holes per charge
- QUIK-LOK™ chuck



M18 FUEL™ Mud Mixer w/ 180° Handle
Item MIL2810-20 (Tool only)

- Power to mix heavy compounds
- 180° adjustable handle with 16 adjustable settings
- Up to 15 buckets per charge
- 1/2" keyed chuck
- LED light



M18 FUEL™ 1-1/2" Lineman Magnetic Drill High Demand™
Item MIL2788-22HD (Kit)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence
- Self-powered magnet base
- 18 volts, 400/690 RPM
- Kit: 1 drill, 2 batteries, 1 safety strap, 1 magnetic lubrication tank, 1 chuck key, 1 AC/DC vehicle charger, 1 3/4" Weldon to 1/2" chuck adapter, 2 pilot pins, 1 carry case

14 Power Tools

Fastening & Drilling continued



M18™ 5/8" Cordless SDS Plus Rotary Hammer

Item MIL2612-20 (Tool only)

- 2-mode operation, LED light
- Delivers 0-1,300 RPM and 0-7,000 BPM for drilling holes up to 5/8" in concrete and masonry
- Drills more than 110 holes per charge
- 18 volts



M18 FUEL™ 1" Cordless SDS Plus Rotary Hammer

Item MIL2912-20 (Tool only)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, AUTOSTOP™ Kickback Control
- 3-mode operation
- 18 volts
- Includes M18™ HAMMERCAC 1" dedicated dust extractor



M18 FUEL™ 1-1/8" SDS Plus Rotary Hammer w/ ONE-KEY™

Item MIL2915-20 (Tool only)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, AUTOSTOP™ Kickback Control
- 3-mode operation
- 18 volts, 800 RPM

CUTTING



M18 FUEL™ 6-1/2" Circular Saw

Item MIL2730-20 (Tool only)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, REDLITHIUM™ XC5.0 battery pack



M18 FUEL™ 7-1/4" Circular Saw

Item MIL2732-20 (Tool only)

Item MIL2732-21HD (Kit)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, LED light
- 2-1/2" cut depth
- Electric brake
- Includes blade and blade wrench
- Kit: 1 saw, 1 battery, 1 charger, 1 blade, 1 blade wrench, 1 contractor bag



M18 FUEL™ Sawzall® Reciprocating Saw

Item MIL2821-20 (Tool only)

Item MIL2821-22 (Kit)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, LED light
- Lever action QUIK-LOK™ blade clamp
- Kit: 1 saw, 2 batteries, 1 charger, 1 carry case

Cutting continued



M18 FUEL™ SUPER SAWZALL® Reciprocating Saw Kit
Item MIL2722-21HD

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence
- QUIK-LOK® blade clamp
- Variable speed trigger and 5-speed dial
- 1-1/4" stroke length
- Kit: 1 saw, 1 battery, 1 charger, 1 blade, 1 contractor bag



SUPER SAWZALL® Recip Saw
Item MIL6538-21

- Constant Power Technology™
- QUIK-LOK™ blade clamp system
- Gear protecting clutch
- Counter balanced mechanism
- Variable speed trigger and dial speed control
- 15 amp
- Includes 1 saw, 1 carry case



M18 FUEL™ D-Handle Jig Saw
Item MIL2737-20 (Tool only)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, LED light
- 4-Position orbital cutting
- On/off cut line blower
- Variable speeds
- Includes 1 saw, 1 anti-splinter guard, 1 dust collection tube, 1 dust cover, 1 hex wrench, 1 shoe guard



M18 FUEL™ Deep Cut Band Saw
Item MIL2729-20 (Tool only)
Item MIL2729-22 (Kit)

- POWERSTATE™ brushless motor, CPT™ Constant Power Technology, Jobsite Armor™ technology, REDLINK PLUS™ Intelligence
- All metal direct drive
- Blade size: 44-7/8 x 1/2 x .020"
- Kit: 1 saw, 2 batteries, 1 charger, 1 carry case



M18 FUEL™ Compact Band Saw
Item MIL2829-20 (Tool only)
Item MIL2829-22 (Kit)

- POWERSTATE™ brushless motor, Jobsite Armor™ technology, LED light
- All metal direct drive
- Variable speed trigger
- 540 SFPM
- Kit: 1 saw, 1 saw blade, 2 batteries, 1 charger, 1 contractor bag



M18 FUEL™ Barrel Grip Jig Saw
Item MIL2737B-20 (Tool only)

- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence, LED light
- 4-Position orbital cutting
- On/off cut line blower
- 6-Speed settings
- Includes 1 saw, 1 anti-splinter guard, 1 dust collection tube, 1 dust cover, 1 hex wrench, 1 shoe guard

Cutting continued



- M18™ FUEL™ 8-1/4" Table Saw w/ One-Key™ Kit**
Item MIL2736-21HD
- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence
 - Rack and pinion fence system
 - 24-1/2" rip capacity to rip 4x8 plywood sheets
 - On-board storage
 - All metal frame
 - Kit: 1 saw, 1 battery, 1 charger, 1 anti-kick back pawls, 1 blade, 1 blade wrench, 1 guard, 1 miter gauge, 1 riving knife



- Folding Table Saw Stand**
Item MIL48-08-0561
- Quick attach latching system
 - Adjustable foot for cutting on uneven surfaces
 - All steel construction
 - 23 W x 17.75 L x 20.5 H"
 - 15 lb

HEATING



- M18™ Compact Heat Gun**
Item MIL2688-20 (Tool only)
- REDLINK PLUS™ Intelligence
 - LED light
 - High performance heating coil
 - Guarded nozzle
 - Ladder hook



- M18™ FUEL™ 10" Dual Bevel Sliding Compound Miter Saw**
Item MIL2734-20 (Tool only)
- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence
 - 2 x 12 horizontal capacity
 - 5-3/4" vertical capacity
 - Cam locking miter system
 - Dual bevel with 9 detents
 - Includes 1 saw, 1 blade, 1 blade wrench, 1 clamp, 1 dust bag



- M18™ FUEL™ 12" Dual Bevel Sliding Compound Miter Saw**
Item MIL2739-20 (Tool only)
- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence
 - Aluminum construction
 - Tall sliding, removable fences
 - Dual horizontal steel rails
 - 18 volts

GRINDING



- M18™ FUEL™ 4-1/2" – 6" Braking Grinder (Kit, Paddle Switch No-Lock)**
Item MIL2980-20 (Tool only)
Item MIL2980-22 (Kit)
- POWERSTATE™ brushless motor, REDLINK PLUS™ Intelligence
 - 100% tool free
 - Kit: 1 grinder, 2 batteries, 1 charger, 1 nut, 1 guard, 1 back flange, 1 wrench, 1 side handle, 1 contractor bag

Grinding continued



4-1/2" Angle Grinder Thumb Switch w/ Lock-On (AC)
Item MAKGA4530K
 • 6 amp, 11,000 rpm
 • Includes 4-1/2" depressed centre wheel lock nut wrench 28, lock nut 5/8"-45, inner flange, wheel cover, side handle, plastic carrying case



5" SJS™ Angle Grinder w/ AC/DC Switch
Item MAKGA5020 (no lock-on/lock-off)
Item MAKGA5020Y (lock-off, no lock-on)
 • 10.5 amp, 11,000 rpm
 • Includes grinding wheel, wheel guard, side handle, inner flange, lock-nut and wrench



6" SJS™ Angle Grinder w/ AC/DC Switch
Item MAKGA6020 (no lock-on/lock-off)
Item MAKGA6020Y (lock-off, no lock-on)
 • 10.5 amp, 10,000 rpm
 • Includes grinding wheel, wheel guard, side handle, inner flange, lock-nut and wrench



7" Angle Grinder
Item MAKGA7031 (Trigger Switch w/ Lock-On Button AC/DC)
Item MAKGA7031Y (Two-Stage Safety Trigger Switch AC/DC)
 • 15 amp
 • Includes anti-vibration side handle, dust cover attachment set, lock nut wrench 2, toolless wheel cover, inner flange, lock nut 5/8-45



1/4" Paddle Switch Die Grinder w/ AC/DC Switch
Item MAKGD0600
 • 3.5 amp, 25,000 rpm
 • Includes 1/4" collet cone and wrenches
 • Slim barrel grip design

BLOWERS



MM4® 4-Stroke Engine Tube Throttle Backpack Blower
Item MAKEB7660TH
 • 75.6 cc, 3.8 HP
 • Max. air volume 706 CFM
 • Max. air velocity 206 mph
 • Sound 76 dBA
 • Large capacity replaceable air filter
 • Adjustable shoulder straps
 • Includes flat nozzle, 2 end nozzles



15 Welding

FIRE BLANKETS



Silicone Welding Fire Blanket
Item ACMSFG1760R (17 oz, 60" x 50 yd)
Item ACMSFG3240R (32 oz, 40" x 50 yd)
Item ACMSFG3260R (32 oz, 60" x 50 yd)

- Coated fibreglass
- Red



Fibreglass Welding Blanket
Item PWDPW24B66 (6 x 6 ft)
Item PWDPW24B810 (8 x 10 ft)
Item PWDPW24B1010 (10 x 10 ft)

- Acrylic coated
- Grommets, Kevlar® stitched hems
- 24 oz, yellow

RICE PAPER & TAPE



Water Soluble Paper & Tape

- Dissolves in most aqueous solutions or steam
- Will not dissolve in oil or fuel
- 450° flashpoint

Item	Size (in x ft)	Thk."
Paper Roll		
AQUASW-35/R-15	15.5 x 165	.0035
AQUASW-60/R-31	31 x 165	.0070
Tape Roll		
AQUASWT-1	1 x 300	—
AQUASWT-2	2 x 300	—

SAFETY



Heat Pad for Back of Hand
Item PWDBHP01

- Aluminized rayon top
- Acrylic coated fibreglass bottom
- Leather and elastic straps
- Size 5.5 x 7.5"



Cutting Goggle Shade
Item PWDR900

- #5 lens
- Flip front
- Size 2 x 4-1/4"



Split Cowhide Welding Jacket
Item BDG60-1-126-M (M)
Item BDG60-1-126-L (L)
Item BDG60-1-126-XL (XL)
Item BDG60-1-126-2XL (2XL)
Item BDG60-1-126-3XL (3XL)

- Metal snap closures
- Inside pocket
- Stitched with Kevlar®
- Welded seams
- 30" overall length



Leather Welding Sleeve
Item BDG64-1-73-24M
 (One size)

- Split cowhide shell
- 24" overall length
- No thumbhole
- Shoulder extensions with adjustable straps
- Lockstitched & welted seams
- Sold in pairs



Welder Canvas Jacket
Item TECALG30CS (S)
Item TECALG30CM (M)
Item TECALG30CL (L)
Item TECALG30CXL (XL)
Item TECALG30C2XL (2XL)
Item TECALG30C3XL (3XL)
Item TECALG30C4XL (4XL)

- Flame-resistant lightweight Banox® canvas provides moderate spark protection

MEASURING DEVICES & GAUGES

JACKSON



Curv-O-Mark® Wrap-A-Round
 • Flexible gasket material with heat and cold resistance
 • Inch and tangent chart

Item	W" x L'	Pipe Dia."	Part No.
CUR164B	3.88 x 4	3 - 6	14752
CUR176B	3.88 x 6	3 - 10	14753
CUR177B	5 x 7	4 - 12	14754
CUR179B	5 x 9	6 - 16	14756

JACKSON



Curv-O-Mark® #6 Standard Centering Head
Item CURCM6
 (Part No. 14775)
 • Includes 4" Y-type head
 • Adjustable dial set level
 • For use on 1/2" to 4" diameter pipe

G.A.L. GAGE CO.



Hi-Lo Welding Gauge
Item GAL1
 • SAE and metric units

G.A.L. GAGE CO.



Pro Single-Purpose Hi-Lo Welding Gauge
Item GAL2-E
 • Either SAE or metric units

G.A.L. GAGE CO.



Bridge Cam Gauge
Item GAL4BCG
 • SAE and metric units
 • Measures angle of preparation, outside misalignment and weld reinforcement

G.A.L. GAGE CO.



7-Piece Fillet Weld Set
Item GAL8
 • 1/8" to 1"
 • Either SAE or metric units

G.A.L. GAGE CO.



Pocket Fillet Weld Gauge
Item GAL10
 • SAE and metric units
 • 3-piece set

G.A.L. GAGE CO.



Mini Fillet Weld Keys
Item GAL16
 • SAE and metric units

G.A.L. GAGE CO.



Pipe Pit Gauge
Item GAL17
 • SAE and metric units
 • Lockable arm

G.A.L. GAGE CO.



Digital Welding Gauge
Item GAL18
 • SAE, metric and fractional units
 • 4-angle display
 • X-large LCD display

G.A.L. GAGE CO.



Tapered Gauge
Item GAL28B
 • SAE and metric units
 • 410 stainless steel

ROD OVENS



GUL10A-20 / 10B-20



GUL50



GUL125



GUL350

Welding Rod Ovens

- Portable ovens: easy to load and carry; suitable for use in the field or in the shop
- In-Shop ovens: compact and modular design with removable shelves

	PORTABLE OVENS			IN-SHOP OVENS	
	GUL10A-20	GUL10B-20	GUL50	GUL125	GUL350
Capacity	10 to 20 lb	10 to 20 lb	50 to 70 lb	125 to 175 lb	350 to 400 lb
Outside dim. (in)	7 D x 23 H	7 D x 23 H	11 D x 23 H	16 H x 16 W x 24-1/2 D	22 H x 22 W x 24-1/2 D
Inside dim. (in)	3 D x 19 H	3 D x 19 H	7 D x 19 H	8-1/4 H x 9-3/4 W x 19 D	14 H x 16 W x 19 D
Approx. unit weight	14 lb	14 lb	32 lb	58 lb	110 lb
Electrode size	up to 18"	up to 18"	up to 18"	up to 18"	up to 18"
Line cord	3 wire – 8 ft	3 wire – 8 ft	3 wire – 8 ft	3 wire – 8 ft	3 wire – 8 ft. none
Element	100W – 115V	130W – 115V	300W – 115V	1000W – 115V	1500W – 115V or 220V
Amp	1	1.1	2.7	8.6	13
Thermostat	No	Yes	Yes	Yes	Yes
Pilot light	Yes	Yes	Yes	Yes	Yes
Temperature range	Average 275°F	100–300°F	100–400°F	100–550°F	100–550°F
Door latch	Lift Lid	Lift Lid	Lift Lid	Push/Pull	Push/Pull
Stacking	No	No	No	Yes	Yes

UMBRELLA & HOLDER



- Javelin Magnetic Adjustable Umbrella Holder**
Item JAVMAUH
- Clamps on any size or position of pipe or structure
 - 14 magnets
 - 36° pivot
 - 35 mm sleeve



- Javelin Welder Umbrella**
Item JAVUMB
- Fire-retardant
 - 5.5 ft diameter
 - 41" base width
 - Height 3"
 - 45° pivot

CURTAINS & FRAMES



- Welding Curtain**
Item PWDC66BL (6 x 6 ft Blue)
Item PWDC66YE (6 x 6 ft Yellow)
Item PWDC68BL (6 x 8 ft Blue)
Item PWDC68YE (6 x 8 ft Yellow)
- Transparent PVC with grommets at 12" increments on four sides
 - Withstands temperatures up to 1000°F



- Welding Curtain Frame**
Item PWDFR66 (6 x 6 ft)
Item PWDFR68 (6 x 8 ft)

STRIKERS

SHURLITE



Single Flint Spark Lighter
Item SHU3001S

- Round file
- Round edge flat steel frame

SHURLITE



Three-Flint Spark Lighters
Item SHU4501

- Lights any flammable gas
- Round rotatable file
- Square hood

SHURLITE



Three-Flint Renewal
Item SHU5012X (4/Pk)

- Replaces worn out flints on triple style strikers

ELECTRODE HOLDERS

Maxweld



Maxweld® Shortstub Electrode Holder
Item MAXMW400S

- Brass body with molded handle
- Accepts electrodes up to 1/4"
- 400 amp
- Bernard style

POWERWELD®



Electrode Holder
Item PWDA316 (250 amp)
Item PWDA532 (200 amp)
Item PWDA732 (300 amp)

- Brass body
- Insulated handle
- Tweco style

POWERWELD®



Hammer-On Cable Lug
Item PWDRL11 (conductor size 3/0-4/0)
Item PWDRL22 (conductor size 1/0-2/0)
Item PWDRL33 (conductor size 4-1)

POWERWELD®



Ground Clamp
Item PWDAGC-300 (300 amp)
Item PWDAGC-500 (500 amp)

- Nickel plated steel
- Braided copper strap
- Alerco style

SOAPSTONES & HOLDER

POWERWELD®



Flat Soapstone
Item PWDFS1
• 5 L x 1/2 W x 3/16 H"
• Temporary marking of metal for welds
• Easily removable
• Will not contaminate welds
• 144/Box

WYPO



Flat Soapstone Holder
Item WYPO400-1
• 3/16 thick x 5" length
• Non-corrosive channel with brass indexing trigger
• Stainless steel case with cap-locking action

CHIPPING HAMMER

POWERWELD®



Chipping Hammer
Item PWDR LH-1

- Cone and chisel-style head
- Drop-forged, heat-treated steel head welded to wire spring handle
- 11-1/2" length, 3" blade

CUTTING TIP CLEANER

MaxWeld



MaxWeld® Tip Cleaners
Item MAXMW-7549

- Housed in aluminum case
- Standard No. 1
- Tip sizes 75 to 49
- Includes a file

PLIERS

BESTWELD®



YS-50 MIG Welding Pliers
Item BSWMP8

- Straight, spring-loaded
- Double-edged carbon steel
- 8" length

CUTTING TIPS & ELECTRODES

POWERWELD®

Cutting Tips

Item	Size	Cutting Capacity"	Type
Copper			
PWD1-101-0	0	3/8	101
PWD1-101-00	00	1/4	101
PWD1-101-000	000	1/8	101
PWD1-101-1	1	3/4	101
PWD1-101-2	2	1	101
PWD1-101-3	3	2	101
PWD1-101-4	4	3	101
PWD1-101-5	5	4	101
PWD1-101-6	6	6-8	101
Copper Stubby Design			
PWD1-108-1	1	3/4	108
PWD1-108-2	2	1 - 1-1/2	108
PWD1-108-3	3	2 - 2-1/2	108
PWD1-108-4	4	3	108
PWD1-108-1	1	3/4	108
PWD1-108-2	2	1 - 1-1/2	108
PWD1-108-3	3	2 - 2-1/2	108
PWD1-108-4	4	3	108
Copper Gouging Tips			
PWD1-118-0	0	3/8 - 1/2	118
PWD1-118-2	2	1 - 1-1/2	118
PWD1-118-4	4	3	118
PWD1-118-6	6	6 - 8	118

POWERWELD®



TIG Welding Electrodes
Item PWDFM218X7 (1/8")
Item PWDFM2332X7 (3/32")
• 2% thoriated tungsten
• 10/Pk

FLANGE PINS

H&M

Pipe Beveling Machine Company, Inc.



Conical Flange Pins
Item HMMQAFP
• Provides centering on 5/8" to 1-1/2" bolt holes
• 2/Pk

HOSES

POWERWELD®



Argon Gas Hose Assembly
Item PWDPW-AH10 (10 ft)
Item PWDPW-AH25 (25 ft)
Item PWDPW-AH50 (50 ft)
Item PWDPW-AH100 (100 ft)
• Brass fittings
• Temp. range -40° to 180°F
• 1/2" diameter
• Black

POWERWELD®



Twinline Welding Hose
Item PWDTL1425 (25 ft)
Item PWDTL1450 (50 ft)
Item PWDTL14100 (100 ft)
• 1/4" diameter
• Type R

LENS & FILTERS PLATES

POWERWELD®



Cover Lens

Item PWDPP2 (2" x 4-1/4")

Item PWDPP4 (4-1/2" x 5-1/4")

- Clear
- Polycarbonate

POWERWELD®



Magnifier Lens

Item PWDMAG-100 (Focal power 1.00)

Item PWDMAG-125 (Focal power 1.25)

Item PWDMAG-150 (Focal power 1.50)

Item PWDMAG-175 (Focal power 1.75)

Item PWDMAG-200 (Focal power 2.00)

Item PWDMAG-225 (Focal power 2.25)

Item PWDMAG-250 (Focal power 2.50)

Item PWDMAG-300 (Focal power 3.00)

- Polycarbonate

POWERWELD®



Rectangular Filter Plate

- Protects against UV and infrared rays
- Precision ground and edged
- Made of hardened glass

Item	Size (in)	Shade
PWDMP2H4	2 x 4-1/4	4
PWDMP2H5	2 x 4-1/4	5
PWDMP2H8	2 x 4-1/4	8
PWDMP2H9	2 x 4-1/4	9
PWDMP2H10	2 x 4-1/4	10
PWDMP2H11	2 x 4-1/4	11
PWDMP2H12	2 x 4-1/4	12
PWDMP2H13	2 x 4-1/4	13
PWDMP2H14	2 x 4-1/4	14
PWDMP4H8	4-1/2 x 5-1/4	8
PWDMP4H9	4-1/2 x 5-1/4	9
PWDMP4H10	4-1/2 x 5-1/4	10
PWDMP4H11	4-1/2 x 5-1/4	11
PWDMP4H2	4-1/2 x 5-1/4	12

GOUGERS



Gouger Power Cable & Head Kit

Item BSWG61-082-008

- Interchangeable with other gouging torches
- Compatible with 3/8"–5/8" flat rods and 5/32"–1/2" pointed rods
- 1000 amp
- 7 ft cable

POWERWELD®



Air Gouging Torch

Item PWDRK4000

- 360° swivel torch connector
- 1000 amp
- 7 ft cable

TEMPERATURE INDICATORS



Tempilstiks

- Temperature indication in pre-heating, interpass and post-weld heat treating applications

Item	°F	°C	Item	°F	°C
TMPT100	100	38	TMPT392	392	200
TMPT122	122	50	TMPT400	400	204
TMPT125	125	52	TMPT450	450	232
TMPT150	150	66	TMPT475	475	246
TMPT175	175	79	TMPT500	500	260
TMPT200	200	93	TMPT525	525	274
TMPT213	213	101	TMPT550	550	288
TMPT225	225	107	TMPT575	575	302
TMPT239	239	115	TMPT600	600	316
TMPT250	250	121	TMPT650	650	343
TMPT275	275	135	TMPT700	700	371
TMPT300	300	149	TMPT800	800	427
TMPT325	325	163	TMPT1000	1000	538
TMPT350	350	177			

FLASHBACK ARRESTORS



Flashback Arrestors

- Colour coded for gas service

Item	Gas	Connection
WSBFA-10	Oxygen/acetylene	Torch
WSBFA-30	Oxygen/acetylene	Regulator
WSBFA-100P	Oxygen	Torch
WSBFA-130P	Oxygen	Regulator
WSBFA-200P	Acetylene	Torch
WSBFA-230P	Acetylene	Regulator

TIGER TORCH ASSEMBLIES



Tiger Torch Kit

TGRDTK21EF-10W (10 ft hose)

TGRDTK21EF-15W (15 ft hose)

TGRDTK21EF-20W (20 ft hose)

TGRDTK21EF-25W (25 ft hose)

- Kit: torch, regulator, excess flow protection, fittings, hose assembly

TIG TORCHES & ADAPTORS



Air-Cooled Torches
Item CKWCK9V-25-R (125 amp)
Item CKWCK17V-25-R (150 amp)
Item CKWCK26V-25-R (200 amp)

- Flex neck with valve
- 25 ft cable



Safeloc Cable Connector System
Item CKWSL-2 (use with CK9, CK17)
Item CKWSL-8 (use with CK26)

- Tweco style



Tig Torch Kit
Item WCFWP9FV25R (125 amp)
Item WCFWP17FV25R (150 amp)
Item WCFWP26FV25R (200 amp)

- Air-cooled
- Flex neck with valve
- 25 ft cable

CHEMICALS

POWERWELD®



Anti-Spatter Nozzle Shield
Item PWD162016

- For MIG gun nozzle and welding surfaces
- Heat-resistant, nonflammable
- Uses CO₂ propellant
- Paint compatible
- Clear to white
- 16 oz aerosol

POWERWELD®



Dye Penetrants
Item PWDPW1500 (Cleaner)
Item PWDPW2500 (Developer)
Item PWDPW3000 (Penetrant)

- Detects surface flaws, cracks and defects
- Three-step process for use on steel, stainless steel, aluminum, copper, cast iron and brass
- 16 oz aerosol

i Looking for parts or accessories? Give us a call at 780-413-0029 or email sales@inlandindustrial.ca

Snoop



Liquid Leak Detector

Item	Size	Colour	Temp. °C
SNOOP8	8 oz	Red	-2 to 93
SNOOPRC8	8 oz	Blue	-54 to 93
SNOOP1G	1 gal	Red	-2 to 93
SNOOPRC1G	1 gal	Blue	-54 to 93

POWERWELD®



Nozzle Dip
Item PWD108-16

- Prevents spatter build-up on nozzles and tips
- Nontoxic, nonflammable, odourless
- 16 oz

CABLE CONNECTOR SETS



- Female Connector Set**
 Item ARCAK-LC40F-BLA (Black)
 Item ARCAK-LC40F-BLU (Blue)
 Item ARCAK-LC40F-GRE (Green)
 Item ARCAK-LC40F-ORA (Orange)
 Item ARCAK-LC40F-RED (Red)
 Item ARCAK-LC40F-YEL (Yellow)
 • Brass



- Male Connector Set**
 Item ARCAK-LC40M-BLA (Black)
 Item ARCAK-LC40M-BLU (Blue)
 Item ARCAK-LC40M-GRE (Green)
 Item ARCAK-LC40M-ORA (Orange)
 Item ARCAK-LC40M-RED (Red)
 Item ARCAK-LC40M-YEL (Yellow)
 • Brass



- Male/Female Connector Set**
 Item ARCAK-LC40MF-BLA (Black)
 Item ARCAK-LC40MF-BLU (Blue)
 Item ARCAK-LC40MF-GRE (Green)
 Item ARCAK-LC40MF-ORA (Orange)
 Item ARCAK-LC40MF-RED (Red)
 Item ARCAK-LC40MF-YEL (Yellow)
 • Brass

ARC CENTRE ASSEMBLIES



Custom Welding Cable Assemblies

Item	Name	Amp
ARCAK-GROUND2/0	Ground Clamp Kit	500
ARCAK-STING#2	Stinger Kit	400
ARCAK-TIGWP9	TIG Torch Kit	125
ARCAK-TIGWP17	TIG Torch Kit	150
ARCAK-TIGWP26	TIG Torch Kit	200
ARCAK-GOUGER	Gouger	400
ARCAK-WELD2/0	Welding Cable Kit	350
ARCAK-MILLER-REM	Miller Remote Kit; 14 pin	20
ARCAK-EXTCORD10/3	Extension Cords	15
ARCAK-EXTCORD12/3	Extension Cords	15



Ground Clamp Kit



Stinger Kit



TIG Torch Kit



Gouger



Welding Cable Kit



Miller Remote Kit



Extension Cord



Assemble



Length



Length, End Type



End Colour



Length, End Colour



Repair

Booster cables	●	●	○	○	○	●
Cable connectors	●	●	○	○	○	○
Extension cords*	●	●	●	○	○	●
Hoses	●	●	○	○	○	●
Welding cables	●	●	○	●	●	●
Welding extensions	●	●	○	○	○	●
Welding remotes	●	●	○	○	○	●
Welding torches	●	●	○	○	○	●
Remote kits	●	●	○	○	○	○

*Includes explosion-proof, GFI, twist lock.

arc.support@inlandindustrial.ca (780) 413-0029

16 Seasonal Summer



COOLING



Chill-Its Evaporative Cooling Hard Hat Neck Shade

- Item ERG6670CT** (Lime)
- PVA activates with water
 - Up to 4 hours of cooling
 - UV protection for back-of-neck and ear
 - Hook and loop straps
 - Polyester, machine washable, air dry
 - 10-1/2" L x 14-3/4" W



Glowear Hi-Viz Hard Hat Neck Shade

- Item ERG8005-LIME** (Lime)
Item ERG8005-ORANGE (Orange)
- UV protection for back-of-neck and ear
 - Mesh with reflective trim
 - Elastic rim with plastic clips
 - Polyester, machine washable



Chill-Its Hard Hat Brim & Neck Shade

- Item ERG6660-LIME** (Lime)
Item ERG6660-ORANGE (Orange)
- Sun protection for face and neck
 - Elastic rim plus hook and loop
 - Plastic brim holds its shape
 - Polyester, hand wash
 - Brim size: 3-1/4" L



Chill-Its Evaporative Cooling

Bandana Headband

- Item ERG6700CTB** (Blue)
Item ERG6700CTN (Navy Western)
Item ERG6700CTR (Red Western)
- PVA activates with water
 - Up to 4 hours of cooling
 - Tie closure
 - 100% cotton, machine washable



Chill-Its Evaporative Vest

- Item ERG6665-M-GRAY** (M)
Item ERG6665-L-GRAY (L)
Item ERG6665-XL-GRAY (XL)
Item ERG6665-2XL-GRAY (2XL)
Item ERG6665-3XL-GRAY (3XL)
- Activates for up to 4 hours
 - 100% quilted nylon, side mesh panels
 - Grey, zipper closure
 - Hand wash



Chill-Its Ice Packs for Cooling Vest

- Item ERG6220** (S/M, L/XL)
- Maintains constant 18°C up to 4 hours
 - Recharges in 10 minutes
 - Honeycomb design
 - Clear, cotton
 - Compatible with ERG6235, ERG6225



Chill-Its FR Cooling Vest

- Item ERG6225HV-S/M** (Hi-Viz Orange, S/M)
Item ERG6225HV-L/XL (Hi-Viz Orange, L/XL)
Item ERG6225-S/M (Khaki, S/M)
Item ERG6225-L/XL (Khaki, L/XL)
- Flame-resistant
 - Adjustable hook and loop closures
 - Two elastic pen loops on chest
 - Vest only



Chill-Its Cooling Vest

- Item ERG6235-S/M**
Item ERG6235-L/XL
- Flexible fit with adjustable hook and loop closures
 - Khaki, cotton
 - Vest only

i **PYRAMEX**
Perform At Your Peak

OTS® Series

- Temples adjust for length and pitch
- Fits over prescription eyewear
- 99% UVA/B protection

Browse our selection of safety glasses with UV protection on page 65.

HYDRATION PACKS



Chill-Its Low Profile Hydration Pack-2 L
Item ERG5155 (Black, Hi-Viz Lime/Orange)
 • 600D water-resistant rip stop polyester shell
 • Breakaway shoulder straps



Chill-Its Low Profile Hydration Pack-3 L
Item ERG5156 (Black, Hi-Viz Lime)
 • Wide dual cap opening
 • Additional storage



Chill-Its Hydration Pack Replacement Bladders
Item ERG5050B* (2 L)
Item ERG5051B** (3 L)
 • Compatible with ERG5155*/ERG 5156** low profile hydration packs

COOLERS



Water Cooler
Item RUB1683 (3 gal)
Item RUB1685 (5 gal)
Item RUB1610 (10 gal)
 • Fully insulated, heavy-duty construction
 • Built-in cup dispenser bracket



Chill-Its Industrial Hard-Sided Cooler – 17 Quart
Item ERG5170
 • Keeps cool up to 5°C for 30 hours
 • Hard sided, holds up to 300 lb
 • Interior lid compartment



Chill-Its Industrial Hard-Sided Cooler – 48 Quart
Item ERG5171
 • Dry interior container
 • Rubber locks
 • Anchor attachments

SUNSCREEN



Sunscreen Lotion
Item CCB12310 (10 ml packet)
Item CCB12340 (120 ml flip top)
Item CCB12350 (1 L pump)
 • 30 SPF, UVA/UVB protection
 • Water-resistant, unscented
 • Moisturizing Aloe and Vitamin E



Dentec Sunscreen
Item DEN18210 (50 ml tube)
Item DEN18220 (120 ml flip lid)
Item DEN18226 (177 ml continuous spray)
 • SPF 30, UVA/UVB protection
 • Hypoallergenic
 • Water-resistant

INSECT REPELLENT



Deep Woods® Insect Repellent
Item OFF018210* (100 ml pump)
Item OFF718220* (230 g aerosol)
Item OFF18226** (230 g aerosol)
 • Deet 25%*, 30%**
 • Repels up to 8 hours, scented

FANS

ROK



- 30" Pedestal High Velocity Fan**
Item ROK80645
- 3 speed settings
 - Industrial high velocity motor
 - All metal construction
 - 7.5 ft grounded cord
 - Adjustable height

ROK



- Floor Fan**
Item ROK80605 (14 in)
Item ROK80610 (18 in)
- 3 speed settings
 - 4 position stand for air direction
 - Front-mounted control panel
 - 6 ft grounded cord

ROK



- Drum Fan**
Item ROK80630 (30 in)
- 2 speed settings, 1/3 HP
 - Industrial motor
 - All metal construction
 - Two 5" wheels
 - 7-1/2 ft grounded cord

PEST CONTROL



WOOM142



WOOM150



WOOM035



WOOM308

Mouse Traps

Item	Model	Qty.
WOOM142	Power kill	2/Pk
WOOM150	Metal pedal	2/Pk
WOOM035	Easy set	2/Pk
WOOM308	Live catch	1



KODFBAD-00



KODFBAD-01G-X
KODCFBAD-321G-X



KODASC



KODKH001-HV
KODKH-325G



KODKWDH-KP

Bear Spray Supplies

Item	Description
KODCFBAD-00	Inert Training Spray
KODCFBAD-01G-X	Bear Spray Xtra 1% Capasaicin 225g
KODCFBAD-321G-X	Bear Spray Xtra 1% Capasaicin 325g
KODASC	Bear Spray Container w/ Foam
KODKH001-HV	Adventure Bear Spray Holster Hi-Viz 225g
KODKH-325G	Adventure Spray Holster Black 325g
KODKWDH-KP	Wildlife Deterrent Horn (Klaxon)

WINDSHIELD WASHER FLUID



Turbo Power Bug Wash

- Item RCHWWAFS**
- Suitable for warm weather conditions
 - Keeps windshields clear from road grime and splattered insects
 - Coloured red
 - No harsh chemicals
 - 3.78 L



Turbo Power All Season

- Item RCHWWAF**
- Methanol-based fluid provides excellent grime, salt and snow cleaning performance in cold weather
 - Temperature rated to -35°C
 - 3.78 L

For more automotive fluids, see our Seasonal winter section on page 145.



17 Seasonal Winter



SNOW & ICE REMOVAL



Ice Scraper

- Tempered steel blade with long, thin hardwood handle

Roof Rake

- Light and resistant polyethylene blade that does not damage roofs, anti-slip, ultra-light aluminum handle

Snow Shovel/Pushers

- Recycled polyethylene blades and a wooden D-handle

Item	Type	L x W"	Blade	Handle
GARNHSW7	Ice Scraper	54 x 7	Tempered steel	Hardwood
GARYFSW9	Ice Scraper	57 x 8.5	Tempered steel	Hardwood
GARGPRR24	Roof Rake	192 x 24	Polyethylene	Aluminum
GARNP139KD	Snow Shovel	53.5 x 14.5	Polyethylene	D-handle wood
GARNPP21KD	Snow Pusher	56 x 20.5	Polyethylene	D-handle wood
GARNPP26KD	Snow Pusher	56.5 x 25.5	Polyethylene	D-handle wood



Snow Brush & Ice Scraper Item MAL18833

- Pivoting head
- Foam grip
- 16" wide
- 33-1/2 to 51" telescoping steel handle



Telescopic Snow Brush & Ice Scraper Item MAL511E

- Pivoting snow broom
- Dual action bristles
- Rubber squeegee and ice chippers
- 7" wide
- 23 to 36" telescoping aluminum handle



Telescopic Snow Broom & Ice Scraper Item MAL583-EP

- Pivoting snow broom with combination broom and squeegee blade
- Foam grip
- 10" polycarbonate blade
- 34 to 52" telescoping aluminum handle



Snow Brush & Ice Scraper Item MAL889-35

- Foam grip, 35" aluminum handle



Snow Brush & Ice Scraper Item MAL203CT

- 24" wooden handle

ICE MELT



Ice Melter

Item PPSP20 (Polar Plus)

Item YKGM20 (Yukon Gold)

- Contains calcium chloride
- When used properly, will not harm vegetation, properly air-entrained concrete or pets
- Dye is water-soluble and UV-sensitive
- 20 kg bag
- Polar Plus effective to -22°C, green soluble marker
- Yukon Gold effective to -31°C, Indigo soluble marker

WARMING PACKS



(Hand warmers)

(Toe warmers)

iHot Air Activated Packs

Item SAF30832HOT (Hand warmers)

Item SAF30833HOT (Toe warmers)

- Hand warmers work up to 12 hours
- Toe warmers with adhesive back works up to 6 hours
- 2/Pk

NECK WARMERS, BALACLAVAS & TOQUES



Neck Warmer/Windguard
Item BDG90-0-500*
Item BDG90-0-700**
 • Acrylic knit, bound hem, red*
 • Wool knit, bound hem, black**
 • Universal fit



Neck Warmer/Windguard
Item PIOC207* (Natural)
Item PIOC307** (Black)
 • Nomex® life-long flame resistant*
 • Double-layer, flame resistant and arc-rated Flame-Gard® blend**
 • Universal fit



Supera™ Fire-Resistant
Item SPRNWKVFR (Neck Gaiter)
Item SPRBAKVFR (Balaclava)
 • Two-layer Kermel®-viscose blend
 • Protection against heat, flame and electric arc
 • Grey, universal fit



One-Hole Balaclavas
Item BDG90-0-510 (Acrylic)
Item BDG90-0-615 (Acrylic, Thinsulate™ lining)
Item BDG90-0-710 (Wool)
 • Black
 • Universal fit



Three-Hole Balaclava
Item BDG90-0-520
 • Double knit acrylic with Thinsulate™ lining
 • Black
 • Universal fit



Nomex® IIIA 1-Hole Balaclavas
Item PIO666
Item PIOC214BK (4-pc cape/hood design, medium knit)
Item PIOC215 (Light-knit, ARC 2 rating).
 • Life-long flame-resistant
 • Black
 • Universal fit



Nomex® IIIA 3-Hole Balaclava
Item PIOC202
 • Life-long flame-resistant
 • Black
 • Universal fit



Lined Toque
Item PIO5563A (Black)
Item PIO5564A (Orange)
 • 100% acrylic knit
 • Universal fit



Nomex® IIIA Toque
Item PIOC200
 • Life-long flame-resistant
 • Black
 • Universal fit

GLOVES



- Poly-Cotton Knit**
Item BDG10-9-77
- Elastic knit wrist with hemmed cuff
 - Ambidextrous
 - Sizes S–XL



- Lined Grain Cowhide Fitter**
Item BDG40-9-173PP
- Grain cowhide palm, index finger and fingertips
 - Cotton backhand w/grain leather knuckle strap
 - Fleece lining
 - Rubberized safety cuff, inside elastic wrist, patch palm
 - Gunn cut with wing thumb
 - One size



- Lined Grain Cowhide Fitter**
Item BDG40-9-173TFL
Item BDG40-9-173TFLW (One-size ladies)
- Grain cowhide palm, index finger and fingertips
 - Cotton backhand w/grain leather knuckle strap
 - C100 Thinsulate™ insulation
 - Rubberized safety cuff, inside elastic wrist
 - Gunn cut with wing thumb
 - Sizes L–2XL



- Lined 3/4 Nitrile-Coated Acrylic/Nylon**
Item BDG99-9-265
- 15 ga. nylon/acrylic shell
 - Foam nitrile knuckle coating w/smooth finish
 - 10 ga. brushed lining
 - Elastic knit wrist with hemmed cuff
 - Sizes S–3XL



- Lined Full Nitrile-Coated Nylon**
Item BDG99-9-300
- 15 ga. nylon shell
 - Foam nitrile knuckle coating over full coating
 - Thermal nylon/acrylic lining
 - Elastic knit wrist with hemmed cuff
 - Sizes S–2XL



- Lined Nitrile-Coated HPPE**
Item BDG99-9-9625
- 13 ga. outer, 7 ga. inner HPPE shell
 - Nitrile palm coating with textured finish
 - Acrylic/polyurethane lining
 - Elastic knit wrist with hemmed cuff
 - Reinforced thumb saddle
 - Breathable inner membrane coating
 - Sizes XS–2XL



- Lined Nitrile-Coated HPPE**
Item BDG99-9-9793
- 13 ga. outer, 7 ga. inner HPPE shell
 - Nitrile palm coating with textured finish
 - Acrylic/polyurethane lining
 - TPR back hand impact protection
 - Elastic knit wrist with hemmed cuff
 - Reinforced thumb saddle
 - Breathable inner membrane coating
 - Sizes XS–2XL



- Lined Grain Cowhide MIG Welder**
Item BDG60-9-1942
- Grain cowhide palm and backhand
 - Fleece lining
 - 5" split cowhide gauntlet cuff
 - Shirred elastic wrist, wing thumb
 - Reinforced palm, backhand and thumb saddle
 - Stitched with Kevlar®
 - Sizes XS–2XL



- Endura® Comfort & Abrasion-Resistant**
Item SPR378GKTTL
- Abrasion-resistant
 - Brushed jersey-fleece interior lined with 100g Thinsulate™
 - High tensile strength goatskin
 - Cut-and-sewn construction with elasticized backs
 - Keystone thumb
 - Sizes 2XS–3XL

Gloves continued



**Endura® Hi-Viz Driver
Item SPR378GOTTL**

- Hi-viz goatskin driver gloves
- 100g Thinsulate™ lined
- High tensile strength goatskin
- Keystone thumb design
- Sizes 2XS–3XL




**Endura® Dexterous Winter Gloves
Item SPR378GKGLT**

- Composite filament fibre lined
- Thinsulate™ lined goatskin
- Cut-and-sewn construction
- Keystone thumb design provides added durability
- Sizes 2XS–3XL



**Endura® Protection, Warmth, Comfort
Item SPR378GTXTL**

- TenActiv™ lined goatskin driver
- Palm grips
- Hi-visibility orange fingertips
- Thinsulate™ lined
- Sizes 2XS–3XL




**Endura® Vibration Dampening
Item SPR378GKGTVBE**

- TenActiv™ and Thinsulate™ lined
- Back hand impact-resistant protection
- High tensile strength goatskin
- Padded palm
- Sizes 2XS–3XL



**Endura® Extended Gauntlet
Item SPR399GKGLT5**

- Extended goatskin gauntlet driver
- DuPont™ Kevlar®/composite lined
- Thinsulate™ lined
- Cut-and-sewn construction
- Wing thumb design
- Sizes 2XS–3XL



**Endura® Impact Protection
Item SPR378KGTVB**

- DuPont™ Kevlar® / composite lined
- Back hand impact-resistant protection
- High tensile strength goatskin
- Padded palm for vibration dampening
- Sizes 2XS–3XL



**Clutch Gear® Hi-Viz Mechanic
Item SPRMXGKGHVTL**

- DuPont™ Kevlar® / composite lined
- Hi-viz foam laminated spandex backing
- 3M™ C100 Thinsulate™ lined
- Goat-grain palms
- Leather wraps around fingertips
- Elastic wrists with hook and loop closure
- ID label for personalization
- Sizes 2XS–3XL



**Endura® Tough Linemen
Item SPR365DLXFTL**

- Thinsulate™ lined
- Retroreflective silver strips
- Water, oil and stain-repellent properties
- Horsehide leather
- Double layer of leather on palm
- Stitched with Kevlar®
- Sizes 2XS–3XL



**Endura® Hi-Viz Lineman
Item SPR365DLXDTL**

- Thinsulate™ lined
- Waterstop™ to repel water, oil and stains
- 3M™ Scotchlite™ retroreflective silver strips
- Double leather layer on palm
- Horsehide leather
- Stitched with Kevlar®
- Sizes 2XS–3XL

Gloves continued



- Endura® Hi-Viz Extended Cuff Lineman Mitt Item SPR365DLXTKG**
- DuPont™ Kevlar® and Thinsulate™ lined
 - Sewn with DuPont™ Kevlar®
 - Gauntlet cuffs with 3M™ retroreflective silver strips with hi-viz bands
 - Cowgrain leather
 - Performance thumb and palm patch
 - Water, oil and stain-repellent properties
 - Sizes 2XS–3XL



- Endura® Heavy-Duty Winter Mitt Item SPR361DLXFTL**
- Fully Thinsulate™ lined
 - Waterstop™ to repel water, oil and stains
 - Gauntlet cuffs with retroreflective silver strips with hi-viz overlay
 - Leather performance patch over palm and thumb
 - Horshide leather
 - Sewn with Kevlar® fibre
 - Sizes 2 XS–3XL



- Endura® One-Finger Lineman Mitt Item SPR361DLXWL**
- Wool liner is removable and washable
 - Waterstop™ to repel water, oil and stains
 - Gauntlet cuffs with retroreflective silver strips with hi-viz overlay
 - Leather performance patch on palm and thumb
 - Horshide leather
 - Sewn with Kevlar® fibre
 - Sizes 2XS–3XL



- Endura® Cut-Resistant Lineman Mitts Item SPR361DLXTKG**
- DuPont™ Kevlar® and Thinsulate™ lined
 - Waterstop™ to repel water, oil and stains
 - Cuffs include 3M™ retroreflective silver strips with high-viz bands
 - Horshide leather
 - Reinforced double-leather palm patch
 - Sizes 2XS–3XL



- TenActiv® Waterproof Cut-Resistant Item SPRS18WTLFN**
- TenActiv™ 18-gauge knit
 - Breathable waterproof and windproof membrane
 - Acrylic terry liner
 - Foam nitrile palm coatings
 - Nitrile thumb crotch reinforcement
 - Sizes 2XS–3XL



- Emerald CX® Cut-Protection Item SPRSCXTAPVC**
- Blended DuPont™ Kevlar® and steel knit
 - Acrylic fleece lining
 - PVC palm coating
 - Touchscreen compatible
 - Sizes 2XS–3XL



- Flextime Item WAT9005W**
- 3M Eco-Thinsulate™ EC60 lining
 - Dryhide™ oil- and water-resistant goatskin
 - Hooded fingertips and thumb
 - Spandex back made with WasteNot™ yarn
 - Snug-fitting elastic wrist with Velcro® closure
 - Sizes S–2XL



- Big Dawg Item WAT94006HW**
- 3M Eco-Thinsulate™ EC100 lining
 - Cowhide leather
 - Cotton drill back
 - Shirred elastic wrist
 - Slip-on style cuff
 - Sizes S–3XL



- Scape Goat Item WAT9545**
- 3M Thinsulate™ C100 lining
 - Goatskin leather
 - Driver's style with keystone thumb
 - Snug-fitting shirred elastic wrist with slip-on style cuff
 - Sizes S–2XL

Gloves continued



Scape Goat

Item WAT9545TPR

- 3M Thinsulate™ C100 lining
- Goatskin leather
- Heavy-duty rubber on back-of-hand, fingers and wrist
- Driver's style with keystone thumb
- Snug-fitting shirred elastic wrist
- Slip-on style cuff
- Sizes XS–3XL



Van Goat

Item WAT9547

- 3M Thinsulate™ C100 lining with microfleece layer
- Cutshield™ P-aramid/steel/polyester liner
- Dryhide™ oil- and water-resistant goatskin
- Driver's style with inset thumb
- Snug-fitting shirred elastic wrist
- Slip-on style cuff
- Sizes 2XS–2XL



Van Goat

Item WAT9547TPR

- 3M Thinsulate™ C100 lining with additional microfleece layer
- Cutshield™ premium P-aramid/steel/polyester liner
- Dryhide™ oil- and water-resistant goatskin
- Impact protection heavy-duty flame-resistant rubber on back of hand, fingers and wrist
- Stitched with Kevlar® thread
- Snug-fitting shirred elastic wrist
- Sizes XS–3XL



Van Goat

Item WAT9549

- 3M Thinsulate™ C100 lining with additional microfleece layer
- Full sock Cutshield™ Para-aramid/steel/polyester liner
- Dryhide™ oil- and water-resistant goatskin
- Classic gunn cut with wing thumb welted seams and pulse protector
- Gauntlet style cuff with leather gore
- Sizes M–2XL



Van Goat

Item WAT9549TPR

- 3M Thinsulate™ C100 lining
- Full sock Cutshield™ Para-aramid/steel/polyester liner
- Dryhide™ oil and water-resistant goatskin
- Impact protection heavy-duty flame-resistant rubber on back of hand, fingers and wrist
- Gunn cut, wing thumb, pulse protector
- Stitched with Kevlar®
- Gauntlet style cuff
- Sizes XS–3XL



TRACTION AIDS

ICEtrekkers



Diamond Grip™ Traction Device

- Item ITR06004 (S)
- Item ITR06005 (M)
- Item ITR06006 (L)
- Item ITR06007 (XL)
- Item ITR06029 (2XL)
- Case hardened steel alloy beads strung on steel aircraft cable
- Sturdy rubber slings stay securely on footwear without straps
- Remains flexible in sub-zero temperatures



Mid-Sole Ice Cleats

- GERK1MID (Original)
- GERK1MID-LP (Low-profile)
- GERK1MID-HP (High-profile)
- GERK1MID-INT (Intrinsically safe)
- GERK1MID-INT-LP (Intrinsically safe & low profile)
- GERK1MID-INT-HP (Intrinsically safe & high profile)
- Tungsten carbide studded cleats
- Hi-viz strap and reflective patch
- One size

ICEtrekkers



Chains Traction Device

- Item ITR06060 (S)
- Item ITR06061 (M)
- Item ITR06062 (L)
- Item ITR06063 (XL)
- Individually TIG welded square links made from case-hardened steel
- Durable rubber sling is flexible in sub-zero temperatures and stays securely on footwear even in deep snow



Heelstop

- Item DEVK1-M / DEVINT-M* (M)
- Item DEVK1-L / DEVINT-L* (L)
- Item DEVK1-XL / DEVINT-XL* (XL)
- Item DEVK1-2XL / DEVINT-XXL* (2XL)
- Intrinsically safe studs*
- Covers entire heel
- Industrial quality, freeze-resistant TR rubber
- Evenly distributed tungsten carbide studs
- Velcro® strap

ICEtrekkers



Spikes Traction Device

- Item ITR06065 (S/M)
- Item ITR06066 (L/XL)
- Spikes made of tungsten carbide
- Rubber straps

PORTABLE HEATERS



Ceramic Heater
Item BRIH005135

- Power indicator light with two heat settings
- 4-position switch
- Adjustable thermostat
- Tip-over protection
- 120V, 750/1500 watts



Fan-Forced Heater
Item BRIH005108

- Metal cased with two front guards
- Two heat settings and fan-only setting
- Adjustable thermostat
- Tip-over protection
- 120V, 1300/1500 watts

ELECTRICAL CORDS & CABLES



Block Heater & Extension Cords

- Tempered rated to -40°C
- 125V

Item	Outlets	Gauge	End Type	Length (ft)
BRIP011010	3	16/3 SJTW	Tri-tap	10
BRIP010912BL	1	12/3 SJTW	Lighted	50



Booster Cables

- 500A clamps fit top and side post batteries
- Zinc-plated steel clamps with copper inserts
- PVC grips, TPR jacket, 100% copper wire

Item	Gauge	Length (ft)
BRIC000302	2	20
BRIC000305	4	12

AUTOMOTIVE FLUIDS



Turbo Power All Season
Item RCHWWAF

- Methanol-based fluid provides excellent grime, salt and snow cleaning performance in cold weather
- Temperature rated to -35°C
- 3.78 L



99.9% Methyl Hydrate

- Item RCHMHY1 (1 L)
- Item RCHMHY4 (4 L)
- Item RCHMHY20 (20 L)
- Multiple cleaning and thinning uses
- Low freezing point



JUMP START® Starting Fluid
Item CRC75671

- For fast, economical starts in cold or humid conditions
- Contains an upper cylinder lubricant to minimize wear during cold starts
- 311 g aerosol



Ice-Off™
Item CRC75346

- Windshield spray de-icer
- Thaws frozen locks
- Loosens and melts ice
- Effective to sub-zero temperatures
- 340 g aerosol



Safe-T-Brake™ Gas Line Anti-Freeze

- Item KLF409 (150 ml)
- Item KLF412 (500 ml)
- Prevents frozen gas lines during winter and vapour lock during summer
- Specially designed for fuel injected engines



Safe-T-Brake™ Air Brake Anti-Freeze
Item KLF509 (950 ml)

- Item KLF510 (4 L)
- Absorbs condensation
- Anti-corrosive agent protects all steel, rubber and brake line parts



50/50 Ready-to-Use Antifreeze

- Item KLOKL-CH8950 (Green, Universal)
- Item KLOKL-CH9150 (Yellow, Automotive)
- Item KLOKL-CH9350 (Red, Heavy-duty)
- Item KLOKL-CH-9550 (Gold, All engines)
- 4 L jug

For more windshield washer fluid, see our Seasonal summer section on page 136.



Inland Industrial Supply Ltd.
inlandindustrial.ca

Edmonton, Alberta
9949 – 29A Avenue NW, T6N 1A9
(780) 413-0029
sales@inlandindustrial.ca

Kitimat, British Columbia
615 Enterprise Avenue, V8C 2E4
(778) 631-2041
kitimat@inlandindustrial.ca